



When you purchase a TenPoint, you purchase more than a crossbow. You arm yourself with a complete hunting system engineered to fill your freezer or put one in the record books. With the sole focus of manufacturing crossbows for over 25 years, our family owned business builds the industry's highest quality, most durable, and most accurate hunting crossbows - regardless of your price range.

PATENTED COCKING DEVICES

draw our crossbows.

TenPoint offers several patented cocking devices that allow ALL hunters, regardless of physical ability, to effortlessly

TENPOINT

CUSTOM ENGINEERED SCOPES

All TenPoint crossbows include custom engineered scopes that are built specifically for your crossbow model, leading to pin-point accuracy right out of the box.

IMPECCABLE FIT AND FINISH

TENPOINT COMPLETE HUNTING SYSTEMS

From CNC-machined aircraft-grade aluminum to double-dipped camouflage decoration, all TenPoint crossbows are built with impeccable fit and finish.

CUSTOM ALPHA-NOCK

The revolutionary Alpha-Nock $^{\mathrm{TM}}$ increases string-to-nock engagement by 28%, resulting in straight nock travel and precision down-range accuracy.

PRECISION ENGINEERED ARROWS

From shaft and insert materials to fletching and nocks, all TenPoint crossbows include custom designed arrows that are built from the ground up. Our arrows are measured for straightness up to +/- .00l and weight-grain sorted up to within l-grain per pack to deliver match-grade down-range accuracy.









Industry-leading speed generates flatter arrow trajectory than competing models.

3X QUIETER

Elongated power stroke generates more speed with less draw weight – resulting in a smoother shot with less vibration than competing models.

25% MORE ACCURATE

PREMIUM OPTIC

EVO-X CenterPunchTM Premium Arrows are inspected for straightness to within .001", and weight-grain matched to within l-grain per arrow.

Be a sniper in the woods with our 1.5-6x variable

speed EVO-X MarksmanTM Scope designed with high quality glass etched reticles and 14x fully multi-coated lenses for precision

down-range accuracy.

SUPERIOR BALANCE

Center-mounted riser eliminates the "nose-heavy" feel of traditional crossbows.

DOVETAIL BUBBLE LEVEL

Ensures the crossbow is perfectly level for added accuracy and precise shooting at longer distances.

SILENT COCKING DEVICE

Silently draw your crossbow with only 9-pounds of force using the ACUdraw PRO.

WHY SHOOT A REVERSE-DRAW CROSSBOW?

eliminates that "nose heavy" feel of

PIN-POINT ACCURACY:

the target, with less fatigue, resulting in more accurate off-hand shooting and



NEW FOR 2019

TURBOMI

The NEW Turbo M1 is the lightest, narrowest, and fastest version in our long line of successful Turbo models. Featuring a radically narrow, 9-inch wide bow assembly, the Turbo M1 sends arrows down-range with pin-point accuracy at lightning speeds up to 380 feet-per-second. The optional ACUdraw PRO silent cocking device makes cocking this crossbow effortless, while the NEW T5 trigger helps separate it from the competition.

PAGE 12

TITANMI

A remarkable 9.5-inches
narrower and 30 feet-persecond faster than the previous
best-selling Titan model, the
NEW Titan Ml offers an incredible
performance-to-value ratio never seen
before in the crossbow industry. Measuring
an ultra-compact 9-inches wide and shooting
up to devastating speeds of 370 feet-persecond, the ultra-light Titan Ml is primed to be
one of the top selling crossbows for 2019.

PAGE 13

A spitiagl som

A critical component in making our 2019 crossbows the smoothest shooting ever, the T5 Trigger features a new string latch design that reduces friction and delivers a crisp, consistent break shot-after-shot. One of the safest triggers on the market as well, the ambidextrous T5 Trigger features an auto-engaging safety and Dry-Fire-Inhibitor $^{\rm TM}$ (DFI).

*Featured on all 2019 TenPoint crossbows

BLAZER SOFT CROSSBOW CASE

The new Blazer soft case is built with everything you need to protect and transport your crossbow.

Lightweight and rugged, it features two external zippered pockets and one internal zippered pocket for accessory storage. In addition, it features two quick-release straps that can be used individually for "sling-style" carrying or together for "backpack-style" carrying. Fits TenPoint's 2019 crossbow line-up.

TENPOINT

PAGE 31

ALPHA-NOCK PAGE 28

The revolutionary Alpha-Nock increases string-to-nock engagement by 28%. The NEW nock features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear. The Alpha-Nock's deep grove "holds" the bowstring in place to prevent "shoot-over" or "shoot-under".

All 2019 TenPoint crossbows are shipped with and require the use of our new Alpha-Nock arrows.

ALPHA-BRITE PAGE 28

Our crossbows are so fast, you'll need a lighted arrow to track its impact. The new three-piece, Alpha-BriteTM Lighted Nock System consists of a Nock-Receiver insert with a six-sided interior cavity designed to accept a combined LED unit and translucent pegged Alpha-Brite nock.

LED Lig

ck ceiver

2019 PRODUCT CATALOG





OPTICS: EVO-X Marksman Scope | COCKING DEVICE: ACUdraw PRO | QUIVER: 3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket | ARROWS: Six EVO-X CenterPunchTM carbon arrows with practice points | NDISE DAMPENING: Integrated String $Stop \ System \ (pre-installed) \ | \ \textbf{CASE:} \ TenPoint \ STAG^{TM} \ hard \ crossbow \ case \ | \ \textbf{SLING:} \ TenPoint \ Neoprene \ Sling$

Available only as a complete package.



OPTICS: EVO-X Marksman Scope (Elite Package) or TenPoint RangeMaster® Pro Scope (Standard Package) | COCKING DEVICE: ACUdraw PRO | QUIVER: 3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Bracket | ARROWS: Six EVO-X CenterPunch carbon arrows with $practice\ points\ |\ \textbf{NOISE\ DAMPENING:}\ Integrated\ String\ Stop\ System\ (pre-installed)\ |\ \textbf{CASE:}\ TenPoint\ STAG\ hard\ crossbow\ case\ (Elite\ Package\ only)$

Available only as a complete package.



up to 4 I U

144

6.C

33.6

PACKAGE OVERVIEW


OPTICS: EVO-X Marksman Scope (Elite Package) or TenPoint RangeMaster Pro Scope (Standard Package) | COCKING DEVICE: ACUdraw PRO, ACUdrawTM, or ACUdraw 50 SLED^{TM*} | QUIVER: 3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket | ARROWS: Three EVO-X CenterPunch carbon arrows with practice points | NOISE DAMPENING: Integrated Sound Dampening System (pre-installed) | CASE: TenPoint STAG hard crossbow case (Elite Package only)

Available only as a complete package. | *ACUdraw or ACUdraw 50 SLED not available with Elite Package.



PACKAGE OVERVIEW

Available only as a complete package.






OPTICS: TenPoint 3x Pro-View 3 Scope | COCKING DEVICE: ACUdraw PRO or ACUdraw 50 SLED | QUIVER: 3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket | ARROWS: Three TenPoint Pro Elite carbon arrows with practice points

Available only as a complete package.



OPTICS: TenPoint 3x Pro-View 3 Scope | COCKING DEVICE: ACUdraw or Rope-Sled | QUIVER: 3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket | ARROWS: Three TenPoint Pro Elite carbon arrows with practice points

Available only as a complete package.















	NEW NITRO XRT	NITRO X	STEALTH NXT	SHADOW NXT	NEW TURBO M1	NEW TITAN M1
LENGTH	30.7" (w/stirrup)	30.7" (w/stirrup)	33.6" (w/o stirrup)	32.2" (w/o stirrup)	32.5" (w/o stirrup)	32.5" (w/o stirrup)
WIDTH - AXLE-TO-AXLE (uncocked/cocked)	12.5" / 7"	12.5" / 7"	11.3" / 6"	11.3" / 6.5"	14.25" / 9"	14.25" / 9"
POWER STROKE	16.5"	16.5"	13.5"	12.2"	14"	14"
DRAW WEIGHT	225 LBS	200 LBS	225 LBS	200 LBS	190 LBS	180 LBS
WEIGHT (w/o accessories)	7.4 LBS	7.4 LBS	7.3 LBS	7 LBS	6.4 LBS	6.4 LBS


PERFORMANCE (FEET-PER-SECOND/FOOT-POUNDS KE)

PRO LITE ARROW (370-grains)	470 / 182	440 / 159	410 / 138	390 / 125	380 / 119	370 / 113
PRO ELITE ARROW (425-grains)	450 / 191	420 / 166	390 / 144	370 / 129 (supplied arrow speed/KE)	360 / 122 (supplied arrow speed/KE)	350 / 116 (supplied arrow speed/KE)
EVO-X CENTERPUNCH (445-grains)	440 / 191 (supplied arrow speed/KE)	410 / 166 (supplied arrow speed/KE)	380 / 143 (supplied arrow speed/KE)	360 / 128	350 / 121	340 / 114

ACCESSORIES INCLUDED WITH STANDARD PACKAGE

(see individual bow pages for detailed list of included items)

PACKAGE NUMBERS







w/ACUdraw 50 SLED:

CB18019-3817

w/ACUdraw:

CB18019-3812

w/ACUdraw PRO: CB18019-3813



N/A





w/Rope-Sled: CB18018-5824 w/ACUdraw 50 SLED: CB18018-5827 w/ACUdraw: CB18018-5822	w/ACUdraw 50 SLED: CB19020-5527 w/ACUdraw PRO: CB19020-5523	w/Rope-Sled: CB19047-3524 w/ACUdraw: CB19047-3522
--	---	--

ELITE PACKAGE **NUMBERS**

STANDARD

w/ACUdraw PRO EVO-X Marksman Scope, STAG Hard Case & Sling: CB19005-2193

N/A

w/ACUdraw PRO, EVO-X Marksman Scope & STAG Hard Case: CB18005-3493

w/ACUdraw PRO:

CB18005-3813

w/ACUdraw PRO. EVO-X Marksman Scope & STAG Hard Case: CB18019-3493

N/A

N/A





Patented reverse-draw technology shifts the riser from the front of the crossbow to the center, eliminating the "nose-heavy" feel of traditional crossbows and creating an elongated power stroke for smoother shooting.

RDX laminated limbs powered by an efficient Reaper Cam SystemTM and DynaFLIGHT 97 string and cables generate a quiet, lethal shot.

Machined aluminum RDX cams featuring 440 stainless steel bearings improve stability and down-range accuracy.

Machined, lightweight aluminum riser and pockets provide added cushioning that reduces limb stress - adding years of performance on your crossbow.





up to 350 103 9.0 33.25

	LENGTH (w/stirrup)	VIDTH AXLE-TO-AXLE (uncocked / cocked)	POWER STROKE	DRAW WEIGHT	WEIGHT (w/o accessories)	PERFORN (FEET-PER-SECOND/)		ACCESSORIES INCLUDED
	33.25"	15" / 9"	15.5"	135 LBS	7.6 LBS	PRO LITE ARROW (370-grains) 350 / 101	CARBON ARROW (400-grains) 340 / 103	3-Arrow Instant Detach Quiver Three Horton Carbon Arrows
PACKAGE NUMBERS: Available only as a complete package. With TenPoint 3x Pro-View 3 Scope & ACUdraw: NH17060-5522 With TenPoint 3x Pro-View 3 Scope & ACUdraw: NH17060-5522								



112 15.0 36.5

COUNTRY

LIFETIME

OPTICS: TenPoint Multi-Line Scope | QUIVER: 3-Arrow Instant Detach Quiver | COCKING DEVICE: ACUdraw or Rope-Sled | ARROWS: Three aluminum arrows with practice points | NOISE DAMPENING: Integrated String Stop System (pre-installed)

RDX400°

String Stop System.

The first Wicked Ridge flagship model, the RDX 400 features a perfectly

balanced reverse-draw bow assembly and our Reaper Cam SystemTM that

together deliver consistent down-range accuracy and lighting speeds

up to 400 FPS. Focused on speed-to-price ratio, the RDX 400

includes a complete package with a cocking device and Integrated

LIFETIME

Available only as a complete package.

OPTICS: TenPoint Multi-Line Scope | QUIVER: 3-Arrow Instant Detach Quiver | COCKING DEVICE: ACUdraw or ACUdraw 50TM | **ARROWS:** Three aluminum arrows with practice points

Available only as a complete package



PACKAGE OVERVIEW

OPTICS: TenPoint Multi-Line Scope | QUIVER: 3-Arrow Instant Detach Quiver | ARROWS: Three aluminum arrows with practice points

Available only as a complete package.




PACKAGE OVERVIEW

OPTICS: TenPoint Multi-Line Scope | QUIVER: 3-Arrow Instant Detach Quiver | COCKING DEVICE: $ACU-52^{TM}$ | ARROWS: Three Wicked Ridge 18-inch carbon arrows with practice points

Available only as a complete package













	NEW ROX 400	INVADER X4	WARRIOR ULTRA-LITE	NEW RANGER X2
LENGTH (w/stirrup)	33.25"	36.5"	36.5"	33.9"
WIDTH - AXLE-TO-AXLE (uncocked/cocked)	15" / 9"	19" / 15"	19" / 15"	
POWER STROKE	15.5"	15.5" 13.5" 13.5"		10.875"
DRAW WEIGHT	175 LBS	165 LBS	165 LBS 150 LBS	
WEIGHT (w/o accessories)	7.6 LBS	6.0 LBS	6.0 LBS	5.9 LBS

PERFORMANCE (FEET-PER-SECOND/FOOT-POUNDS KE)

RANGER ARROW (350-grains)	N/A	N/A	N/A	330 / 85 (supplied arrow speed/KE)
PRO LITE ARROW (370-grains)	400 / 132	360 / 112	350 / 101	N/A
XX75 MAGNUM ARROW (435-grains)	380 / 140 (supplied arrow speed/KE)	340 / 112 (supplied arrow speed/KE)	330 / 105 (supplied arrow speed/KE)	N/A

ACCESSORIES INCLUDED WITH STANDARD PACKAGE

(see individual bow pages for detailed list of included items)









STANDARD PACKAGE NUMBERS

w/Rope Sled: WR19060-5534 w/TenPoint ACUdraw: WR19060-5532 w/TenPoint ACUdraw 50: WR18005-5531 w/TenPoint ACUdraw: WR18005-5532

TenPoint ACUdraw or ACUdraw 50 ready: WR18018-5530

w/ACU-52: WR19025-5536

2019 PRODUCT CATALOG

SIX INNOVATIVE COCKING DEVICES

TO MEET YOUR BOWHUNTING NEEDS.

GEAR ASSISTED COCKING DEVICES

USER-FRIENDLY AND PRACTICAL SOLUTIONS FOR COCKING A CROSSBOW EFFORTLESSLY AND ACCURATELY.

Fully integrated into the stock, with no dangling parts, they require only the strength of the average person's index finger to operate.

The ACUdraw PRO and ACUdraw allow hunters of all ages and physical abilities to enjoy the great experience of bowhunting.



HCA-000-B-AD ACUdraw

INTEGRATED

ROPE-COCKING DEVICES

Fully integrated into the stock, the ACUdraw 50 SLED and ACUdraw 50 have taken the leveraged, 50% reduction rope-cocking concept to an easy-to-use level. Their cord/ropes retract neatly inside the unit's housing after cocking. Lightweight, contoured covers provide improved security of the unit and its cord/ropes when not in use. No storing a cocking rope, untangling it, or putting it away after each use.

- Oraw the bow accurately every time
- Reduces the draw weight by 50%
- No longer a need to hang a rope around your neck or to stash it in your fanny pack
- When not in use, powerful mini-magnets hold the detachable handles securely and silently in place (Each ACUdraw 50 SLED or ACUdraw 50 handle is marked: WARNING: Contains a powerful Neodymium magnet that may interfere with the safe operation of pacemakers or other medical implants.)
- O Available as an accessory or pre-installed



ACUDRAW 50 SLED (PATENTED) MAKES COCKING NARROW CROSSBOWS A BREEZE

The ACUdraw 50 SLED contains a sled with detachable, magnetic handles that is compatible with all TenPoint and Horton crossbows with Functionally Superior Bullpup (FSB) stocks, including ultra-narrow and reverse-draw crossbows (except the Nitro X and Nitro XRT) and most Wicked Ridge crossbows.



ACUDRAW 50 (PATENTED) TAKING THE TRADITIONAL ROPECOCKER TO A HIGHER LEVEL

Compatible with most TenPoint, Horton, and Wicked Ridge crossbows (not compatible with ultra-narrow or reverse-draw crossbows).

HCA-000-A50-S ACUdraw 50 SLED (Not for use on Nitro X or Nitro XRT)

HCA-000-B-A50 ACUdraw 50 (Not for use on ultra-narrow or reverse-draw crossbows)

RETRACTABLE

ROPE-COCKING DEVICES

The ACUsled™ and ACUrope™ are revolutionary portable, retractable crossbow rope-cockers that cock a crossbow like traditional rope-cockers on the market today – but that's where the comparison ends. They also reduce the risk of inaccurate cocking that can occur with traditional rope-cockers, and thus, improves a shooter's accuracy.

When the shooter is finished cocking the bow, the ACUsled or ACUrope's draw cord completely retracts inside one of the two grips.

Then, the grips dovetail neatly together to form a compact unit for easy storage.

The unit's slender draw cords, pound-for-pound, 15-times stronger than steel, are made of heat and abrasion resistant SPECTRA® 1000 fiber.

- Reduces the draw weight by 50%
- Clever, convenient, and user-friendly
- Oraws the bow accurately every time
- Ulightweight and affordable
- No more dangling ropes or handles



ACUSLE

INDUSTRY'S ONLY PORTABLE, FULLY RETRACTABLE, ROPESLED

Compatible with all TenPoint and Horton crossbows with Functionally Superior Bullpup (FSB) stocks, including ultra-narrow and reversedraw crossbows (except the Nitro X or Nitro XRT) and most Wicked Ridge crossbows.



ACUROPE (PATENTED)

INDUSTRY'S FIRST
COMPACT, FULLY RETRACTABLE
ROPE-COCKER

Compatible with most crossbows on the market (not compatible with ultranarrow or reverse-draw crossbows).

HCA-000-AS

ACUsled (Not for use on Nitro X or Nitro XRT)

HCA-NON-B-E

ACUrope (Not for use on ultra-narrow or reverse-draw crossbows)

27 —

TENPOINTCROSSBOWS.COM

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT ON EXTREMELY NARROW CROSSBOWS.

TenPoint's Alpha-Nock features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear.

The Alpha-Nock's deep groove and large radius base "holds" the bowstring in place on extremely narrow crossbows to prevent "shoot-over" or "shoot-under".



Alpha-Brite Nock

Arrow Shaft

LED Unit

Nock Receiver









LIGHTED NOCK SYSTEM

ALPHA-BRITE LIGHTED NOCK SYSTEM

The three-piece, Alpha-Brite Lighted Nock System begins with a Nock-Receiver insert with a six-sided interior cavity designed to accept a combined LED unit and translucent pegged Alpha-Brite Nock. The Nock Receiver is glued into the nock-end of the arrow and indexed with the vanes.

To complete the Alpha-Brite installation, insert the LED unit – lighted end first – into the peg end of the Alpha-Brite nock and insert the nock and LED unit into the Nock Receiver. Then, insert the nock tabs between the receiver's locking clips until you hear/feel it "click" into place. When you fire your crossbow, the bowstring's force will compress the two pieces, eliminate the gap, and activate the LED unit.

To deactivate the Alpha-Brite system, remove the nock and LED unit, and pull the lighted end of the LED unit until the light turns off. The LED unit's battery should last for approximately eight hours.

*All 2019 and newer TenPoint crossbows require the use of an Alpha-Nock Arrow. Failure to do so will void the manufacturer's warranty. (All pre-2019 TenPoint, Horton, and Wicked Ridge crossbows require the use of Omni-Nock or Alpha-Nock Arrows.)

3-pack Alpha-Brite Lighted Nock System (not shown)

HEA-312.3 3-pack (green LED lite sticks - not shown)

PATENTED OMNI-NOCK AND PATENT-PENDING **OMNI-BRITE 2.0 LIGHTED NOCK SYSTEM**

TenPoint's patented Omni-Nock and patent-pending lighted version, the Omni-Brite 2.0 Lighted Nock System features six micro-grooves that form three bowstring channels which eliminate the need to index the arrow.

Some TenPoint and all Horton and Wicked Ridge arrows come pre-installed with either its own colored Omni-Nock or colored receiver and Omni-Nock.

Because the channel "holds" the bowstring in place, the Omni-Nock also prevents flat-nock "shoot-over" or shoot-under".

*Engineered for pre-2019 TenPoint Crossbows and all Horton and Wicked Ridge Crossbows, the Omni-Nock works well on other manufactures' models with precise and consistent bowstring alignment. Check your manufacturer's arrow specification



Micro-grooves form bowstring channels which eliminate the need to index the arrow



OMNI-BRITE 2.0 LIGHTED NOCK SYSTEM

The three-piece, patent-pending Omni-Brite 2.0 Lighted Nock System begins with a nock receiver insert with a six-sided interior cavity designed to accept a combined LED Unit and transparent pegged Omni-Brite 2.0 Nock. The Nock Receiver glues into the nock-end of the arrow and must be indexed or aligned with the vanes. Like the Omni-Nocks, Nock Receivers employ the same color-scheme and are, therefore, arrow specific.

To complete the Omni-Brite 2.0 installation, insert the LED Unit – lighted end first – into the peg end of the Omni-Brite 2.0 Nock and insert the Nock and LED Unit into the Nock Receiver. Then, insert the nock tabs between the receiver's locking clips until you hear/feel it click into place. When you fire your crossbow, the bowstrings force will compress the two pieces, eliminate the gap, and activate the LED.

To deactivate the Omni-Brite 2.0 System, remove the Nock and LED Unit, and pull the lighted end of the LED Unit until the light is off. The LED Unit's battery should last for approximately eight hours.

3-pack Omni-Brite 2.0 Lighted Nock System (not shown) 6-pack Omni-Brite 2.0 Lighted Nock System (not shown) HEA-368.6

3-pack (red LED lite sticks - not shown) HEA-310.3 3-pack (green LED lite sticks - not shown)

6-pack (clear Omni-Brite 2.0 replacement caps - not shown) 6-pack (clear Omni-Brite 2.0 replacement moon caps - not shown) HE∆-73∏.6

STANDARD-WEIGHT / 445-GRAINS / BALANCED AT 17% FOC



PHU

HEA-630.3 3-pack (w/0mni-Nocks)
HEA-630.6 6-pack (w/0mni-Nocks)

HEA-630.72 72-pack (w/Omni-Nocks)
HEA-638.3 3-pack (w/Omni-Brite 2.0 lighted nocks)

HEA-638.6 6-pack (w/Omni-Brite 2.0 lighted nocks)
HEA-638.72 72-pack (w/Omni-Brite 2.0 lighted nocks)
HEA-640.6 6-pack (w/Alpha-Nocks)

 HEA-640.72
 72-pack (w/Alpha-Nocks)

 HEA-648.3
 3-pack (w/Alpha-Brite lighted nocks)

 HEA-648.72
 72-pack (w/Alpha-Brite lighted nocks)

*All 3- and 6-packs come with 100-grain field points

PRO ELITE CARBON ARROW

STANDARD-WEIGHT / 425-GRAINS / BALANCED AT 14% FOC

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 68-grain brass insert, 3.5" Bohning X Vanes™ and TenPoint's NEW Alpha-Nock or neon yellow SuperBrite Omni-Nock and receiver for quick lighted nock installation. Pro Elite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.



The state of the s

HEA-002.3 3-pack (w/Omni-Nocks)

HEA-002.6 6-pack (w/Dmni-Nocks)
HEA-002.72 72-pack (w/Dmni-Nocks)
HEA-038.3 3-pack (w/Dmni-Brite 2.0 lighted nocks)

HEA-038.72 72-pack (w/0mni-Brite 2.0 lighted nocks)

*All 3- and 6-packs come with 100-grain field points

XX75 MAGNUM ALUMINUM ARROW

STANDARD-WEIGHT / 435-GRAINS / BALANCED AT 9% FOC

The XX75 Magnum 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain aluminum insert, 3.5" Bohning X VanesTM and TenPoint's neon orange SuperBrite Omni-Nock.



30

HORTON CARBON ARROW
STANDARD-WEIGHT/ 400-GRAINS / BALANCED AT 14% FOC

The Horton 20-inch carbon arrow is fletched slightly offset and is fitted with a 43-grain aluminum insert, 3.5" Bohning X VanesTM and TenPoint's neon green SuperBrite Omni-Nock. Horton shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.



HEA-722.6 6-pack (w/Omni-Nocks)

HEA-722.72 72-pack (w/Omni-Nocks)

HEA-728.3 3-pack (w/Omni-Brite 2.0 lighted nocks)

*All 3- and 6-packs come with 100-grain field points

1/254

HEA-460.6 6-pack (w/Omni-Nocks)
HEA-460.72 72-pack (w/Omni-Nocks)
HEA-428.3 3-pack (w/Omni-Brite 2.0 lighted pocks)

*All 3- and 6-packs come with 100-grain field points

PRO LITE™ CARBON ARROW

LIGHTWEIGHT/ 370-GRAINS/ BALANCED AT 10.5% FOC

The Pro Lite 20-inch carbon arrow is fletched slightly offset and is fitted with a 25-grain aluminum insert, 3.5" Bohning X Vanes™ and TenPoint's neon green SuperBrite Omni-Nock. Pro Lite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.



2

HEA-201.6 6-pack (w/0mni-Nocks)
HEA-201.72 72-pack (w/0mni-Nocks)
HEA-204.3 3-pack (w/0mni-Brite 2.0 lighted nocks)

*All 3- and 6-packs come with 100-grain field points

2019 PRODUCT CATALOG

WICKED RIDGE RANGER $^{\mathrm{IM}}$ CARBON ARROW

LIGHTWEIGHT/ 350-GRAINS/ BALANCED AT 15% FOC

The Ranger 18-inch carbon arrow is fletched slightly offset and is fitted with a 15-grain aluminum insert, 3.5" Bohning X VanesTM and neon yellow SuperBrite Omni-Nock.

NOTE: the Ranger arrow is for use with Wicked Ridge Ranger models only.

CROSSBOW ACCESSORIES

NEW CENTERPUNCH BROADHEAD

Designed for strength, the NEW 100-grain, reardeploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy and a devastating 1 7/s" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, and scalpel-sharp blades stay closed during flight – creating massive wound channels and leaving huge blood trails.

HEA-800.3 CenterPunch Broadhead



NEOPRENE SLINGS

Featuring an extra strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.

HCA-004 TenPoint
HCA-00415-H Horton
WRA004 Wicked Ridge

CROSSBOW CASES

HARD CASES

Designed for maximum protection and durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook and loop straps to secure the crossbow during travel, and storage for a quiver that also includes straps. An integrated stirrup pass-thru with storm flap allows you to hang the crossbow, in the case, for easy storage. If used with TSA approved locks, the case is TSA compliant.



HCA-20318

TenPoint STAG Case: Black /

Fits all of TenPoint's 2019 crossbow line-up

DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

HCA-20018

EVO-X Hammerhead™ Case: Black / Fits most forward &

reverse-draw crossbov

DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 27.5" Case Depth: 10.75" Interior Length: 36.25" / Interior Width: 27" / Interior Depth: 10.25"

NEW ULTRA-NARROW BLAZER SOFT CASE

Designed for optimal protection and durability, the new Blazer soft case is built with everything you need to protect and transport your crossbow. Lightweight and rugged, the water-resistant case features a foam-padded interior with a hook and loop strap to secure the crossbow during travel, as well as two external zippered pockets and one internal zippered pocket for accessory storage. Its side-mounted rubber grip handle and top nylon handle provide easy transportation and storage. In addition, the case features two padded quick-release straps that can be used individually for "sling-style" carrying or together for "backpack style" carrying, as well as Molle straps on the exterior pockets and backpack straps allow hunters and shooters to attach additional accessories.

HCA-20119 Blazer Soft Case / Black / Fits all of TenPoint's 2019 crossbow line-up

DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"



SOFT CASES

These ultra-durable soft cases ensure protection needed for travel and/ or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, zippered compartment for accessories, and a shoulder strap.

HCA-20016-T HCA-20015-H WRA200 TenPoint Embroidered Soft Case / Black / Fits all TenPoint crossbows

Horton Embroidered Soft Case / Black / Fits all Horton crossbows

Wicked Ridge Embroidered Soft Case / Camo / Fits most

Wicked Ridge crossbows (except RDX 400)



STEDDYEDDY® (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snapon connection and clamps under your stock when not in use. Comes with a cushioned hand grip, a carbide tip that grips rock and ice, and a removable rubber support ball.

HCA-030 SteddyEddy Crossbow Monopod System (compatible with TenPoint, Horton

Crossbow Innovations, and Wicked Ridge crossbows)

HCA-031 SteddyEddy Rapid-Pivot Retrofit Kit (not shown)

FLIGHT RAIL AND TRIGGER LUBE

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grit.

HCA-11007 TenPoint String Wax and Conditioner HCA-111 Flight Rail and Trigger Lube

[Contains Scorpion Venom™ Premium Lubricant]

SILENCERS

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening packages progressively reduce decibel level and shorten noise duration when used on compound crossbows and/or vertical bows. Two versions are available.

HCA-13617 Noise Dampening Package for crossbows with limb gap of 11/16" - 1.3/8" (Includes limb vibration

or vertical bows

dampeners, a retention spring dampener, foot stirrup dampeners, and barrel dampeners)

Universal Limb and Foot Stirrup Silencing Package - Limb & foot stirrup dampeners only, for most compound crossbows and/

SDS™ (STRING DAMPENING SYSTEM) (PATENTED)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation.

NEW HCA-148

NEW HCA-146

HCA-13718

32

SDS (String Dampening System) Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™ Also compatible with most pre-2015 Wicked Ridge crossbows, all Raider CLS™ and Warrior HL™ models, and Horton Legend Ultra Lite™ crossbows. RCX crosshows with huilt-in damneners Wicked Ridge Invader X4, Invader G3™, Warrior Ultra-Lite, Warrior G3™, Ranger™ or Lady Ranger™ models.

Wicked Ridge SDS (String Dampening System) Compatible with the Invader X4, Warrior Ultra-Lite and Ranger X2. SCOPES

EVO-X MARKSMAN™ SCOPE

The most accurate crossbow scope on the market, the Marksman Scope features a patented, variable speed locking ring for crossbows that shoot between 330 and 450 FPS, as well as fully multicoated 1.5-6x optics.

Its configuration consists of five illuminated duplex crosshairs calibrated for 10-yard increments between 20- and 60-yards, and two non-illuminated duplex crosshairs at 70- and 80-yards for competition and recreational shooting. The scope is outfitted with quick-detach scope rings, a bubble level, and high-quality flip-up scope caps. An infinite-position rheostat controls the light intensity of the red and green illuminated crosshairs.

Marksman Scope with 7/8" mounting rings and flip-up scope caps

RANGEMASTER® PRO SCOPE

This 8.25-inch aluminum scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 275 and 425 fps, and requires noadjustment for distance. Three duplex crosshairs and five dots calibrated for 20-, 30-,

40-, 50- and 60-yards (fourth and fifth dots are free-standing, just below the 40-vard crosshair) are available with a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.

> RangeMaster Pro Scope with 7/8" mounting rings and flip-up scope caps

3X PRO-VIEW 3™ SCOPE

Calibrated for crossbows that shoot in the 350 fps range, this lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-

coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).

3x Pro-View 3 Scope with 7/8" mounting rings

MULTI-LINE SCOPE

Only 8.5-inches long, this compact scope features fully coated 3x optics and three duplex crosshairs calibrated for 20-, 30and 40-yards and a fourth partial line for 50-yard shots.

Multi-Line Scope with 7/8" mounting rings

MISCELLANEOUS

DOVETAIL BUBBLE LEVEL

The bubble level can be attached to any weaver-style dovetail to provide added accuracy, especially at longer distances.

NEW HCA-073

GRIPGUARD™ (PATENTED)

shooting the crossbow.

HCA-10014

ROPE-SLED™

HCA-000-RS

Dovetail Bubble Level

The GripGuard is a shield that custom fits over

post-1999 through 2013 TenPoint synthetic stock

model fore-grips with or without a $GripSafety^{TM}$.

The wings at the top of the shield help prevent a

shooter's fore-grip fingers and/or thumb from

* Available at no charge, contact Customer

BEDNAR PERFECT PULLER® (PATENTED)

Named for and originally developed by the

late Hall of Fame Archer Bill Bednar, this

tool is designed to pull arrows from high

of both crossbow and compound arrows.

In addition, the hunter orange handles are notched to create a built in nock tool.

TenPoint's narrow sled fits/works on all

TenPoint and Horton crossbows with Functionally

Superior Bullpup (FSB) stocks, including ultra-

narrow and reverse-draw crossbows (except the

Nitro XRT or Nitro X) and most Wicked Ridge

crossbows, reducing the cocking effort by 50%.

Rope-Sled

Bednar Perfect Puller

(with interchangeable grippers

density targets. Includes three interchangeable

grippers sized to fit different shaft diameters

Service at 330-628-9245 option 2.

dangerously migrating above the flight deck while

Molded GripGuard / black



ROPE-COCKER

This ultra-durable crossbow rope-cocker features an abrasion-resistant, high tenacity polyester cord, custom dyed in high-visibility hunter orange.

WRA000.B Rope-Cocker



ACUTORQ HANDLE™

The ACUtorq handle employs a unique torque control mechanism that eliminates the possibility of over-cranking any ACUdraw unit once the crossbow is cocked, reducing the chance of damaging the unit. Its sleek design allows storage in stocks that currently have a storage cavity already cutout. Compatible with all previous ACUdraw cocking devices.

HCA-445-ACU ACUtorg Handle - For most crossbows with original ACUdraw units except TenPoint Nitro

XRT. Nitro X. Stealth NXT. and Shadow NXT

fred cap on handle

HCA-445 PRO ACUtorq Handle - For crossbows with ACUdraw

PRO units (black cap on handle)

ACUDRAW/ACUDRAW 50/ACU-52 REPLACEMENT ACCESSORIES

Visit www.tenpointcrossbows.com to find cocking device replacement parts.

APPAREL

TENPOINT. HORTON AND WICKED RIDGE APPAREL

Please visit www.tenpointcrossbows.com for the entire line-up of official apparel.









2019 PRODUCT CATALOG

Not compatible with RDX or NXT crossbows,

Scope mounting rings included.



▼TENPOINT STRING AND CABLE REFERENCE GUIDE

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Huntsman 1994-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Huntsman 1998	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
HuntMaster (w/out yokes) 1994-1995	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
HuntMaster (w/yokes) 1995-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
HuntMaster TL-4 1998	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
458 Magnum 1996-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
458 Magnum TL-4 1998-1999	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Woodsman, Woodsman Plus & Woodsman SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Slider, Titan TL-7, Titan TL-4, Titan, Titan II & Titan SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Turbo Extreme & Magnum Extreme	HCA-115	13	HCA-124	13
Elite X2, Magnum X2, Stealth X2 & Turbo X-2	HCA-115	13	HCA-124	13
Hybrid Lite & Elite Lite	HCA-115	13	HCA-124	13
Pro Fusion, Pro Slider, Titan TL-9 & Titan HLX	HCA-115	13	HCA-124	13
Pro Elite, Elite QX-4 & QX-4	HCA-115	13	HCA-124	13
Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-115	13	HCA-124	13
Phantom Xtra, Phantom CLS, Shadow CLS & Defender CLS	HCA-11607	16-18	HCA-12307	6-8
Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	16-18	HCA-12307	6-8
Stealth XLT & Turbo XLT	HCA-12110	14-16	HCA-12710	5-7
Turbo XLT II, Carbon Elite XLT & Stealth SS	HCA-12112	14-16	HCA-12912	9-11
Shadow Ultra-Lite, Tactical XLT, Turbo GT & Renegade XLT	HCA-12112-R	Pre Twisted	HCA-12912-R	Pre Twisted
Titan Xtreme	HCA-11712	14-16	HCA-12612	10-12
GT Curve, GT Flex & GT Mag	HCA-12008	16-20	N/A	N/A
Vapor	HCA-11813	Pre Twisted	HCA-12813	Pre Twisted*
Venom	HCA-12014	Pre Twisted	HCA-12514	Pre Twisted**
Lady Shadow	HCA-12115-P	Pre Twisted	HCA-12915-P	Pre Twisted**
Stealth FX4 & Venom Xtra	HCA-12015-0	Pre Twisted	HCA-12515-0	Pre Twisted**
Titan SS & Renegade	HCA-11716-S	Pre Twisted	HCA-12616-S	Pre Twisted
Carbon Nitro RDX	HCA-12216-R	Pre Twisted	HCA-13116-R	Pre Twisted
Carbon Phantom RCX & Eclipse RCX	HCA-70117	Pre Twisted	HCA-70017	Pre Twisted
Stealth NXT & Shadow NXT	HCA-70317	Pre Twisted	HCA-70217	Pre Twisted
Nitro XRT & Nitro X	HCA-70517	Pre Twisted	HCA-70417	Pre Twisted
Turbo M1 & Titan M1	HCA-11619-S	Pre Twisted	HCA-11619-C	Pre Twisted

HORTON STRING AND CABLE REFERENCE GUIDE

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Storm RDX	HCA-12215	Pre Twisted	HCA-13115	Pre Twisted
Vortec RDX	HCA-72717	Pre Twisted	HCA-72617	Pre Twisted
Legend Ultra Lite	HCA-11915	Pre Twisted	HCA-13015	Pre Twisted

WICKED RIDGE STRING AND CABLE REFERENCE GUIDE

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Invader & Invader HP	WRA182	18	WRA162	11
Warrior & Warrior HL	WRA182	13	WRA162	18
Raider CLS	WRA183	18	WRA163	11
Ranger	HCA-13215-0	Pre Twisted	HCA-13315-0	Pre Twisted
Lady Ranger	HCA-13215-P	Pre Twisted	HCA-13315-P	Pre Twisted
Invader G3 & Warrior G3	HCA-13216-0B	Pre Twisted	HCA-13316-0B	Pre Twisted
Invader X4 & Warrior Ultra-Lite & Ranger X2	HCA-75117	Pre Twisted	HCA-75017	Pre Twisted
RDX 400	HCA-13419-S	Pre Twisted	HCA-13419-C	Pre Twisted



NOTE: When installing most cables, twist the bottom yoke (located at the end of each cable) four times and the top yoke one time.

** Twist the Vapor top yokes three full twists, and the bottom yokes three full twists – the string & cables are pre twisted, and do not require additional twists.

***Twist the Venom Xtra, Venom, Stealth FX4 & Lady Shadow bottom yokes four full twists – the string & cables are pre twisted, and do not require additional twists.



We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days — so when the final product arrives on the shelves, it will meet your expectations.



1325 Waterloo Road · Mogadore, OH 44260-9608 Phone: 330.628.9245 • Fax: 330.628.0999