


*Simply the best... again.*





## A NEW NAME FOR THE NEW MILLENNIUM Sharpening Our Identity...

### Distinguishing Ourselves From The Competition

We started our company in January 1994, and have just completed our fifth full year in business. In that time we have created a line of hunting crossbows that we contend are measurably superior to those made by others. Whether you compare speed, power, durability, accuracy, technology, dependability, or aesthetics, we are told we have set the standard by which others now measure themselves. We have set ourselves apart from the competition and have become the crossbow manufacturer for the hunter who wants... well, "...simply the best."

When you look at the center spread of this catalog, you will see that we were the first to introduce – or we are the only one currently offering – the 13 highlighted features listed there. If you study our competition's progress over the same period, you will see that some have tried to follow our technological lead. They are now CNC machining parts, using no-teardrop cable systems, featuring limbs without brackets, and employing heavier draw weights. Some have introduced, withdrawn, and reintroduced technology to compete with our ACUdraw™ Integrated Automated Cocking Unit.

Except for those companies we have granted licenses to, we remain the only crossbow manufacturer to offer our patented Dry-Fire-Inhibitor™ and VIBRA-CUSH™ sound dampening technology, the ACUdraw™ cocking mechanism (pat. pend.), tunable yoke systems, adjustable draw weights, and a complete line of high-performance quad-limb bow assemblies. And, we have even more impressive cutting-edge technology in the works.

### Looking At 1999

This year, our corporate theme is "keeping it simple." Thus, the title of our catalog: "Simply the best...again." Whether it's our products, the way we make them, or our philosophy of operation, we strive to focus on the fundamentals; therefore, making life less complicated for you, our customer.

Keeping it simple, however, does not mean standing still. When you study this catalog, look closely at our three new models: the incredible 310+ fps. Magnum X-2™, the shortened WoodsMan SE™, and the more muscular WoodsMan Plus™. These models are good examples of building upon a sound foundation of proven technology. While you are at it, look at our speed and trajectory chart inside the catalog. It will "open your eyes."

### Help Us Choose A New Name

To further distinguish ourselves from other crossbow manufacturers and to sharpen our identity, we are going to enter the year 2000 with a new trade name. We have not chosen the name yet, so we will keep you posted about our progress via the various information channels available to us: press releases, trade and consumer advertising, direct contact by our sales representatives, and direct mail.

In September 1998, we signed an amicable, out-of-court agreement with Horton Manufacturing. In it, we agreed that because the potential for confusion existed between our operating name and their Hunter model crossbows, we would set out to create a new and distinct identity.


Since we have not chosen the new trade name, perhaps you would like to help us decide. Tell us what you think it should be. If we use your suggestion, we will send you a complete crossbow package consisting of our Magnum X-2™ crossbow (with or without an ACUdraw™) equipped with a Millett Red Dot Scope and accompanied by our complete X-tra Brown™ Accessory Pak, a total value of over \$1,000\*. Send your suggestions to my attention. Our address is on the back cover of this catalog.

Whatever new name we select, we intend to make it the symbol of our commitment to being... "simply the best...again and again."

Good Hunting.

*Richard L. Bednar*

Richard L. Bednar  
Executive Vice President, Chief Operating Officer



www.hunterscrossbow.com

\*Full contest details available upon request.

## THE MAGNUM X-2™ AND THE TURBO EXTREME™ The New Names For Power And Performance...

### Dare To Compare



**313+ fps**

NEW

The Magnum X-2™ (HCB-005-S)

Available without scope and with rear peep sight and front sight pin assembly (HCB-005).

**175 lbs.**  
draw weight

Magnum X-2	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 175 lbs.	2315	100 grains	313
	2219	100 grains	307

(\*See chart inside catalog.)



**288+ fps**

The Turbo Extreme™ (HCB-009)

Available with 30mm Millett Red Dot Scope (HCB-009-S)

**150 lbs.**  
draw weight

Turbo Extreme	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 150 lbs.	2315	100 grains	288
	2219	100 grains	282

(\*See chart inside catalog.)



In 1997, the **TURBO Extreme™** and its former 165 lb. partner, the **MAGNUM Extreme™**, set the standard by which all other crossbows are still measured today. Now the new, "simply incredible" **MAGNUM X-2™**, with its rugged 175 lb. draw weight, tests the limits of crossbow design, technology, and performance. If you are in search of the best, you have found them here. These two models are "simply the best...again."

- The **FST II™** 2<sup>nd</sup> generation stock features a "new," larger thumb-hole and the popular film-dipped Realtree® X-tra Brown™ camo.
- Powered by Hunter's **ST™** quad-limb design, acknowledged as the best crossbow limbs made today. They are quieter and faster, produce less recoil, and are more reliable than traditional solid limb models. With synthetic cables, no-teardrops, and tunable yokes, they are mounted in CNC machined pivoting limb pockets that allow you to adjust the draw weight by as much as 40 lbs. lower than factory-set weights.

- All machined components are first hardcoated to an incredibly durable **60+ Rockwell bronze finish**. Then, they are impregnated with **Teflon®** to create nearly friction-free surfaces.
- Includes Hunter's "targetized" **RangeMaster™** Rear Scope Adjustment Mechanism (HCA-086) with its tension adjusting setscrew and its new lock-down thumbscrew. Allows you to lock your scope at the yardage you select – or to immobilize it – and to regulate the "feel" or tension of the mechanism. Select your yardage by a simple click of the thumb lever without ever taking your eye off your scope.
- Patented **PowerTouch™** trigger assembly. Our CNC fully machined trigger-housing holds the finest investment cast and machined trigger parts in the industry. With its crisp **3-1/2 lb. pull** and **CLAWOVER™** string release, this trigger is the feature most admired by customers. The **Extreme™** version includes an **adjustable trigger-travel feature** so you can set the travel for different shooting circumstances – short for target shooting and long for hunting with gloves.





## CORE PERFORMANCE FEATURES A Lifetime Investment In Performance And Quality...

Every Hunter's crossbow is made with identical core performance features\*, simply the best way to insure accuracy, dependability, and overall performance from model to model. While our top-of-the-line models (Magnum X-2™ and Turbo Extreme™) include additional features that make them the fastest and most powerful crossbows made, our other models are equally dependable and accurate.

All Hunter's Manufacturing crossbows carry a **Limited Lifetime Operational Warranty**. That means the only way you will ever have to buy another Hunter's crossbow is if you just can't stop yourself.

\*See centerfold for feature descriptions.

- Patented VIBRA-CUSH™
- Patented PowerTouch™ Trigger
- Patented DFI™
- Advanced Quad-Limb Technology
- CNC Machined Components
- Tunable Synthetic Cable Yokes
- ACRA-ANGLE™ Barrel
- CLAWOVER™ String Catch
- NEW FST-II™ Stock
- Power Limb-Tip Caps™
- Ambidextrous Safety
- Aluminum Foot Stirrup



### THE 458 MAGNUM™ In A Class By Itself...

458 Magnum	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 165 lbs.	2315	100 grains	303
	2219	100 grains	296

(\*See chart inside catalog.)



**303+ fps**

**165 lbs.**  
draw weight

The 458 MAGNUM™ (HCB-003-S)

458 Magnum™ is also available with a rear peep and front sight pin sighting system (HCB-003).

With its powerful front end, innovative enhancements, and core performance features, the **458 MAGNUM™** is one of the hottest selling, fastest, and hardest hitting crossbows on the market today.

- The **FST-II™** stock features a "new," 2<sup>nd</sup> generation thumbhole and the popular film-dipped Mossy Oak® BREAK-UP™ camo.
- Powered by Hunter's **TL-4™** quad-limbs in Mossy Oak® BREAK-UP™. Our advanced performance TL-4s produce less recoil and are quieter, faster, and more reliable than traditional solid-limbs. With high performance, no-teardrop synthetic cables and tunable yokes, TL-4™ limbs are mounted in CNC machined pivoting limb pockets, allowing you to adjust the draw weight by as much as 40 lbs. lower than their pre-set factory weights.
- Includes a rich, satin black anodized finish on all machined aluminum components.

- Includes Hunter's "targetized" **RangeMaster™** Rear Scope Adjustment Mechanism (HCA-086) with its tension adjusting setscrew and its new lock-down thumbscrew. Allows you to lock your scope at the yardage you select – or to immobilize it – and to regulate the "feel" or tension of the mechanism. Select your yardage by a simple click of the thumb lever without taking your eyes off your target.
- Comes standard and pre-sighted with either our **4-power x 1" Mini Scope** (HCB-003-S) or with our **Rear Peep and Standard Front Sight** (HCB-003) combination.
- Patented **PowerTouch™** trigger assembly: Our CNC fully machined trigger-housing holds the finest investment-cast and machined trigger parts in the industry. With its crisp **3-1/2 lb. pull and CLAWOVER™** string release, this trigger is the feature our customers like most.



## THE WOODSMAN PLUS™ AND THE WOODSMAN SE™ Value-Priced Giants...



**284+ fps**

**NEW**

The WoodsMan Plus™ (w/ scope) HCB-021+S

WoodsMan Plus™ models include a free Fixed 7/8" Dovetail Scope Mount (HCA-078) when you purchase it with a scope.

**165 lbs.**  
draw weight

WoodsMan Plus	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 165 lbs.	2315	100 grains	284
	2219	100 grains	280

(\*See chart inside catalog.)

**NEW**

The WoodsMan Plus™ (w/o scope) HCB-021+

Comes with a peep sight and a single front sight pin and bracket. Fixed 7/8" Dovetail Scope Mount accessory available (HCA-078).



**271+ fps**

**NEW**

The WoodsMan SE™ (HCB-014)

Fixed 7/8" Dovetail Scope Mount accessory available (HCA-078).

**150 lbs.**  
draw weight

WoodsMan SE	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 150 lbs.	2315	100 grains	271
	2219	100 grains	268

(\*See chart inside catalog.)

Our two WoodsMan™ models differ in draw weight and stock length. Otherwise, they are the same. With a "new" downsized stock, the WoodsMan SE™ is a value-priced, high-performance crossbow for those wanting or needing a shorter stock. Designed with simplicity in mind and including Hunter's core performance features, these two crossbows outperform other manufacturers' top-of-the-line models.

- A riser with non-pivoting and non-adjustable **machined limb-pockets** for rock-solid dependable alignment, accuracy, and stability.
- Equipped with **steel cables** custom-fit with **tunable synthetic yokes**.
- Powered by Hunter's **TL-4™** quad-limbs in Mossy Oak® BREAK-UP™. Our advanced performance TL-4s produce less recoil and are quieter, faster, lighter, and more reliable than traditional solid-limbs used by most manufacturers.

- Features our "new" fixed-position sight bridge, which comes with a peep sight, or you can purchase our "new" heavy-duty, **Fixed 7/8" Dovetail Scope Mount** (HCA-078) and equip it with one of our quality scopes.
- Patented **PowerTouch™** trigger assembly. Our CNC fully machined trigger housing with the finest investment-cast and machined trigger parts in the industry. With its crisp **3-1/2 lb. pull and CLAWOVER™** string release, this trigger is the feature our customers say they appreciate most.
- The **FST-II™** stock features a "new," ergonomically contoured thumbhole and the popular film-dipped Mossy Oak® BREAK-UP™ camo.



# HUNTER'S CROSSBOWS SET THE STANDARD FOR DESIGN, PERFORMANCE AND TECHNOLOGY IN THE CROSSBOW INDUSTRY TODAY

## Defining The Future Of Crossbows...

PERFORMANCE FEATURES  
Simply  
the Best



First introduced  
by or exclusive  
to Hunter's  
Manufacturing  
Company.

- 1 Lightweight aluminum foot stirrup with sound-dampening rubber coating. **Note:** Coating not included on WoodsMan™ models.
- 2 New lightweight, thin-line machined aluminum pivoting limb pockets allow you to lower the draw weight by as much as 40 lbs., using Hunter's Poundage Conversion Kit, HCA-087. Perfect for those who prefer or need a lower draw weight. **Note:** WoodsMan™ limb pockets are fixed.
- 3 VIBRA-CUSH™ patented bow-to-barrel mounting system. Dramatically reduces vibration and noise level, making Hunter's crossbows the quietest on the market.
- 4 New lightweight machined aluminum riser cut to exacting tolerances. Includes locking setscrew system for the main assembly bolt and limb bolts. Hunter's bow assemblies do not vibrate loose.
- 5 ST™ Limb System. The best crossbow limbs made today. Available only on the Turbo Extreme™ and Magnum X-2™ crossbow models. Incredibly smooth and reliable, this unique four-limb design reduces recoil and noise while its powerful stroke delivers unequalled speed and kinetic energy. **Note:** Remainder of crossbow models feature Hunter's TL-4™ high performance, advanced quad-limb system.
- 6 Power Limb-Tip Caps™. Provide unmatched strength and improved performance for all Hunter's limbs.
- 7 Precision CNC machined aluminum wheels.
- 8 Synthetic cable yokes for the ultimate in tunability and stability.

- 9 ACRA-ANGLE™ barrel. Extruded aluminum design features angled sides to prevent finger injury and insure accurate cocking. Hunter's two Extreme™ model barrels are hardcoated to a 60+ Rockwell finish and Teflon®-impregnated to reduce string friction and increase speed. All other models are black anodized.
- 10 ACRA-ARROW™ retention spring. Extra long to insure stable arrow flight. Tip is coated with Polyolefin™ to eliminate vibration noise.
- 11 DFI™ System. Patented Dry-Fire-Inhibitor™ prevents a dry-fire when no arrow is loaded.
- 12 CLAWOVER™ String Catch. Releases from above the string rather than from below like most crossbows. Allows the string to travel the flight deck vibration-free, insuring stable, accurate arrow flight.
- 13 Ambidextrous safety. Automatically moves from "fire" to "safe" when you cock the crossbow.
- 14 PowerTouch™ Patented Trigger. With its 3-1/2 lb. pull, it is recognized by many as the finest crossbow trigger made today. Precision machined to exacting standards. The Turbo Extreme™ and Magnum X-2™ model crossbows also include an adjustable trigger-travel feature, allowing you to set the travel to fit the situation – short for target shooting and long for hunting with gloves.
- 15 FST-II™ Stock. This new, functionally superior thumbhole design allows for optimum hand positioning, maximum trigger-pull control, and ample room for large gloved hands during cold weather. The pistol grip's palm swell adds further stability and comfort.

- 16 ACUdraw™ Integrated Automated Cocking Unit (patent pending). When operated by a hand crank, the ACUdraw™ converts the crossbow's draw weight to a mere 5 lbs., making crossbow hunting accessible to anyone who cannot draw 150 or 165 lbs. Also assures an accurate draw every time. Available as a stock-option on all models. **Note:** Can be retrofitted to any Hunter's crossbow.
- 17 Thumb-Operated RangeMaster™ Scope Adjustment Mechanism. By simply moving the thumb-operated lever from one position to another, you can adjust your yardage without ever taking your eye off the scope. Features a dual tension-adjustment setscrew and a lock-down thumbscrew system. **Note:** The RangeMaster™ system is not included with the WoodsMan™ crossbow models with their fixed sight bridge designs.
- 18 Millett Illuminated Red Dot Scope. Available as an accessory for any model or as a stock-option on our Turbo Extreme™ and Magnum X-2™ model crossbows. The world's finest scope and crossbow combination. Crossbows ordered without scopes come equipped with a rear peep and front sight combination.

- 19 Machined Aluminum 3/8" Dovetail Scope Mount. Integrated to work with the RangeMaster™ Rear Scope Adjustment Mechanism. Includes an adjustment screw to regulate the dovetail elevation angle. An optional 7/8" Weaver Style Dovetail Mount (HCA-077) is also available as an accessory. The WoodsMan™ crossbows have a fixed sight bridge that will accept an optional Fixed Mount 7/8" Dovetail (HCA-079).
  - 20 Hunter's Turbo EX™ arrow. Our XX78, 2219, 20-inch Easton® aluminum shaft is the strongest and straightest aluminum shaft made today. Hunter's is an Easton Complete Crossbow Arrow Resource and, therefore, carries a complete line of custom arrows for the entire crossbow industry.
  - 21 NAP's Thunderhead™ 125 Broadhead. Our tests have shown New Archery Product's Thunderhead™ to be extremely reliable and accurate, so we are pleased to recommend it.
- Note:** The Turbo Extreme™ and Magnum X-2™ model crossbow wheels, barrels, limb pockets, risers and trigger boxes are both hardcoated to a 60+ Rockwell finish for durability and Teflon®-impregnated to minimize friction.

\*\*The products listed in this catalog are covered under the following Hunter's Manufacturing Company patents and any patents pending: U.S. Patent No. 5,649,520; 5,598,829; and 5,553,596.

\*\*\*We license a number of our innovative designs and features to other crossbow manufacturers.



# I DARE YOU TO COMPARE

## Seeing Is Believing...

### Dear Valued Customer:

In 1999, we are committed to producing not only the world's finest crossbows, but also the world's fastest and most powerful. Some manufacturers continue to publish speeds that their crossbows cannot produce. While testing their models, we have been unable to achieve their published results, even after manipulating the conditions in their favor.

I personally conducted the tests shown below. The chart shows the speed, kinetic energy, and trajectory of each of our crossbow models using a variety of arrow setups. All the conditions are exactly as they are stated on the chart. I used production models right off the line.

If you purchase a 1999 Magnum X-2™ or Turbo Extreme™, I dare you to compare its performance to my chart. If it does not perform like the chart states, call me for a return authorization number. Send me the bow, and I will test it using your arrow.\* If I cannot duplicate the results on my chart using your bow, I will send you a new crossbow.

We do not publish exaggerated speeds. Our crossbows perform the way we say they do. If you doubt us, buy one. **I dare you to compare.** I dare you to compare the competition's claims, as well.

Sincerely,

*Russ Beavers*

Russ Beavers  
Production Manager, Hunter's Manufacturing

\* Must send within 10 days of purchase. Provide proof of purchase and send arrow used in testing. Customer pays all shipping expenses. We will test on our certified chronograph. All other warranty terms apply.

# Dare to Compare

CROSSBOWS	ARROWS TESTED		DROP IN INCHES AT POINT OF IMPACT				FPS/FPE	
	Type	Weights	20 yards	30 yards	40 yards	50 yards	Feet Per Sec.	Foot Pounds
Magnum X-2 Draw weight: 175 lbs.	20"-2216 XX75*	379 grains	0.0	4.5	12.0	25.5	323	87.8
	20"-2315 XX75	406 grains	0.0	5.5	15.0	29.5	313	88.3
	20"-2219 XX75	417 grains	0.0	5.5	15.5	30.5	307	87.3
458 Magnum Draw weight: 165 lbs.	20"-2216 XX75*	379 grains	0.0	4.5	13.0	26.0	312	81.9
	20"-2315 XX75	406 grains	0.0	5.5	15.5	30.0	303	82.8
	20"-2219 XX75	417 grains	0.0	6.0	16.0	30.5	296	81.1
WoodsMan Plus Draw weight: 165 lbs.	20"-2216 XX75*	379 grains	0.0	5.5	16.0	32.5	288	69.8
	20"-2315 XX75	406 grains	0.0	6.0	16.0	32.0	284	72.7
	20"-2219 XX75	417 grains	0.0	6.0	16.5	33.0	280	72.6
Turbo Extreme Draw weight: 150 lbs.	20"-2216 XX75*	379 grains	0.0	4.5	14.0	28.5	297	74.3
	20"-2315 XX75	406 grains	0.0	5.5	15.0	30.0	288	74.8
	20"-2219 XX75	417 grains	0.0	6.0	15.5	31.0	282	73.7
WoodsMan SE Draw weight: 150 lbs.	20"-2216 XX75*	379 grains	0.0	5.5	16.0	32.5	280	66.0
	20"-2315 XX75	406 grains	0.0	7.0	17.5	35.0	271	66.2
	20"-2219 XX75	417 grains	0.0	7.5	18.0	36.5	268	66.5

All arrows tested equipped with feathers, carbon inserts, caps and 100 grain points. Hunter's recommends using arrows weighing at least 400 grains with all commercially produced hunting crossbows.

# CROSSBOW ARROWS

## Easton Aluminum's Complete Crossbow Arrow Resource...

Hunter's Manufacturing combines the art and tradition of fletching arrows with the unparalleled quality of Easton® shafts and accessories to produce the highest quality crossbow arrows made in the world.

Hunter's Manufacturing has a shaft, insert, and nock combination for most crossbows on the market or in the field today. Check with your local dealer for the optimum combination for your crossbow.



### Four Hunter's Models Available:

- XX75 Hunter's Camo, 2219. This three-color camo shaft is the proven industry standard for absolutely reliable results.
- XX75 458 Series™ 20-inch, 2315. An olive drab shaft with aluminum blunt ends and aluminum point inserts. With a little less weight and a bit more diameter, it is the choice of many looking for more velocity.
- XX78 TURBO EX 20-inch, 2219 with SuperBrite™ neon polymer blunt ends and carbon point inserts. A super strong, super straight arrow in Easton's best alloy. Finished in Hunter's three-color camo.
- 5086 E-Hunter. Available in two sizes: 2219 and 2216. This all-black shaft provides incredible performance at the right price.

A complete line of nock systems for most crossbows:

- Bear/Jennings Nocks (D)
- Barnett Moon Nocks (E)
- PSE: old and new Nocks (A)
- Horton CPC Moon Nocks (C)
- Hunter's Manufacturing and all manufacturers using 20" arrows with blunt ends (aluminum or SuperBrite™) (B)
- SuperBrite™ nock tool available for refletching



## ACCESSORY PACKAGES

### Take To The Woods Fully Equipped...



### X-tra Brown™ Pak (HCA-EPK)

HCA-200 Deluxe 2-Pocket Realtree® X-tra Brown™ Case  
HCA-017 Instant Detach 4-Arrow Front Mount Realtree® X-tra Brown™ Quiver  
HEA-300 Thunderhead™ 125 Broadhead – 6-pack  
HEA-061 XX78 TURBO EX Crossbow Arrows – 6-pack  
HCA-007 Deluxe Realtree® X-tra Brown™ Sling w/ swivels  
HCA-111 Flight Groove and Trigger Lube  
HCA-110 String and Cable Wax

### BREAK-UP™ Pak (HCA-BPK)

HCA-201 Deluxe Mossy Oak® BREAK-UP™ Case  
HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver  
HEA-300 Thunderhead™ 125 Broadhead – 6-pack  
HEA-061 XX78 TURBO EX Crossbow Arrows – 6-pack  
HCA-008 Deluxe Mossy Oak® BREAK-UP™ Sling w/ swivels  
HCA-111 Flight Groove and Trigger Lube  
HCA-110 String and Cable Wax

### Hunter Pak (HCA-HPK)

HCA-016 Instant Detach 4-Arrow Front Mount Black Quiver  
HCA-002 Deluxe Black Crossbow Sling w/ swivels  
HCA-111 Flight Groove and Trigger Lube  
HCA-110 String and Cable Wax

### WoodsMan™ Pak (HCA-WPK)

(Not pictured)  
Includes all items in BREAK-UP™ Pak (HCA-BPK) except:  
HCA-201 Deluxe Mossy Oak® BREAK-UP™ Case  
HEA-300 Thunderhead™ 125 Broadhead – 6-pack



## Slings:

- HCA-002 Deluxe Black Crossbow Sling w/ swivels
- HCA-007 Deluxe Realtree® X-tra Brown™ Sling w/ swivels
- HCA-008 Deluxe Mossy Oak® BREAK-UP™ Sling w/ swivels

The Deluxe Slings are unparalleled in quality and construction. They feature a longer design with non-slip double-thick, reinforced shoulder pads and heavy duty adjustable nylon straps (swivels included).

## Quivers:

- HCA-016 Instant Detach 4-Arrow Front Mount Black Quiver
- HCA-017 Instant Detach 4-Arrow Front Mount Realtree® X-tra Brown™ Quiver
- HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAKUP Quiver

The Instant Detach design is quiet and easy to use. Snap it on and turn the lock-down knobs to secure it.

## Crossbow Cases:

- HCA-200 Deluxe 2-Pocket Realtree® X-tra Brown™ Case
- HCA-201 Deluxe 2-Pocket Mossy Oak® BREAK-UP™ Case

The best looking and most durable crossbow cases made today. With extra thick padding and heavy duty zippers, these soft cases will protect your investment for years to come. Available in Realtree® X-tra Brown™ or Mossy Oak® BREAK-UP™ camo patterns. Check your state's regulations. Some require all crossbows to be transported in a case.

## Scopes:

- HCA-083 30mm MILLETT Red Dot Scope w/ rings (3/8" mounting rings)
- HCA-084 30mm MILLETT Red Dot Scope w/ rings (7/8" mounting rings)

Hunter's has partnered with Millett to bring you the best value in an illuminated red dot scope on the market today. With eleven brightness settings and its all-aluminum construction, this zero-power scope comes with a tube extension lens shade and 3/8" or 7/8" mounting rings. Delivers pinpoint accuracy in all light conditions.

- HCA-085 4-Power x 1" MINI Crossbow Scope w/ rings (3/8" mounting rings)
- HCA-094 4-Power x 1" MINI Crossbow Scope w/ rings (7/8" mounting rings)

Perfectly proportioned at only 7" long, this light, compact scope features fully coated optics, duplex cross hairs, and all-aluminum construction. An exceptional value, it comes with 3/8" or 7/8" mounting rings.

## Sights:

- HCA-041 Standard Front Sight w/ pin (hardcoated finish)

Standard on all models, this sturdy, hardcoated machined aluminum sight bracket features two pin slots and can be mounted on either side of the riser. Comes with one pin.

## Lubricants:

- HCA-110 String and Cable Wax
- HCA-111 Flight Groove and Trigger Lube

These two lubricants are critical to maintaining your crossbow in good working order and to extending the life of your strings and cables.

## Crossbow Press:

- HCA-106 Portable Crossbow Press

Easy to use, the Portable Crossbow Press is the perfect, cost effective way for dealers or owners who choose to do their own crossbow maintenance, tuning and repair.

## Targets:

- HCA-095 Field Point Practice Target w/ stand

Large 25" x 25" surface makes the durable practice target perfect for any arrows using practice points. Remove arrows with no effort.

- HCA-100 Broadhead Practice Target

This large ethafoam target with 6 lb. density provides optimum stopping power for field points or broadheads. The perfect target to evaluate your broadhead grouping before heading to the woods.

## Scope Mounts:

- HCA-078 Fixed 7/8" Dovetail Scope Mount (For Fixed Sight Bridge trigger only - HCA-500 and WoodsMan™ model crossbows)
- HCA-075 3/8" Dovetail Scope Mount (For models using RangeMaster™ System) (Not pictured.)
- HCA-077 7/8" Dovetail Scope Mount (For models using RangeMaster™ System) (Not pictured.)

New for '99, the Fixed 7/8" Dovetail Scope Mount is designed for use with the WoodsMan™ models. This mount provides a rock-solid base for any of our scopes.

## Sighting Accessories:

- (Not pictured.)
- HCA-086 RangeMaster™ Scope Adjustment Mechanism
- HCA-050 Standard Sight Pin
- HCA-060 Rear Peep Sight - 3/8" base
- HCA-082 30mm Scope Rings for 3/8" Dovetail
- HCA-092 30mm Scope Rings for 7/8" Dovetail
- HCA-080 1" Scope Rings for 3/8" Dovetail
- HCA-081 1" Scope Rings for 7/8" Dovetail

## Shooting Aids:


- (Not pictured.)
- HCA-087 Poundage Conversion Kit
- HCA-113 Standard Cable Saver
- HCA-114 Extreme™ Cable Saver
- HEA-300 Thunderhead™ 125 Broadhead 6-Pack

## Strings and Cables:

- (Not pictured.)
- HCA-115 HuntMaster™, TL-4™ models other than WoodsMan™ models, and all Extreme™ Bows - Replacement String
- HCA-117 HuntsMan™, WoodsMan™ models Replacement String
- HCA-119 Pre '98 - 458 Magnum™ Replacement String
- HCA-120 HuntMaster™ Replacement Cables w/o yokes (solid limbs)
- HCA-122 HuntMaster™ Replacement Cables w/ yokes (solid limbs)
- HCA-125 HuntsMan™ Replacement Cables w/o yokes (Pre '98)
- HCA-126 HuntsMan™ and WoodsMan™ models Replacement Cables w/ yokes ('98 and after)
- HCA-124 TL-4™ models other than WoodsMan™ models, 458 Magnums™, and All Extreme™ Bows - Replacement Cables

## ACUdraw™:

- (Not pictured.)
- HCA-088 Replacement Hand Crank
- HCA-089 Replacement Crank Holder
- HCA-400 Replacement Draw Cords (Pre '98)
- HCA-401 Replacement Draw Cords (Post '98)
- HCA-410 Replacement Power Spring (Pre '98)
- HCA-411 Replacement Power Spring (Post '98)
- HCA-420 Replacement Draw Claw (Pre '98)
- HCA-421 Replacement Draw Claw (Post '98)





# THE ACUDRAW™ AUTOMATED COCKING UNIT

*Simply The Best System Available...*



The ACUdraw™ (pat. pend.) is the most advanced solution available on the market today for safely, quietly, and accurately cocking your crossbow. Fully integrated into the stock – with no dangling parts. The strength in the average person's index finger is all that is needed to operate the system. It allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

**1999 Best Buy**  
WoodsMan Plus™ ACUdraw™ Package  
Ask Your Dealer (HCB-021+A)

- Perfected further in 1999, with design enhancements to the claw and retraction spring.
- Reduces draw weight to about 5 lbs. when operated manually.
- Draws the bow perfect every time.
- Whisper-quiet manual crank or power-up with almost any cordless screwdriver or drill (4.2 volts or more).
- Unlike other mechanisms introduced recently, it is lightweight and has no bulky clamp-on assemblies or hang-on accessories.
- Comes with an instructional 15-minute video.

The ACUdraw™ can be installed on ALL Hunter's crossbow models.

**Note:** The ACUdraw™ can be retrofitted to any Hunter's Manufacturing crossbow by special order. Contact Customer Service at (330) 628-9245 for details. Allow 4 to 6 weeks for delivery.

