




RealTree®
HARDWOODS™
20-200™



...the mark of perfection™

A NEW NAME FOR THE NEW MILLENNIUM

What's in a name?

Last August we announced to the archery and hunting industry press that we would begin Year 2000 operating under a new trade name, TenPoint Crossbow Technologies™.

We changed our name to more clearly separate ourselves from our competitors and to sharpen our identity.

We chose TenPoint™ because the gold set of antlers in our trademark-registered logo has ten points. As you can see from this catalog, we chose to continue to use that logo. Furthermore, the word ten suggests perfection - as in "...a perfect 10" - an image that complements our original slogan, ...the mark of perfection™.

We included the words Crossbow and Technologies because they convey that we manufacture crossbows and that we are focused on leading the crossbow industry technologically. From our first day in operation, January 4, 1994, we have never lost sight of our goal of making the most technologically superior production crossbows available in the world.

The name change has no effect on the structure of our company. Our stockholders, management, and employees remain unchanged. All crossbows made under our previous trade name remain under full warranty according to the original terms of our Limited Lifetime Operational Warranty. The same warranty will apply to crossbows made under the TenPoint™ name.

Since last August all of us working at TenPoint™ have had time to get used to the change. We discovered that the name is easy to like. We know you will like it, too. As in the past, we intend to work hard to see that you get to know it well.

Richard L. Bednar

Richard L. Bednar
Executive Vice President, Chief Operating Officer

CORE PERFORMANCE FEATURES

No Matter Which TenPoint™ Model You Select, You'll Have A Lifetime Investment in Performance and Quality

Every current TenPoint™ crossbow is made with a number of core performance features to insure accuracy, dependability, and overall performance from model to model. While our top-of-the-line models (TURBO Extreme™, MAGNUM X-2™, & STEALTH X-2™) include additional features and more power and speed, our other models are equally dependable and accurate.

All of the current TenPoint™ crossbows carry a Limited Lifetime Operational Warranty. That means the only way you will ever have to buy another TenPoint™ crossbow is if you just can't stop yourself.

- Patented VIBRA-CUSH®
- Patented PowerTouch™ Trigger
- Patented DFI™
- Advanced Quad-Limb Technology
- CNC Machined Components
- Tunable Synthetic Cable Yokes
- ACRA-ANGLE™ Barrel
- CLAWOVER™ String Catch
- FST II™ or FST III™ Stock
- Power Limb-Tip Caps™
- Ambidextrous Safety
- Aluminum Foot Stirrup

*See centerfold for feature descriptions.



www.tenpointcrossbows.com



Note: TenPoint Crossbow Technologies reserves the right to alter crossbow specifications during any model year.

INTRODUCING THE STEALTH X-2

Defining the future of crossbows...



NEW The STEALTH X-2™ (HCB-004-S)

STEALTH X-2™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 185 lbs.	2315	100 grains	322
	2219	100 grains	312

(*See chart inside catalog.)

322+ fps

To commemorate our new name and the end of the century, we are not only introducing an exciting new crossbow model called the STEALTH X-2™, but we are also offering a special STEALTH X-2™ Limited Edition. While the standard version will be available throughout the year, dealers wishing to sell the Limited Edition will have to place their orders by April 1, 2000.

The STEALTH X-2™ is a step above last year's most popular model, the MAGNUM X-2™.

In addition, both STEALTH X-2™ models will shoot over 320 fps and feature a power-packed 185 lb. draw weight. They will also sport a new shorter and lighter version of our stock, the FST III™ (functionally superior thumbhole, version III). The stock and limbs will be fluid imaged in the popular Realtree® HARDWOODS 20/200™ camo pattern. And, both models will come standard with our highly stable, CNC machined 7/8" Weaver-style dovetail scope mount (designed to be shot with scopes, Stealth X-2 crossbows do not come with rear peeps and front sights).

The standard STEALTH X-2's™ CNC machined metal components will be tinted in a lustrous matching bronze finish. The Stealth X-2™ Limited Edition's machined components will feature a great looking gunmetal gray finish with the crossbow name smartly laser-etched on the barrel.

The STEALTH X-2 can be ordered with or without a Millett™ Red Dot Scope (HCA-084) or with or without an ACUdraw mechanism.



NEW The STEALTH X-2™ LE (HCB-004-S-LE)

STEALTH X-2™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 185 lbs.	2315	100 grains	322
	2219	100 grains	312

(*See chart inside catalog.)

322+ fps

- FST III™ stock with functionally superior thumbhole
- ST™ quad-limbs with synthetic cables, and tunable yokes
- CNC machined wheels, riser, pivoting limb-pockets, dovetail, trigger housing
- 60+ Rockwell hardcoated ACRA-ANGLE™ barrel
- CNC machined 7/8" Weaver-style dovetail scope mount
- Millett™ Red Dot Scope
- Patented 3 1/2-lb. PowerTouch™ adjustable trigger assembly
- Patented VIBRA-CUSH®
- Patented DFI™, Dry-Fire Inhibitor
- Rubber-coated aluminum foot stirrup
- Power Limb-Tip Caps™
- CLAWOVER™ string release



REALTREE HARDWOODS

THE TURBO EXTREME™ AND THE MAGNUM X-2™

The industry leaders for power and performance...




The TURBO Extreme™ (HCB-009)			
TURBO Extreme™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 150 lbs.	2315	100 grains	290
	2219	100 grains	283

(*See chart inside catalog.)

293+ fps

Available with 30mm Millett™ Red Dot Scope (HCB-009-S)

The 150 lb. TURBO Extreme™ and its 175 lb. big brother, the MAGNUM X-2™ have set the standard by which all other crossbows are measured today. These models test the limits of crossbow design, technology, and performance. If you are in search of the best, you have found it here.



- FST II™ stock with functionally superior thumbhole
- ST™ quad-limbs with synthetic cables, and tunable yokes
- CNC machined wheels, riser, pivoting limb-pockets, dovetail, trigger housing
- 60 Rockwell hardcoated ACRA-ANGLE™ barrel
- RangeMaster™ Rear Scope Adjustment Mechanism with 3/8" dovetail
- Patented 3 1/2-lb. PowerTouch™ adjustable trigger assembly
- Patented VIBRA-CUSH®
- Patented DFI™, Dry-Fire Inhibitor
- Rubber-coated aluminum foot stirrup
- Power Limb-Tip Caps™
- CLAWOVER™ string release



The MAGNUM X-2™ (w/scope) (HCB-005-S)			
MAGNUM X-2™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 175 lbs.	2315	100 grains	314
	2219	100 grains	304

(*See chart inside catalog.)

316+ fps

Available without scope and with rear peep sight and front sight pin assembly (HCB-005)

THE WOODSMAN SE™ AND THE WOODSMAN PLUS™

Value – priced giants...



The WoodsMan SE™ (HCB-014)			
WoodsMan SE™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 150 lbs.	2315	100 grains	279
	2219	100 grains	270

(*See chart inside catalog.)

280+ fps

Fixed 7/8" Dovetail Scope Mount accessory available (HCA-078) and is required to mount a scope..

Our two WoodsMan™ models differ in draw weight and stock length. Otherwise they are the same. With a downsized stock, the WoodsMan SE™ is a value-priced, high-performance crossbow for those wanting or needing a shorter stock. Designed with simplicity in mind, these two crossbows outperform other manufacturers' top-of-the-line models.



- FST II™ stock with functionally superior thumbhole
- TL-4™ quad-limbs with steel cables, and tunable yokes
- CNC machined wheels, riser, fixed limb-pockets, trigger housing
- Black anodized ACRA-ANGLE™ barrel
- Optional 7/8" fixed Weaver style dovetail available
- Patented 3 1/2-lb. PowerTouch™ non-adjustable trigger assembly
- Patented VIBRA-CUSH®
- Patented DFI™, Dry-Fire Inhibitor
- Aluminum foot stirrup
- Power Limb-Tip Caps™
- CLAWOVER™ string release



The WoodsMan Plus™ (w/o scope) (HCB-021)
Comes with a peep sight and a single front sight pin and bracket. Fixed 7/8" Dovetail Scope Mount™ accessory available (HCA-078) and required to mount a scope.



The WoodsMan Plus™ (w/scope) (HCB-021-S)			
WoodsMan Plus™	Arrow Size	Point Weight	Feet Per Sec.
Draw weight: 165 lbs.	2315	100 grains	295
	2219	100 grains	285

(*See chart inside catalog.)

296+ fps

WoodsMan Plus™ model includes a Fixed 7/8" Dovetail Scope Mount (HCA-078) when you purchase it from the factory with a scope.

TENPOINT™ CROSSBOWS HAVE SET THE STANDARD FOR DESIGN, PERFORMANCE AND TECHNOLOGY IN THE CROSSBOW INDUSTRY TODAY



First introduced
by or exclusive
to TenPoint
Crossbow
Technologies™

- 1 Lightweight aluminum foot stirrup with sound-dampening rubber coating. **Note:** Coating not included on WoodsMan™ models.
- 2 New lightweight, thin-line machined aluminum pivoting limb pockets allow you to lower the draw weight by as much as 40 lbs., using TenPoint's™ Poundage Conversion Kit, (HCA-087). Perfect for those who prefer or need a lower draw weight. **Note:** WoodsMan™ limb pockets are fixed and non-adjustable.
- 3 VIBRA-CUSH® *patented* bow-to-barrel mounting system. Dramatically reduces vibration and noise level, making TenPoint™ crossbows the quietest on the market.
- 4 New lightweight machined aluminum riser cut to exacting tolerances. Includes locking setscrew system for the main assembly bolt and limb bolts. TenPoint™ bow assemblies do not vibrate loose.
- 5 Limb-bolt locking setscrew.
- 6 ST™ Limb System. The best crossbow limbs made today. Available only on the TURBO Extreme™, MAGNUM X-2™, and STEALTH X-2™ crossbow models. Incredibly smooth and reliable, this unique four-limb design reduces recoil and noise while its powerful stroke delivers unequalled speed and kinetic energy. **Note:** WoodsMan™ models feature TenPoint's™ TL-4™ high performance, advanced quad limb system.
- 7 Power Limb-Tip Caps™. Provide unmatched strength and improved performance for all TenPoint™ limbs.
- 8 Precision CNC machined aluminum wheels.
- 9 Synthetic cable yokes for the ultimate in tunability and stability.

- 10 ACRA-ANGLE™ barrel. Extruded aluminum design features angled sides to prevent finger injury and insure accurate cocking. TenPoint's™ TURBO Extreme™, MAGNUM X-2™, and STEALTH X-2™ barrels are hardcoated to a 60+ Rockwell finish to reduce wear, string friction, and to increase speed. All other models are black anodized.
- 11 ACRA-ARROW™ retention spring. Extra long to enhance arrow flight. Tip is coated with Polyolefin to eliminate vibration noise.
- 12 DFI™ System. *Patented* Dry-Fire-Inhibitor prevents a dry-fire when no arrow is loaded.
- 13 CLAWOVER™ String Catch. Releases from above the string rather than below it like most crossbows. Allows the string to travel the flight deck vibration-free, insuring stable, accurate arrow flight.
- 14 Ambidextrous safety. Moves from "fire" (red dot) to "safe" (white dot) when you cock the crossbow.
- 15 PowerTouch™ *Patented* Trigger. With its 3 1/2-lb. pull, it is recognized as the finest crossbow trigger made today. Precision machined to exacting standards. The TURBO Extreme™, MAGNUM X-2™, STEALTH X-2™ model crossbows also include an adjustable trigger-travel feature, allowing you to set the travel to fit the situation – short for target shooting – long for hunting with gloves.
- 16 FST III™ Stock. Shorter and lighter; this new, functionally superior thumbhole design allows for optimum hand position, maximum trigger-pull control, and ample room for large gloved hands during cold weather. The pistol grip's palm swell adds further stability and comfort. All models covered in this manual other than the STEALTH X-2™ come with the FST II™ stock.

- 17 ACUdraw™ Integrated Automated Cocking Unit (*patent pending*). When operated by a hand crank, the ACUdraw converts the crossbow's draw weight to a mere 5 lbs., making crossbow hunting accessible to anyone who cannot draw 150 lbs. or higher. Also assures an accurate draw every time. Available as a stock-option on all models. Can be retrofitted to any TenPoint™ crossbow after purchase.
- 18 Thumb-Operated RangeMaster® Scope Adjustment Mechanism. By simply moving the thumb-operated lever from one position to another, you can adjust your yardage without ever taking your eye off the scope. Features a dual tension-adjustment setscrew and a lock-down thumbscrew system. The RangeMaster® system is not included in the WoodsMan™ crossbow models with their fixed sight bridge designs.
- 19 RangeMaster® tension adjustment screw. The mechanism's lock-down thumbscrew, used to immobilize the RangeMaster® Scope Adjustment Mechanism, is located directly opposite the tension adjustment screw on the other side of the trigger box.
- 20 Millett™ Illuminated Red Dot Scope. Available as an accessory for any model or as a stock-option on our TURBO Extreme™, MAGNUM X-2™, and STEALTH X-2™ model crossbows. The finest scope and crossbow combination available. Crossbows, other than the STEALTH X-2™, ordered without scopes come equipped with a rear peep and front sight combination. Crossbows ordered with scopes do not include a peep and front sight.

Products listed in this catalog are covered under the following TenPoint Crossbow Technologies™ patents and any patents pending: U.S. Patent No. 5,987,724; 5,649,520; 5,598,829; and 5,553,596.

We license a number of our innovative designs and features to select crossbow manufacturers.

- 21 Machined Aluminum 7/8" Dovetail Scope Mount (Scope is standard on all STEALTH models). Integrated to work with the RangeMaster® Rear Scope Adjustment Mechanism. Includes an adjustment screw (and locking setscrew) to regulate and micro-tune the dovetail elevation angle. The WoodsMan™ crossbows have a fixed sight bridge that will accept an optional Fixed Mount 7/8" Dovetail (HCA-078). All other models come standard with a 3/8" dovetail.
- 22 TenPoint's™ Turbo EX™ arrow. Our XX78, 2219, 20-inch Easton® Aluminum shaft. The strongest and straightest aluminum shaft made today. TenPoint™ is an Easton® Complete Crossbow Arrow Resource, and, therefore carries a complete line of custom crossbow arrows for the entire crossbow industry.
- 23 The main assembly bolt's locking setscrew and the foot stirrup's two attachment setscrews are out of view, located on the underside of the crossbow's riser.
- 24 Sling swivel stud.

CROSSBOW ARROWS



As Easton Aluminum's Complete Crossbow Arrow Resource, TenPoint Crossbow Technologies™ combines the art and tradition of fletching arrows with the unparalleled quality of Easton shafts to produce crossbow arrows of the highest quality.

TenPoint Crossbow Technologies™ has the shaft, insert, and nock combination for most crossbows on the market or in the field today. Check the price list at your local dealer for the optimum combination for your crossbow.




Four TenPoint™ Models In Four Shaft Sizes Available:

- XX75 TenPoint's™ Camo, 2219, 2216, & 2117. This three-color camo shaft is the proven industry standard for absolutely reliable results. The 2219 is available in all nock systems. The 2216 is available with the patented TenPoint™ SuperBrite™ blunt cap and the Barnett and Horton CPC moon nock. The 2117, for Excalibur bows, uses the a carbon blunt end cap.
- XX75 458 Series™ 20-inch, 2315. An olive drab shaft with silver polymer blunt ends and CPC inserts. With a bit less weight and a bit more diameter, the choice of many looking for more velocity and impact energy.
- XX78 TURBO EX 20-inch, 2219 with the patented SuperBrite™ neon polymer blunt ends and carbon point inserts. A super-strong, super-straight arrow in Easton's best alloy. Finished in TenPoint's™ Camo.
- 5086 E-Hunter. Available in two sizes: 2219 and 2216 with either SuperBrite™ or Barnett and Horton CPC Moon Nocks. This all black economy shaft provides incredible performance at an economical price.

A complete line of nock systems for most crossbows:

- PSE Nocks: old (A)
PSE Nocks: new (F)
- All manufacturers using 20" arrows with blunt ends (B)
- Excalibur 2117 shaft with blunt ends (B)
- Patented SuperBrite™ (C) (nock tool available for refletching)
- Barnett and Horton CPC Moon Nocks (D)
- Bear/Jennings Nocks (E)



THE PREMIER COCKING MECHANISM MADE TODAY...

Making Bowhunting Accessible to Everyone

The ACUdraw™ pat. pend. The most advanced solution available on the market today for safely, quietly, and accurately cocking your crossbow. Fully integrated into the stock – with no dangling parts. The strength in the average person's index finger is all that is needed to operate the system. It allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

The ACUdraw™ is available installed on ALL current TenPoint™ crossbow models.

Note: The ACUdraw™ can be retrofitted to any TenPoint Crossbow Technologies™ crossbow by special order. Contact Customer Service at (330) 628-9245 for details. Allow 4 to 6 weeks for delivery.

2000 Best Buy
WoodsMan Plus™ ACUdraw™ Package
Ask Your Dealer (HCB-021+A)



- Perfected further for 2000, with design and performance enhancements.
- Reduces draw weight to about 5 lbs. when operated manually.
- Draws the bow consistently every time.
- Quiet manual crank or power-up with almost any cordless screwdriver or drill (4.2 volts or more).
- Unlike other mechanisms introduced recently, it is lightweight and has no bulky clamp-on assemblies or hang-on accessories.
- Comes with an instructional 15-minute video.

NO SMOKE & MIRRORS WITH TENPOINT™ CROSSBOWS

CROSSBOWS	ARROWS TESTED		FPS/FPE	
	Type	Weights	Feet Per Sec.	Foot Pounds
STEALTH X-2™ Draw weight: 185 lbs.	20"-2216 XX75*	378 grains	323	87.6
	20"-2315 XX75	381 grains	322	87.7
	20"-2219 XX75	416 grains	312	90.0
MAGNUM X-2™ Draw weight: 175 lbs.	20"-2216 XX75*	378 grains	316	83.8
	20"-2315 XX75	381 grains	314	83.4
	20"-2219 XX75	416 grains	304	85.4
WoodsMan Plus™ Draw weight: 165 lbs.	20"-2216 XX75*	378 grains	296	73.6
	20"-2315 XX75	381 grains	295	73.6
	20"-2219 XX75	416 grains	285	75.1
TURBO Extreme™ Draw weight: 150 lbs.	20"-2216 XX75*	378 grains	293	72.1
	20"-2315 XX75	381 grains	290	71.2
	20"-2219 XX75	416 grains	283	74.0
WoodsMan SE™ Draw weight: 150 lbs.	20"-2216 XX75*	378 grains	280	65.8
	20"-2315 XX75	381 grains	279	65.9
	20"-2219 XX75	416 grains	270	67.4

This performance chart contains data from tests we conducted using the crossbows and arrows shown. All the crossbows were production models. We did not increase draw weights or modify any of the bows. All of the arrows were 20" Easton® XX75 shafts equipped with carbon CPC inserts, TenPoint's™ SuperBrite™ neon tracer blunt nocks and traditional turkey feather fletching (arrow grain weights are provided in the chart).

All arrows tested equipped with feathers, carbon inserts, caps and 100 grain points. TenPoint recommends using arrows weighing at least 370 grains with all commercially produced hunting crossbows.

ACCESSORY PACKAGES

Take To The Woods Fully Equipped...

Save money, simplify your purchase, and take to the woods fully equipped. These Accessory Packages are tailored to fit you needs.



HARDWOODS 20/200™ Pak (HCA-RPK)

- HCA-202 Deluxe 2-Pocket Realtree® HARDWOODS 20/200™ Case
- HCA-019 Instant Detach 4-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack
- HEA-061 XX78 TURBO EX™ Crossbow Arrows - 6-pack
- HCA-002 Deluxe Black Sling w/swivel
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax

BREAK-UP™ Pak (HCA-BPK)

- HCA-201 Deluxe Mossy Oak® BREAK-UP™ Case
- HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack
- HEA-002 XX75 TenPoint's™ Camo Crossbow Arrows - 6-pack
- HCA-008 Deluxe Mossy Oak® BREAK-UP™ Sling w/swivels
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax

WoodsMan™ Pak (HCA-WPK)


- HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver
- HCA-008 Deluxe Mossy Oak® BREAK-UP™ Sling w/swivels
- HEA-002 XX75 TenPoint's™ Camo Crossbow Arrows - 6-pack
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax

ACCESSORIES

Quivers:

- HCA-014-HW Instant Detach 2 or 3-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver for Expandable Broadheads (Available but not pictured in Mossy Oak® BREAK-UP™, HCA-014-MB, and in black, HCA-014)
- HCA-015-MB Instant Detach 2 or 3-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver for Fixed-Blade Broadheads (Available but not pictured in Realtree® HARDWOODS 20/200™, HCA-015-HW, and in black, HCA-015)
- HCA-016 Instant Detach 4 or 5-Arrow Front Mount Black Quiver
- HCA-018 Instant Detach 4 or 5-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver
- HCA-019 Instant Detach 4 or 5-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver

The Instant Detach design is quiet and easy to use. Push it into place and turn the lock-down knobs to secure it.



HCA-014-HW

HCA-015-MB



HCA-002

HCA-008

Slings:

- HCA-002 Deluxe Black Crossbow Sling w/ swivels
- HCA-008 Deluxe Mossy Oak® BREAK-UP™ Sling w/ swivels

The Deluxe Slings are unparalleled in quality and construction. They feature a longer design with non-slip, double-thick, reinforced shoulder pads and heavy duty adjustable nylon straps (swivels included).

Crossbow Cases:

- HCA-201 Deluxe 2-Pocket Mossy Oak® BREAK-UP™ Case
- HCA-202 Deluxe 2-Pocket Realtree® HARDWOODS 20/200™ Case

The best looking and most durable crossbow cases made today. With extra-thick padding and heavy-duty zippers, these soft cases will protect your investment for years to come. Check your state's regulations. Some require all crossbows to be transported in a case.



HCA-016

HCA-018

HCA-019

Scopes:

- HCA-083 30mm MILLETT™ Red Dot Scope w/ 3/8" mounting rings
- HCA-084 30mm MILLETT™ Red Dot Scope w/ 7/8" mounting rings

TenPoint™ has partnered with Millett™ to bring you the best value in an illuminated red dot scope on the market today. With eleven brightness settings and an all-aluminum construction, this zero-power scope comes with a tube extension lens shade and 3/8" or 7/8" mounting rings. Delivers pinpoint accuracy in all light conditions.

- HCA-085 4-Power x 1" MINI Crossbow Scope w/ 3/8" mounting rings
- HCA-094 4-Power x 1" MINI Crossbow Scope w/ 7/8" mounting rings

Perfectly proportioned at only 7" long, this light, compact scope features fully coated optics, duplex cross hairs, and all-aluminum construction. An exceptional value, it comes with 3/8" or 7/8" mounting rings.



HCA-201

HCA-202

Sights:

- HCA-041 Standard Front Sight w/ pin in Bronze or Black Finish (pictured)

Standard on all non-scoped models except the STEALTH X-2™, this sturdy machined aluminum sight bracket features two pin slots and can be mounted on either side of the riser. Comes with one pin. Available in black or bronze finish (specify finish when ordering). Additional pins available.

Lubricants:

- HCA-110 String and Cable Wax
- HCA-111 Flight Rail & Trigger Lube

These two lubricants are critical to maintaining your crossbow in good working order and extending the life of your strings and cables. The Flight Rail Lube, unlike other manufacturers' gel-based lubricants, will not freeze-up in cold weather; nor collect dirt and grit, both of which impedes trigger performance.

Crossbow Press:

- HCA-106 Portable Crossbow Press

Easy to use, the Portable Crossbow Press is the perfect, cost-effective way for dealers or owners who choose to do their own crossbow maintenance, tuning and repairs.



HCA-110 HCA-111

Targets:

- HCA-095 22" x 22" Field Point Practice Target (not pictured) (Replacement Cover, HCA-097)
- HCA-096 20" x 36" Field Point Practice Target (Replacement Cover, HCA-098)

Large shooting surface makes these durable practice targets perfect for any arrows using practice points. Remove arrows with no effort.

- HCA-100 Broadhead Practice Target

This large ethafoam target with 6 lb. density provides optimum stopping power for field points or broadheads. The perfect target to evaluate your broadhead grouping before heading to the woods.


Scope Mounts:

- HCA-077 7/8" Adjustable Dovetail Scope/Black (Black 3/8" version available but not pictured, HCA-075)
- HCA-077-H 7/8" Adjustable Dovetail Scope/Bronze (Bronze 3/8" version available but not pictured, HCA-075-H)
- HCA-078 Fixed 7/8" Dovetail Scope Mount/Black (for WoodsMan™ models)

While most of our crossbows come standard with a 3/8" scope mount, Weaver style 7/8" versions are available in both black anodize and bronze anodize finishes. The Weaver style 7/8" Fixed Dovetail Mount is the only size available for WoodsMan™ crossbow models.



HCA-106



HCA-077

HCA-077-H

HCA-078



HCA-041



HCA-085



HCA-083

Scope Rings:

- HCA-080 1" Scope Rings w/ 3/8" Base
- HCA-081 1" Scope Rings w/ 7/8" Base (not pictured)
- HCA-082 30mm Scope Rings w/ 3/8" Base
- HCA-092 30mm Scope Rings w/ 7/8" Base (not pictured)

Regardless of the scope you wish to mount or the size dovetail you choose to have on your crossbow, we have the rings to handle the job.

ACUdraw™:

- (Not pictured.)
- HCA-088 Replacement Hand Crank
- HCA-089 Replacement Crank Holster
- HCA-401 Replacement Draw Cords
- HCA-411 Replacement Retraction Spring
- HCA-421 Replacement Draw Claw w/ Draw Cords

Redi-Reach™:

- HCA-600 Redi-Reach™ Crossbow Holder

The Redi-Reach, from Klawhorn Industries, gives you hands-free perfect positioning of your crossbow while sitting in your treestand. No longer worry about spooking your deer when reaching for your bow.



HCA-600

Shooting Aids:

- (Not pictured.)
- HCA-087 Poundage Conversion Kit
- HCA-113 Standard Cable Saver
- HCA-114 Extreme Cable Saver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack

Strings and Cables:

- (Not pictured.)
- HCA-115 TL-4™ models other than WoodsMan™, post '98 458 MAGNUM™, MAGNUM™ & TURBO Extreme™, MAGNUM X-2™, STEALTH X-2™ Replacement String
- HCA-117 WoodsMan™ models Replacement String
- HCA-119 Pre '98 - 458 Magnum™ Replacement String
- HCA-124 TL-4™ models other than WoodsMan™ models, post '98 458 MAGNUMS™, TURBO Extreme™ and MAGNUM Extreme™, MAGNUM X-2™, STEALTH X-2™ Replacement Cables
- HCA-126 WoodsMan™ models Replacement Cables w/yokes

Note: For cables and strings for early models not listed above, call Customer Service at (330) 628-9245.

HCA-107 Heavy-Duty Braided Center Serving Material

HCA-108 Serving Tool

HCA-109 Serving Tool and Serving Material



HCA-080

HCA-082



HCA-095



HCA-100

BOBBY BEEMAN HARVESTS NEW RECORD* WITH MAGNUM EXTREME™ CROSSBOW

*(BTR) Buckmasters Whitetail Trophy and (SCI) Safari Club International

Bobby Beeman harvested a new BTR & SCI crossbow record buck on September 2, 1998, but his quest for what he now calls the "Buck of Faith" began over a year earlier and it is a story worth telling.

Early one evening in July 1997, Bobby, an Arizona resident, was driving through Wyoming on vacation with his family. As you might expect from a passionate whitetail hunter, he reminded the family to start looking for deer as dusk approached. In a matter of minutes, he caught a glimpse of a huge buck bounding away. He was stunned. As he explained later, it "had more headgear than any deer" he had ever seen. His obsession with the massive buck began that instant.

Though he had not planned to stop, he did. That evening and the next, equipped with the video camera he brought on vacation, he scoured the area, thick with tamarack and cattails. The second evening he spotted the huge animal again and got some footage even though the quality suffered from low light. It did not matter. The die was cast.


Once home in Arizona, he wasted no time working his plan. He contacted the friendly rancher who owned the property where he had seen the buck and got permission to hunt there the following year if he could draw a non-resident permit. Crossbows being legal in Wyoming, Bobby researched the market, bought a MAGNUM Extreme™ and put in for the 1998 draw in Wyoming. As luck would have it, he found out July 1, 1998, that he had indeed been drawn. The next month he and his son traveled to Wyoming for a weeklong scouting trip.

As Bobby tells it, "Every day, we glassed fields, checked out areas and covered the brush, but we never saw Mr. Big." After checking around, he also found that none of the local ranchers had seen the buck that year. So Bobby took his son home wondering if he was ever going to see the great buck again and worrying whether the animal was still alive.

Setting his worries aside, he returned to hunt September 1st. The first day he felt pretty good that he saw as many as ten bucks, one being a 150-class typical. He got some good video, but he ended the day disappointed that he saw no sign of the great buck he had come for.

Before daylight the next morning, he returned to the same spot thinking he would give it one more day. He settled in. At daybreak he heard a click some distance behind him. As he turned he had to look twice to believe his eyes. His heart leaped. There was the huge animal 100-yards away according to his rangefinder. The buck was still alive all right – and as big and bad as ever.

Ten or so minutes passed as the massive animal casually worked his way to within 64 yards. Then, he slipped behind a tree and dissolved into the willows. Bobby was excited and happy. The hunt was on.



*The Beeman Buck
(259 5/8)*

As the morning passed, he methodically concentrated on the area where he last saw the buck. Eventually he thought he could make out a horn almost hidden in the willows. He pulled out his binoculars and made out the buck bedded down among the tamaracks and cattails.

Eventually the great buck stood up with his incredible rack dangling the last remnants of velvet from both sides. Bobby wanted to leave his treestand and stalk the animal, but feared jumping the buck, so he inched a bit higher in the tree and began taping the big buck rubbing his rack on the tamaracks. Bobby lost him again as the buck moved into thicker cover. Moving higher still in the treestand, he spotted a beautiful 160 class typical. He taped it until suddenly the monster buck blew out of the brush and ran through a clearing. He jumped a fence and was gone in an instant.

Knowing the terrain and the trail the animal would probably take, Bobby left the tree and carefully made his way to where he thought he could intercept the buck. Once there, he could hear the animal in the distance, battering and thrashing the 6-ft. tall cattails. The buck emerged from the brush after a bit, and Bobby taped him until he disappeared again.

Satisfied that the hunt was still on, Bobby decided to break for lunch. First, though, he moved his stand closer to the trail where he saw the monster that morning. Bobby hoped the buck would return the same way. Then, he went to town and called his wife to tell her he found the buck again and that he would stay in Wyoming his allotted 30-days if he had to. He was not coming home without his trophy.

He returned to his newly positioned stand early that evening. At 6:30 p.m. the bruiser reappeared – 150 yards away – and began working toward Bobby. He stopped at 80-yards and rubbed nearly all his remaining velvet off. By 7:30 p.m. he reached the trail 30-yards out. Bobby had to grunt twice before the buck stopped, broadside, and laid his ears back. Bobby leveled his MAGNUM, breathed in and then out. He prayed for a killing shot, and slowly squeezed off the trigger.

The MAGNUM Extreme™ did its job. Nailed perfectly just behind the shoulder, the bleeding giant bolted toward a fence and jumped it into an open field. Seconds later he slowed to a walk. Then he staggered. Then he went down.

Overwhelmed with emotion Bobby buried his head in his hands to savor the moment – to honor it – and to give thanks. After twenty or so minutes, he left his stand and went to his buck. Once there he knelt next to the animal and cried.

Bobby Beeman persevered. And thanks to his skill, and the finest hunting production crossbow made, a year and two months after that first glimpse from his car window, he had his great "Buck of Faith".

