2001... FOCUSED on Design, Performance and Customer Service



...the mark of perfection[™]

Crossbow Catalog

TENPOINT Crossbow Technologies...

The Industry Standard for Design, Performance and Durability

Lightweight aluminum foot stirrup with sound-dampening rubber coating.

Note: Coating not included on WoodsMan[™] & TITAN[™] models.

2 Lightweight, thin-line machined aluminum pivoting limb pockets allow you to lower the draw weight by as much as 40 lbs., using TenPoint's[™] Poundage Conversion Kit, HCA-105. Perfect for those who prefer or need a lower draw weight.

Note: WoodsMan[™] & TITAN[™] limb pockets are fixed and non-adjustable.

3 VIBRA-CUSH[®] patented bow-to-barrel mounting system. Dramatically reduces vibration and noise level, making TenPoint[™] crossbows the quietest on the market.

4 Lightweight machined aluminum riser cut to exacting tolerances. Includes locking setscrew system for the main assembly bolt and limb bolts. TenPoint™ bow assemblies do not vibrate loose.

16

5 Limb-bolt locking setscrews.

ST[™] Limb System. The best crossbow limbs made today. Available only on the STEALTH X-2,[™] MAGNUM X-2,[™] & TURBO Extreme[™] models. Incredibly smooth and reliable, this unique fourlimb design reduces recoil and noise while its powerful stroke delivers unequalled speed and kinetic energy.

Note: WoodsMan[™] & TITAN[™] models feature our TL-4[™] high performance, advanced quad limb system.

Power Limb-Tip Caps.[™] Provide unmatched strength and improved performance for all TenPoint[™] limbs.

(8) Precision CNC machined aluminum wheels.

9 Synthetic cable yokes for the ultimate in tunability and stability.

ACRA-ANGLE[™] barrel. Extruded aluminum design features angled sides to prevent finger injury and insure accurate cocking. TenPoint's[™] TURBO Extreme[™] MAGNUM X-2,[™] & STEALTH X-2[™] barrels are hardcoated to a 60+ Rockwell finish to reduce wear and string friction and to increase speed. All other models are black anodized.

- ACRA-ARROW[™] retention spring. Extra long to enhance arrow flight. Tip is coated to reduce vibration noise.
- DFI[™] System. Patented Dry-Fire-Inhibitor prevents a dry-fire when no arrow is loaded.
- (13) CLAWOVER[™] String Catch. Releases from above the string rather than below it like most crossbows. Allows the string to travel the flight deck vibration-free, insuring stable, accurate arrow flight.

Note: The TITAN[™] model employs a string catch that releases from below the string.

(14) Ambidextrous safety. Moves from "fire" (red dot) to "safe" (white dot) when you cock the crossbow.

Note: The TITAN[™] model's safety is also ambidextrous and is operated by a unique single plunger located at the rear of the trigger housing.

12

20

(14) Testform

13)

PowerTouch[™] patented trigger. Precision machined to exacting standards, and with its 3-lb. pull, it is recognized as the finest crossbow trigger made today. The TURBO Extreme,[™] MAGNUM X-2[™] & STEALTH X-2[™] model crossbows also include an adjustable trigger-travel feature, allowing you to set the trigger travel to fit the situation - short for target shooting - long for hunting with gloves.

Note: The TITAN[™] model features a conventional trigger action with a remarkably crisp release and unique ambidextrous plunger safety.

New FST IV[™] Stock. Shorter and lighter, this new, functionally superior thumbhole design features a higher cheek piece for improved comfort and accuracy and a larger foregrip for better stability and greater safety.

Note: The WoodsMan SE[™] model comes with our FST III[™] stock.

ACUdraw[™] **patented** Integrated Automated Cocking Unit. When operated by a hand crank, the ACUdraw converts the crossbow's draw weight to a mere 5 lbs., making crossbow hunting accessible to anyone who cannot draw 150 lbs. or higher. Also assures an accurate draw every time. Available as a stock-option on all models, it also can be retrofitted to any TenPoint[™] crossbow after purchase.

- Thumb-Operated RangeMaster[®] Scope Adjustment Mechanism. By simply moving the thumb-operated lever from one position to another, you can adjust your yardage without ever taking your eye off the scope. Features a dual tensionadjustment setscrew and lock-down thumbscrew system. The RangeMaster[®] system is not included in the WoodsMan[™] & TITAN[™] crossbow models, which feature fixed sight-bridge designs.
 - RangeMaster® tension adjustment screw. The mechanism's lock-down thumbscrew, used to immobilize the RangeMaster® Scope Adjustment Mechanism, is located directly opposite the tension adjustment screw on the other side of the trigger box. A Fixed Position Kit for the RangeMaster® Scope Mount (HCA-072) comes with each STEALTH, MAGNUM, & TURBO model. It allows you to convert the adjustable scope mount to a fixed scope mount if you choose.
- 20 Millett[™] Illuminated Red Dot Scope. Available as an accessory or as a stock-option on our TURBO Extreme,[™] MAGNUM X-2,[™] & STEALTH X-2[™] models. The finest scope and crossbow combination available. When these models are ordered without the Millett[™]

scope, they do not include a peep and pin sighting system. You must purchase a Peep and Pin Conversion Kit, HCA-071, if you want to use pin sights with these three models.

- 21 A Machined Aluminum 7/8" Dovetail Scope Mount is standard on all STEALTH, MAGNUM, & TURBO models. Integrated to work with the RangeMaster® Rear Scope Adjustment Mechanism, it includes an adjustment screw (and locking setscrew) to regulate and micro-tune the dovetail elevation angle. WoodsMan[™] & TITAN[™] crossbows have a fixed sight bridge that will accept an optional Fixed 7/8" Dovetail (HCA-078).
- 22 TenPoint's[™] Turbo EX[™] arrow. Our XX78, 2219, 20-inch Easton[®] Aluminum shaft is the strongest and straightest aluminum shaft made today. TenPoint[™] is an Easton[®] Complete Crossbow Arrow Resource,[™] and, therefore carries a complete line of custom crossbow arrows for the entire crossbow industry.
- (23) The main assembly bolt's locking setscrew and the foot stirrup's two attachment setscrews are out of view, located on the underside of the crossbow's riser.

(24) Sling swivel stud.



Core Performance Features

The Foundation Of Every Crossbow We Make

Every TenPoint[™] crossbow is made with the core performance features listed below. These features insure accuracy, dependability, and overall performance from model to model.

While our top-of-the-line models (TURBO Extreme,[™] MAGNUM X-2,[™] & STEALTH X-2[™]) include additional features and offer more power and speed, our other models are equally dependable and accurate.

Core Performance Features

- Patented VIBRA-CUSH[®]
- Patented DFI[™]
- Advanced Quad-Limb Technology
- CNC Machined Components
- Tunable Synthetic Cable Yokes
- ACRA-ANGLE[™] Barrel
- FST III[™] or FST IV[™] Stock
- Power Limb-Tip Caps[™]
- Ambidextrous Safety
- Aluminum Foot Stirrup

(See the previous feature spread for detailed descriptions of our core performance features)



Warranty

All TenPoint[™] crossbows carry a Limited Lifetime Operational Warranty.

That means the only way you will ever have to buy another one is if you just can't stop yourself.



ACUdraw[™]

The Premier Cocking Mechanism Made Today...

Making Bowhunting Accessible to Everyone

The patented ACUdraw[™] is the most advanced solution available on the market today to cock a crossbow safely, quietly, and accurately. Fully integrated into the stock, with no dangling parts, it requires only the strength of the average person's index finger to operate. It allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

- Reduces draw weight to about 5 lbs. when operated manually
- Draws the bow consistently every time
- Cranks manually or powers-up with almost any cordless screwdriver or drill (4.2 volts or more)
- Unlike other mechanisms introduced recently, it is lightweight and has no bulky clamp-on assemblies or hang-on accessories
- Available installed in ALL TenPoint[™] crossbow models

ACUdraw[™] Retrofit Program Expanded By Popular Demand!

In addition to being available for all TenPoint crossbow models, the ACUdraw[™] Retrofit Program - due to persistent customer inquiries - is now available for Excalibur, Buckmaster, and the Horton Yukon, Hunter SL, and older models using the Yukon and Hunter SL stock designs. Contact Customer Service at 330.628.9245 for details.

ACUdraw[™] Stock-Only Program - Helps Dealers Control Inventory Expense



Dealers can now purchase ACUdraw[™] units mounted in Hardwoods[®] (HCA-003-A-HW), BREAK-UP[®] (HCA-003-A-MB), or Apparition[™] (HCA-003-A-AP) camo stocks, allowing them to stock more crossbows without ACUdraw units.

When a customer wants an ACUdraw, the dealer simply removes the barrel from the crossbow model the customer selects, and installs it in an ACUdraw[™] equipped stock. The dealer then sends the unused stock back to TenPoint[™] to have a new ACUdraw unit installed and shipped back.



tenpointcrossbows.com

STEALTH X-2

- Patented 3 1/2 lb. PowerTouch[™] adjustable trigger assembly
 - Fluid imaged in HARDWOODS[™] 20/200 Camo
 - New FST IV[™] stock with functionally superior thumbhole
 - ST[™] quad-limbs with synthetic cables, and tunable yokes
 - 60 Rockwell Hardcoated ACRA-ANGLE barrel impregnated with Teflon[®]
 - RangeMaster[®] Rear Scope Adjustment Mechanism with 7/8" Weaver-style dovetail
 - CLAWOVER[™] string release
 - Available with or without the Millett™ 30mm Red Dot Scope (HCA-084)
 - New Fixed Position Kit for RangeMaster[®] Scope Mount (HCA-072) to convert adjustable scope mount to a fixed system
 - **Note:** The STEALTH is designed for use with a scope. You must purchase an optional Peep and Pin Conversion Kit, HCA-071, if you want to use it with pin sights.
 - Crisp drop-latch trigger with ambidextrous plunger safety
 - Fluid imaged 11 color Apparition[™] camo
 - New FST IV[™] stock with functionally superior thumbhole
 - TL-4 quad limbs with steel cables and tunable synthetic yokes
 - Black anodized ACRA-ANGLE[™] barrel
 - Fixed sight bridge with peep sight
 - Scope compatible. Optional 7/8" Fixed Dovetail Scope Mount (HCA-078) required

Simplify you purchase by selecting the value added TITAN[™] Package (HCB-030-P)

- TITAN[™] Crossbow
- Instant Detach 2/3 Arrow Quiver
- Three E-Hunter[™] Arrows
- TenPoint[™] Staff Shooter Field Cap

Core Performance Features Included

Limited Lifetime Warranty

> ACUdraw Available

Core Performance

Features Included

323+fps

Draw Weight: 185 lbs.

Draw Weight: 165 lbs.

296+fps



Limited Lifetime Warranty

TenPoint's Two Best Selling Crossbow Models

The STEALTH X-2[™] is

the fastest and most powerful of TenPoint's topof-the-line trio of advanced technology models (including the MAGNUM X-2[™] and the TURBO Extreme[™]). The very affordable TITAN[™] defies its classification as our entry-level model by outclassing and outperforming other brands' top-of-the-line models.

While they occupy positions at opposite ends of our range of high performance models, they share TenPoint's exclusive Core Performance Features, which make every TenPoint crossbow the most accurate and dependable on the market today.

TITAN







Product Number: HCB-009-S (with scope) | Available without sights (HCB-009)





WOODSMAN PLUS

Our two WoodsMan[™]

models differ in draw

weight and have different

stocks. Otherwise they are

the same. With a downsized

FST III stock, the WoodsMan SE™

is a value-priced, high-performance

crossbow for those wanting or

needing a shorter stock.

Designed with simplicity

in mind, these two

crossbows outperform

other manufacturers'

top-of-the-line models.

Note: WoodsMan Plus[™] model includes a Fixed 7/8" Dovetail Scope Mount (HCA-078) when you purchase it from the factory with our 4 power x 1" Mini-Scope. Also available without a scope and dovetail mount (HCB-021). Ordered without a scope, it comes with peep and pin sights.

- FST III[™] & FST IV[™] stocks with functionally superior thumbholes
 - $\bullet~\text{TL-4}^{\scriptscriptstyle\text{TM}}$ quad-limbs with steel cables, and tunable yokes
 - CNC machined wheels, riser, fixed limb-pockets, trigger housing
 - Black anodized ACRA-ANGLE barrel
 - Optional 7/8" fixed Weaver style dovetail available
 - Patented 3 1/2 lb. PowerTouch™ trigger assembly
 - Patented VIBRA-CUSH™
 - Patented DFI,[™] Dry-Fire Inhibitor
 - Aluminum foot stirrup
- Power Limb-Tip Caps[™]
- CLAWOVER[™] string release

Note: The WoodsMan SE[™] is available with a 4 Power x 1" Mini Crossbow Scope, including the dovetail mount (HCB-014-S). Fixed 7/8" Dovetail Scope Mount accessory is available (HCA-078) and required to mount a scope.

Draw Weight: 165 lbs.

296+fps

Limited Lifetime Warranty

> ACUdraw Available

Core Performance Features Included

> Draw Weight: 150 lbs. **280+fps**

Core Performance Features Included

> ACUdraw Available

Limited Lifetime Warranty

WOODSMAN SE^M




Crossbow Arrows

As Easton Aluminum's Complete Crossbow Arrow Resource, TenPoint Crossbow Technologies[™] combines the art and tradition of fletching arrows with the unparalleled quality of Easton shafts to produce the highest quality crossbow arrows available today.

Four TenPoint[™] Models In Four Shaft Sizes Available

- XX75 TenPoint's[™] Camo, 2219, 2216, & 2117. This three-color camo shaft is the proven industry standard for absolutely reliable results. The 2219 is available in all nock systems. The 2216 is available with our patented TenPoint[™] SuperBrite[™] blunt cap and the Barnett & Horton CPC moon nock. The 2117, for Excalibur bows, using blunt ends.
- XX75 458 Series[™] 20-inch, 2315. An olive drab shaft with silver polymer blunt ends and CPC inserts. With a bit less weight and a bit more diameter, the choice of many looking for more velocity.
- XX78 TURBO EX 20-inch, 2219 with the patented SuperBrite[™] neon polymer blunt ends and carbon point inserts. A super-strong, super-straight arrow in Easton's best alloy. Finished in TenPoint's[™] Camo.
- 5086 E-Hunter. Available in two sizes: 2219 & 2216 with either SuperBrite[™] or Barnett & Horton CPC Moon Nocks. This all black economy shaft provides incredible performance at the right price.

TenPoint Crossbow Technologies[™] has the shaft, insert, and nock combination for most crossbows on the market or in the field today. Check the price list at your local dealer for the optimum combination for your crossbow.



No Smoke & Mirrors with TenPoint[™] Crossbows

The performance chart below contains data from tests we conducted using the crossbows and arrows shown. All the crossbows were production models. We did not increase draw weights or modify any of the bows. All of the arrows were 20" Easton[®] XX75 shafts equipped with carbon CPC inserts, TenPoint's[™] SuperBrite[™] neon tracer blunt nocks and traditional turkey-feather fletching.

| Arrow Type / Weight 🔻 | STEALTH X-2™ | TITAN™ | MAGNUM X-2™ | TURBO Extreme™ | WoodsMan Plus™ | WoodsMan SE™ | | |
|----------------------------|--|-------------------|-------------------|-------------------|-------------------|-------------------|--|--|
| 20"-2216 XX75 / 378 Grains | 323 fps 87.6 fp | 296 fps 73.6 fp | 316 fps 83.8 fp | 293 fps 72.1 fp | 296 fps 73.6 fp | 280 fps 65.8 fp | | |
| 20"-2315 XX75 / 381 Grains | 322 fps 87.7 fp | 295 fps 73.6 fp | 314 fps 83.4 fp | 290 fps 71.2 fp | 295 fps 73.6 fp | 279 fps 65.9 fp | | |
| 20"-2219 XX75/416 Grains | 312 fps 90.0 fp | 285 fps 75.1 fp | 304 fps 85.4 fp | 283 fps 74.0 fp | 285 fps 75.1 fp | 270 fps 67.4 fp | | |
| | Feet Per Second (fps) Foot Pounds (fp) | | | | | | | |

| String & Cable Reference | STRINGS | | | CABLES | | | | | |
|--|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| Crossbows 🔻 | | HCA-115 | HCA-117 | HCA-119 | HCA-120 | HCA-122 | HCA-124 | HCA-125 | HCA-126 |
| HuntsMan 1994 - 1997 | | | • | | | | | • | |
| HuntsMan 1998 | | | • | | | | | | • |
| HuntMaster (without yokes) 1994 - 1995 | | • | | | • | | | | |
| HuntMaster (with yokes) 1995-1997 | | • | | | | • | | | |
| HuntMaster TL-4 1998 | | • | | | | | • | | |
| 458 Magnum 1996 - 1997 | | | | • | | | • | | |
| 458 Magnum TL-4 1998 -1999 | | • | | | | | • | | |
| Woodsman 1998 | | | ٠ | | | | | | • |
| WoodsmanPlus, Woodsman SE & Titan | | | ٠ | | | | | | • |
| Turbo Extreme | | • | | | | | • | | |
| Magnum Extreme | | • | | | | | ٠ | | |
| Magnum X-2 | | • | | | | | • | | |
| Stealth X-2 | | • | | | | | • | | |





Save money, simplify your purchase, and take to the woods fully equipped. These accessory packages are tailored to fit you needs.

Accessory Packages

HARDWOODS 20/200[™] Pak (нса-прк)

- HCA-202 Deluxe 2-Pocket Realtree® HARDWOODS 20/200™ Case
- HCA-019 Instant Detach 4-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack
- HEA-061.6 XX78 TURBO EX™ Crossbow Arrows 6-pack
- HCA-002 Deluxe Black Sling w/swivels
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax

BREAK-UP[™] Pak (нса-врк)

- HCA-201 Deluxe Mossy Oak® BREAK-UP™ Case
- HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAK-UP[™] Quiver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack
- HEA-061.6 XX78 TURBO EX[™] Crossbow Arrows 6-pack
- HCA-008 Deluxe Mossy Oak® BREAK-UP[™] Sling w/swivels
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax

WoodsMan[™] Pak (нса-wpк)

- HCA-018 Instant Detach 4-Arrow Front Mount Mossy Oak® BREAK-UP[™] Quiver HCA-008 Deluxe Mossy Oak® BREAK-UP[™] Sling w/swivels HEA-002.6 XX75 TenPoint's[™] Camo Crossbow Arrows – 6-pack
- HCA-111 Flight Rail & Trigger Lube
- HCA-110 String & Cable Wax









Accessories

The Deluxe Slings are unparalleled in quality and construction. They feature a longer design with non-slip; double thick reinforced shoulder pads and heavy-duty adjustable nylon straps (swivels included).

HCA-002 Deluxe Black Crossbow Sling w/swivels HCA-008 Deluxe Mossy Oak® BREAK-UP[™] Sling w/swivels

Crossbow Cases

The best looking and most durable crossbow cases made today. With extra-thick padding and heavy-duty zippers, these soft cases will protect your investment for years to come. Check your state's regulations. Some require all crossbows to be transported in a case.

HCA-201 Deluxe 2-Pocket Mossy Oak® BREAK-UP[™] Case HCA-202 Deluxe 2-Pocket Realtree® HARDWOODS 20/200[™] Case





HCA-002

Accessories ...

Quivers

2/3 Arrow Expandable Broadhead Instant Detach Quiver

HCA-014-HW Instant Detach 3-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver for Expandable Broadheads

(Also Available But Not Pictured) HCA-014-MB Mossy Oak® BREAK-UP[™] HCA-014 Black

НСА-014-МВ НСА-014

2/3 Arrow Fixed Broadhead Instant Detach Quiver

HCA-015-MB Instant Detach 3-Arrow Front Mount Mossy Oak® BREAK-UP™ Quiver for Fixed-Blade Broadheads

(Also Available But Not Pictured)

- HCA-015-HW Realtree[®] HARDWOODS 20/200[™]
- HCA-015-AP Skyline[™] Apparition[™]
 - HCA-015 Black

4/5 Arrow Instant Detach Quiver

All of TenPoint's quivers feature our instant detach design so you can quietly and quickly attach and detach them by tightening or loosening two lock-down knobs. Available in 2/3 arrow and 4/5 arrow designs with an expandable broadhead design in the 2/3 arrow version.

HCA-015-AP

HCA-015

HCA-019 Instant Detach 4-Arrow Front Mount Realtree® HARDWOODS 20/200™ Quiver

(Also Available But Not Pictured)

- HCA-018 Mossy Oak[®] BREAK-UP[™]
- HCA-016 Black



HCA-015-HW

Scopes

TenPoint[™] has partnered with Millett[™] to bring you the best value in an illuminated red dot scope on the market today. With eleven brightness settings and its all-aluminum construction, this zero-power scope comes with a tube extension lens shade and 3/8" or 7/8" mounting rings. Delivers pinpoint accuracy in all light conditions.

- HCA-083 30mm MILLETT[™] Red Dot Scope w/3/8 " mounting rings
- HCA-084 30mm MILLETT™ Red Dot Scope w/7/8 " mounting rings

Perfectly proportioned for a crossbow at only 7" long, these light, compact scopes feature fully-coated optics, duplex cross hairs, and all-aluminum construction. An exceptional value, they come with 3/8" or 7/8" mounting rings.

- HCA-085 4-Power x 1" MINI Crossbow Scope w/ 3/8 " mounting rings
- HCA-094 4-Power x 1" MINI Crossbow Scope w/ 7/8 " mounting rings
- HCA-090 2-6 Power x 1" MINI Crossbow Scope w/ 3/8" mounting rings
- HCA-091 2-6 Power x 1" MINI Crossbow Scope w/ 7/8" mounting rings

Scope Mounts


Our STEALTH, MAGNUM, & TURBO crossbow models come standard with our adjustable 7/8" dovetail (HCA-077-H) but will accept our adjustable 3/8" dovetail (HCA-075-H), which is needed if you wish to covert to a peep and pin sighting system. When adding a scope to the WoodsMan or TITAN models, you must purchase our optional fixed position 7/8" dovetail (HCA-078). Both 7/8" dovetails are Weaver style mounts.

- HCA-075-H 3/8" Adjustable Dovetail Scope Mount /Bronze (Conversion Kit Mount)
- HCA-077 7/8" Adjustable Dovetail Scope Mount / Black (not pictured)
- HCA-077-H 7/8" Adjustable Dovetail Scope Mount / Bronze
- HCA-078 7/8" Fixed Dovetail Scope Mount / Black

Peep and Pin Conversion Kit

For STEALTH,[™] MAGNUM[™], or TURBO[™] owners who wish to convert to a peep and pin sighting system. Simply replace the standard 7/8" dovetail with the kit's 3/8" version. Then, attach the peep and front pin assembly.

HCA-071 Peep and Pin Conversion Kit





HCA-090 or HCA-091

HCA-085 or HCA-094



HCA-083 or HCA-084

HCA-075-H

HCA-078



Scope Rings

Regardless of the scope you wish to mount or the size dovetail you choose to have on your crossbow, we have the rings to handle the job.

- HCA-080 1" Scope Rings w/ 3/8" Base
- HCA-081 1" Scope Rings w/ 7/8" Base (not pictured)
- HCA-082 30mm Scope Rings w/ 3/8" Base
- HCA-092 30mm Scope Rings w/ 7/8" Base (not pictured)

Sights

Standard on the TITAN[™] and non-scoped WoodsMan,[™] this sturdy machined aluminum sight bracket features two pin slots and can be mounted on either side of the riser. Comes with one pin. Additional pins available.

HCA-041 Front Sight w/Pin in Bronze Finish

Standard on the TITAN[™] and non-scoped WoodsMan[™] where it mounts in a fixed position. When purchased for use with the adjustable 3/8" dovetail, it mounts anywhere along the length of the rail.

HCA-060 Rear Peep Sight (requires 3/8" dovetail scope mount)

Lubricants

These two lubricants are critical to maintaining your crossbow in good working order and to extending the life of your strings and cables. The Flight Rail Lube, unlike other manufacturers gel-based lubricants, will not freeze-up in cold weather nor collect dirt and grit, making your trigger sluggish and impeding its performance.

- HCA-110 String & Cable Wax
- HCA-111 Flight Rail & Trigger Lube

Crossbow Press

Easy to use, the Portable Crossbow Press is perfect costeffective way for dealers or owners who choose to do their own crossbow string & cable maintenance, tuning and repair.

HCA-106 Portable Crossbow Press

Targets

- HCA-700 Morrell[™] 24" x 24" x 12" Practice Target For Field Pointed Arrows
- HCA-710 Morrell[™] Humungo[™] 30" x 30" x 10" Practice Target For Broadhead Arrows

Sighting Accessories (not pictured)

- HCA-086 RangeMaster® Scope Adjustment Mechanism
- HCA-050 Standard Sight Pin
- HCA-072 Fixed Position Kit for RangeMaster® Scope Mount

Shooting Aids (not pictured)

- HCA-087 Poundage Conversion Kit
- HCA-113 Standard Cable Saver
- HCA-114 Extreme Cable Saver
- HEA-300 Thunderhead® 125 Broadhead 6-Pack

ACUdraw[™] Replacement Accessories (not pictured)

- HCA-430 Replacement Hand Crank
- HCA-440 Replacement Crank Holster
- HCA-400 Replacement Draw Cords (prior to 1998)
- HCA-401 Replacement Draw Cords
- HCA-411 Replacement Retraction Spring
- HCA-421 Replacement Draw Claw w/cord



HCA-710

BEOALBEAD TARGET

000

2001 - Focused on Design, Performance, and Service...

All good deer hunters hope for some luck now and then, but they never count on it. They succeed because they remain focused on the fundamentals of sound hunting practice. The fact is, success in most endeavors is the by-product of focus on one or more fundamental elements.



We have just completed a watershed year for our company, experiencing healthy growth and achieving what we believe is growing recognition in the marketplace as **the** manufacturer of crossbows with quality design, superior performance and unequalled accuracy. Speaking of performance and accuracy, shooters using TenPoint crossbows took four of the top five places at the 2000 Canadian National 3-D Championships and First Place for two years running at the IBO Nationals.

While this year is the first that our company has not introduced a new crossbow model since our inception in 1994, we have focused instead on making a number of improvements based, as always, on the good advice we receive from our customers.

- Most obvious is our new FST IV stock with some significant ergonomic improvements. We
 have raised the cheek piece for better eye/scope alignment and beefed up the foregrip
 for more comfort and improved safety. The FST IV is lighter and stronger, and we have
 improved its aesthetics by adding more definition to its lines.
- We have converted the 3/8" scope mount on the MAGNUM and TURBO to a Weaver style 7/8" dovetail to standardize our lineup. We will continue to offer the 3/8" mount and a Peep and Pin Conversion Kit (HCA-071) as options for those who prefer the narrower mount or who want to use our 3/8" Rear Peep Sight on these models, now designed primarily for scopes.
- For customers wanting a non-adjustable scope mount, every 2001 STEALTH, MAGNUM, & TURBO now will come with a Fixed Position Kit for RangeMaster Scope Mount (HCA-072), allowing them to immobilize the RangeMaster system so that it becomes a fixed mount system.
- We have introduced high-tech laser production technology into our manufacturing process, enabling us to cost-effectively upgrade the quality of material used in making some of our critical load-bearing parts.
- In addition to receiving a valuable patent on our highly acclaimed ACUdraw automated cocking unit, we have continued to refine its operation with some minor but effective improvements.
- And, finally, we have introduced a new 2 x 6 Power x 1" crossbow scope to our accessory lineup, offering superior quality, coated optics at a very affordable price.

Like the successful hunters who call us, write us, and send us photos documenting their proud achievements, we will continue to stay focused on the fundamentals. In our case, those fundamentals are *quality design*, *superior performance, and exceptional customer service*.



TENPOINT

TenPoint Crossbow Technologies™ 1325 Waterloo Road Suffield, OH 44260-9608 Phone: 330.628.9245

Phone: 330.628.9245 Fax: 330.628.0999

the mark of perfection[™] www.tenpointcrossbows.com

Note: The proprietary products shown in this catalog are protected under the following TenPoint Crossbow Technologies' patents and any patents pending: U.S, Patent No's. 5,987,724; 5,649,520; 5,598,829; 5,553,596; and 6,095,128.

We license a number of our innovative designs and features to select crossbow manufacturers.

Note: TenPoint Crossbow Technologies[™] reserves the right to alter crossbow specifications during any model year.

©Copyright 2001 TenPoint Crossbow Technologies.















