



...the mark of perfection™

PRODUCT CATALOG

Charting a Course for the Future

MEANINGFUL INNOVATION, SUPERIOR QUALITY AND PRECISION PERFORMANCE SINCE 1994

2003

Understanding the Lay of the Land

At TenPoint® we have focused on the big picture from the day we started our business. As we navigate the topography of the future, we watch and we listen - always determined to develop a strategy founded on meaningful innovation, superior quality, and precision performance.

NEW ACUdraw 50™ – A Better “Mouse Trap” (Available in March 2003)

The **New ACUdraw 50™** (patent pending) takes the conventional but cumbersome rope-cocking concept to a new, user-friendly plateau, integrating it into the butt stock and adding a heavy-duty retraction spring, which automatically draws the ropes inside the unit's housing after each use. When not in use, powerful mini-magnets hold the handles securely and silently in place. Available as an accessory, the ACUdraw 50™, shown on page 12, is simple to install in any 2003 model TenPoint stock.

NEW ACUdraw™ - Ready Stock Design

All 2003 TenPoint crossbow stocks will feature a new molded cutout in the butt stock precisely configured to accept the patented ACUdraw™ automated cocking device or the exciting **New ACUdraw 50™** retractable rope-cocking aid. The cutout design, diagrammed below but hidden by slim-line covers, now makes it possible to offer either cocking device as an accessory.

The 2003 innovations are the result of listening and responding to our dealers and customers. This year we have focused on improving safety and making today's heavy draw-weight crossbows more user-friendly and accessible to everyone.

Two NEW Camo Patterns for Two NEW Crossbow Models

TenPoint's 2003 lineup includes two great **New** camo patterns. The **New Elite X-2™ Package** headlines the TenPoint lineup, sporting Realtree's® spectacular **New Hardwoods® Green HD™** camo. The **New Titan II™**, inspired by TenPoint's hot selling 2002 entry-level model, features the great looking **MOSSY OAK® NEW BREAK-UP®** pattern. Dominating good looks continue to be an important element in the high-performance TenPoint lineup.



Hardwoods® Green HD™



MOSSY OAK® NEW BREAK-UP®



NEW GripSafety™ For X-2 Series (Available in March 2003)

Our top-line trio of X-2 crossbows, the **New Elite X-2™** Package, **Stealth X-2™**, and **Turbo X-2™**, come equipped with the innovative GripSafety™ (patent pending), a secondary thumb-activated trigger safety button. The GripSafety™ requires the shooter to hold the foregrip correctly – and safely – in order to squeeze the trigger. These bows cannot be fired without both disengaging the trigger's brass safety knob **AND** depressing the GripSafety™.

Note: The GripSafety™ can be manually deactivated.

Introducing Two NEW Multi-Yardage Scopes

Identical in construction to our popular single-dot 30mm Red Dot Scope, TenPoint is the first to introduce a **New 30mm Multi-Dot Red Dot** (HCA-084). Calibrated specifically for today's 300-fps crossbows and available as an accessory, the Multi-Dot features three illuminated dots – one each for 20, 30, and 40-yards.

If you prefer a magnified scope, TenPoint's **New 3-Power x 1" Multi-Line Mini Scope** (HCA-087) is the perfect solution. Also calibrated for 300-fps crossbows and perfectly proportioned for crossbow use, this **New** compact scope features three duplex cross hairs, one each for 20, 30, & 40-yards.



TenPoint Crossbow Technologies...

The Industry Standard For Design, Performance And Durability.

- 1** Lightweight aluminum foot stirrup with sound-dampening rubber coating.
Note: Coating not included on TITAN™ models.
- 2** Lightweight, thin-line machined aluminum pivoting limb pockets.
Note: TITAN™ limb pockets are bolted to the riser in a fixed position.
- 3** VIBRA-CUSH® *patented* bow-to-barrel mounting system. Dramatically reduces vibration and noise level, making TenPoint® crossbows the quietest on the market.
- 4** Lightweight machined aluminum riser cut to exacting tolerances. Includes locking setscrew system for the main assembly bolt and limb bolts. TenPoint® bow assemblies do not vibrate loose.
- 5** Limb-bolt locking setscrews.
- 6** ST™ Limb System. The best crossbow limbs on the market. Available only on the X-2 Series (ELITE X-2™, STEALTH X-2™, & TURBO X-2™) models. Incredibly smooth and reliable, this unique four-limb design reduces recoil and noise while its powerful stroke delivers unequalled speed and kinetic energy per

inch of power stroke.

Note: TITAN™ models feature our TL-4™ high performance, advanced quad-limb system.

- 7** Power Limb-Tip Caps™ Provide additional limb-tip strength and improved performance.
- 8** Precision CNC machined aluminum wheels.
- 9** Synthetic cable yokes for the ultimate in tunability and stability.
- 10** ACRA-ANGLE™ barrel. Extruded aluminum design features angled sides to prevent finger injury and insure precision loading. TenPoint's X-2 Series barrels are hardcoated to a 65 Rockwell finish and Teflon® impregnated, reducing wear and string friction and increasing arrow speed. TITAN™ models are black anodized.
- 11** ACRA-ARROW™ retention spring. Extra long to enhance arrow flight. Tip is coated to reduce vibration & noise.
- 12** DFI™ System. *Patented* Dry-Fire-Inhibitor prevents an accidental dry-fire when no arrow is loaded.

- 13** CLAWOVER™ String Catch. Releases from above the string rather than below it like most crossbows.

Allows vibration-free string travel on the flight deck, insuring stable, accurate arrow flight.

Note: The TITAN™ models use a conventional string catch that releases from below the string.

- 14** Ambidextrous safety. Moves from "fire" (red dot) to "safe" (white dot) when you cock the crossbow.

Note: The TITAN™ models' safety is also ambidextrous and is controlled by a unique single plunger located at the rear of the trigger housing.

- 15** PowerTouch™ *patented* trigger. Precision machined to exacting standards, it is recognized as the finest crossbow trigger made today. The trigger's travel is set for optimum release efficiency and maximum safety, and offers the lightest and smoothest trigger pull in the industry.
Note: The TITAN™ models feature a



1 – These items are exclusive to or were first introduced by TenPoint Crossbow Technologies®

machined, conventional trigger action with a remarkably crisp release and unique ambidextrous plunger safety.

- 16** FST IV™ Stock. This functionally superior thumbhole design now features molded ACUdraw™ / **New** ACUdraw 50™ receiver holes (hidden by covers), making it possible to purchase either cocking device as a dealer or customer-installed accessory.

- 17** **New** GripSafety™ (patent pending). A secondary safety button that requires the shooter to hold the foregrip correctly, thus avoiding potential thumb or finger injury. The trigger will not release without depressing the GripSafety™.

Note: The GripSafety™ is not available on the TITAN™ models.

- 18** ACUdraw™ **patented** Integrated Automated Cocking Unit. When operated by a hand crank, the ACUdraw™ converts the crossbow's draw weight to a mere 5 lbs. and assures precision loading every time. Available as a stock-option on all models, it also can be retrofitted to any TenPoint® crossbow after purchase. Also available as an optional cocking device, the **New** ACUdraw 50™ (patent pending), a retractable rope-cocking device that reduces the crossbow's draw weight by 50% (pp. 12 & 13).

- 19** Thumb-operated RangeMaster® Sight Adjustment Mechanism. By simply moving the

thumb-operated lever from one position to another, you can select your yardage without ever taking your eye off the scope. Features a tension-adjustment setscrew and a lock-down thumbscrew system. A Dovetail Fixed Position Accessory (p.16) is available as an option on the X-2 Series models. It converts the RangeMaster® adjustable mount to a fixed position mount. The RangeMaster® system is not included on the TITAN™ crossbow models, which feature a fixed sight-bridge design.

- 20** RangeMaster® tension adjustment screw regulates the tension or "feel" of the RangeMaster® cam. The mechanism's lock-down thumbscrew, used to hold the RangeMaster® Sight Adjustment Mechanism at whichever yardage setting you select, is located on the other side of the trigger box, directly opposite the tension adjustment screw.

- 21** Single Dot Illuminated Red Dot Scope. Available as an accessory on any model or as a stock-option on our X-2 Series models. When these models are ordered without the Red Dot Scope, they do not include a peep and pin sighting system. You must purchase a peep and pin conversion kit to use pin sights. TenPoint's™ **New** Multi-Dot Red Dot Scope or **New** 3-Power x 1" Multi-Line Mini Scope is also available as an accessory for any model. (p. 15)

- 22** A machined aluminum 7/8" Adjustable Dovetail Sight Mount is standard on all X-2 Series models. Integrated to work with the RangeMaster® Rear Sight Adjustment Mechanism, it includes an adjustment screw (and locking setscrew) to micro-tune the dovetail elevation angle. TITAN™ crossbows have a fixed sight bridge that will accept a Fixed 7/8" Dovetail (p. 16).

- 23** TenPoint's™ XX75 2219, 20-inch Easton® Aluminum crossbow shaft, the recommended shaft for all TenPoint crossbows (along with Beman ThunderBolt™ carbon crossbow arrows). TenPoint® is an Easton® Complete Crossbow Arrow Resource™, carrying a complete line of custom crossbow arrows for the entire crossbow industry. (p. 19)

- 24** The main assembly bolt's locking setscrew and the foot stirrup's two attachment setscrews are out of view, located on the underside of the crossbow's riser.

- 25** Sling swivel studs are standard equipment on all models.

- 26** TenPoint's™ 4/5 Arrow Instant Detach Quiver mounts under the riser and quickly locks in place with a couple easy turns of two lock-down knobs. (p. 14)

- 27** New Archery Products® Spitfire® 125 expandable broadhead. (p. 17)



***These key elements
are part of every
crossbow we make.***

Core Performance Features

The core performance features listed below are the foundation of every TenPoint® crossbow made. These features insure accuracy, dependability, and overall performance from model to model. While our top-of-the-line X-2 Series models (Elite X-2™, STEALTH X-2™ & TURBO X-2™) include additional features and offer more power and speed, all models are equally durable, dependable, and accurate.

- Patented VIBRA-CUSH®
- Patented DFI™
- Advanced Quad-Limb Technology
- CNC Machined Components
- Tunable Synthetic Cable Yokes
- Machined Barrel Flight Deck
- ACRA-ANGLE™ Barrel
- Power Limb-Tip Caps™
- Ambidextrous Safety
- Aluminum Foot Stirrup
- 5-Point Stock-to-Barrel Mounting System
- Heavy-duty riser rod and trigger-housing clamp-plate

See pages 4 & 5 for detailed descriptions of the core performance features.

ACUdraw™ & ACUdraw 50™

- Available for every bow we make

Warranty

All TenPoint® crossbows carry a Limited Lifetime Operational Warranty. The only way you will ever have to buy another one is if you just can't stop yourself.



...the mark of perfection™



Elite X-2 Package

***One-Stop Shopping at its Best –
The Elite X-2 Bow with a complete set
of accessories.***

- TenPoint® 30mm Single Dot Red Dot Scope with 7/8" rings
- Hardwoods® Green HD™ 4/5 Arrow Instant Detach Quiver
- Deluxe Hardwoods® Green HD™ Sling
- Deluxe Hardwoods® Green HD™ Crossbow Case with Pockets
- Six-Pack of New Archery Products Thunderhead 125® Broadheads
- Six-Pack of Easton XX75 2219 Arrows with Vanes
- Tube of String & Cable Wax
- TenPoint's Flight Groove/Trigger Lube
- Available with or without ACUdraw™ or ACUdraw 50™
- TenPoint® Staff Shooter Field Cap



TenPoint® Staff Shooter Field Cap Included with every crossbow.

ELITE X-2™

Decorated in Realtree's® spectacular **New** Hardwoods® Green HD™ (High Definition) fluid-imaged camo, the Elite X-2™ combines the finest crossbow on the market with the most complete accessory package available.



ACUdraw & ACUdraw 50-Ready Stock

The industry's top performing crossbow, fully-equipped and ready for the woods.

- Patented 3 1/2 lb. PowerTouch™ trigger assembly set at optimum travel and touch for a crisp, controlled release
- Fluid-imaged in Realtree Hardwoods® Green HD™ camo
- ST™ quad-limbs with synthetic cables, and tunable yokes
- 65 Rockwell Hardcoated ACRA-ANGLE™ barrel impregnated with Teflon®
- GripSafety™ secondary thumb-activated trigger safety (patent pending)
- RangeMaster® Rear Sight Adjustment Mechanism with 7/8" Weaver-style adjustable sight mount
- Optional Dovetail Fixed Position Accessory available to convert adjustable RangeMaster® Sight Mount to a fixed system
- CLAWOVER™ string release for superior accuracy
- Camo String and Cables

Note: The Elite X-2™ is designed for use with a scope. You must purchase optional peep and pin conversion accessories to shoot it with pin sights.

Elite X-2 is only available as a complete package with all the accessories show on page 6.

312 FPS w/2219

185 lb. Draw Weight

Product Numbers:

HCB-006-3PS
Package with scope

HCB-006-3PSA
Package with scope and ACUdraw™

HCB-006-3PSA50
Package with scope and ACUdraw 50™

Accessory Product Numbers:

HCA-074
Dovetail Fixed Position Accessory

HCA-071
Peep and Pin Conversion Kit

Bow Info:


Length - 37.125" (w/ stirrup)

Width - 24.25" (limb tip to limb tip cocked)

Power Stroke - 11.25"

Weight - 7 lbs. 12 oz. (bow only)

STEALTH X-2™



Decorated in Realtree's® spectacular Hardwoods® HD™ (High Definition) fluid-imaged camo, the STEALTH X-2's rich appearance mirrors its incomparable performance.

312 FPS w/2219

185 lb. Draw Weight

Product Numbers:

HCB-004-3

Without scope

HCB-004-3A

With ACUdraw™

HCB-004-3A50

With ACUdraw 50™

HCB-004-3S

With scope

HCB-004-3SA

With scope and ACUdraw™

HCB-004-3SA50

With scope and ACUdraw 50™

Accessory Product Numbers:

HCA-074

Dovetail Fixed Position Accessory

HCA-071

Peep and Pin Conversion Kit

Bow Info:

Length - 37.125" (w/ stirrup)

Width - 24.25" (limb tip to limb tip cocked)

Power Stroke - 11.25"

Weight - 7 lbs. 12 oz. (bow only)

ACUdraw & ACUdraw 50-Ready Stock

The industry standard for design and performance.

- Patented 3 1/2 lb. PowerTouch™ trigger assembly set at optimum travel and touch for a crisp, controlled release
- Fluid-imaged in Realtree Hardwoods® HD™ camo
- ST™ quad-limbs with synthetic cables, and tunable yokes
- 65 Rockwell Hardcoated ACRA-ANGLE™ barrel impregnated with Teflon®
- GripSafety™ secondary thumb-activated trigger safety (patent pending)
- RangeMaster® Rear Sight Adjustment Mechanism with 7/8" Weaver-style adjustable sight mount
- Optional Dovetail Fixed Position Accessory available to convert adjustable RangeMaster® Sight Mount to a fixed system
- CLAWOVER™ string release for superior accuracy
- Camo String and Cables
- TenPoint® Staff Shooter Field Cap

Note: The STEALTH X-2™ is designed for use with a scope. You must purchase optional peep and pin conversion accessories to shoot it with pin sights.

TURBO X-2™

There is no other 150-pound crossbow on the market today that can match the TURBO's flawless performance. With its near-300 fps speed, nail-driving accuracy, and its ultra smooth handling, the TURBO stands high above any would-be competitor in its weight class.



ACUdraw & ACUdraw 50-Ready Stock

Unparalleled crossbow performance at 150-pounds.

- Patented 3 1/2 lb. PowerTouch™ trigger assembly set at optimum travel and touch for a crisp, controlled release
- Fluid-imaged in Realtree Hardwoods® HD™ camo
- ST™ quad-limbs with synthetic cables, and tunable yokes
- 65 Rockwell Hardcoated ACRA-ANGLE™ barrel impregnated with Teflon®
- GripSafety™ secondary thumb-activated trigger safety (patent pending)
- RangeMaster® Rear Sight Adjustment Mechanism with 7/8" Weaver-style adjustable sight mount
- Optional Dovetail Fixed Position Accessory available to convert adjustable RangeMaster® Sight Mount to a fixed system
- CLAWOVER™ string release for superior accuracy
- Camo String and Cables
- TenPoint® Staff Shooter Field Cap

Note: The TURBO X-2™ is designed for use with a scope. You must purchase optional peep and pin conversion accessories to shoot it with pin sights.

283 FPS w/2219

150 lb. Draw Weight

Product Numbers:

HCB-008-3
Without scope

HCB-008-3A
With ACUdraw™

HCB-008-3A50
With ACUdraw 50™

HCB-008-3S
With scope

HCB-008-3SA
With scope and ACUdraw™

HCB-008-3SA50
With scope and ACUdraw 50™

Accessory Product Numbers:

HCA-074
Dovetail Fixed Position Accessory

HCA-071
Peep and Pin Conversion Kit

Bow Info:

Length - 37.125" (w/ stirrup)

Width - 24.25" (limb tip to limb tip cocked)

Power Stroke - 11.25"

Weight - 7 lbs. 12 oz. (bow only)

TITAN II™

With all of TenPoint's Core Performance Features and its own unique trigger mechanism and plunger safety, the affordable TITAN II™ defies its classification as an entry-level model by outclassing and outperforming other brands' top-line models.



285 FPS w/2219

ACUdraw & ACUdraw 50-Ready Stock

165 lb. Draw Weight

Product Numbers:

HCB-030-3
Crossbow only

HCB-030-3A
With ACUdraw™

HCB-030-3A50
With ACUdraw 50™

HCB-030-3P
With package

HCB-030-3PSA
With package, scope and ACUdraw™

HCB-030-3PSA50
With package, scope and ACUdraw 50™

Accessory Product Numbers:

HCA-078
7/8" Fixed Dovetail Sight Mount

Bow Info:

Length - 37" (w/ stirrup)

Width - 24.5" (limb tip to limb tip cocked)

Power Stroke - 12"

Weight - 7 lbs. 8 oz. (bow only)

The best entry-level purchase available in the industry today... period.

- Crisp drop-latch trigger with ambidextrous plunger safety
- Fluid imaged in MOSSY OAK® NEW BREAK-UP® camo
- TL-4 quad limbs with steel cables and tunable synthetic yokes
- Black anodized ACRA-ANGLE™ barrel
- Fixed sight bridge with peep sight
- Scope compatible. Optional 7/8" Fixed Dovetail Sight Mount required
- TenPoint® Staff Shooter Field Cap

Simplify your purchase by selecting one of these value-added packages:

TITAN II™ Package
TITAN II™ Scope and ACUdraw™ Package
TITAN II™ Scope and ACUdraw 50™ Package

Each package includes:

- Black 2/3-Arrow Detachable Quiver
- Three 2219 E-Hunter™ arrows
- Three 125-grain field points



TITAN SE™

The TITAN SE™ offers top-of-the-line engineering and performance at entry-level prices for young hunters, women, and others wanting a lighter, shorter crossbow with a lighter draw weight.



ACUdraw & ACUdraw 50-Ready Stock

A two-inch shorter 150 lb. companion to the Titan II™

- Two-inch shorter barrel than our other models
- Crisp drop-latch trigger with ambidextrous plunger safety
- Fluid imaged 11-color Skyline™ Apparition™ camo
- TL-4 quad limbs with steel cables and tunable synthetic yokes
- Black anodized ACRA-ANGLE™ barrel
- Fixed sight bridge with peep sight
- Scope-compatible. Optional 7/8" Fixed Dovetail Sight Mount required
- TenPoint® Staff Shooter Field Cap

Note: ACUdraw 50™ is available as an optional accessory for TITAN SE™ and TITAN SE™ Package.

Simplify your purchase by selecting one of these value-added packages:

TITAN SE™ Package
TITAN SE™ ACUdraw™ Package

Each package includes:

- Black 2/3-Arrow Detachable Quiver
- Three 2219 E-Hunter™ arrows
- Three 125-grain field points

250 FPS w/2219

150 lb. Draw Weight

Product Numbers:

HCB-035-3
Crossbow only

HCB-035-3A
With ACUdraw™

HCB-035-3AP
With package and ACUdraw™

HCB-035-3P
With package

Accessory Product Numbers:

HCA-078
7/8" Fixed Dovetail Sight Mount

HCA-000-B-A50
ACUdraw 50™

Bow Info:

Length - 35.1875" (w/ stirrup)

Width - 24.5" (limb tip to limb tip cocked)

Power Stroke - 10.25"

Weight - 7 lbs. 4 oz. (bow only)

ACUdraw 50™



Now TenPoint Offers Two Great Cocking Devices, Making Bowhunting Accessible to Everyone

Ten years ago, few crossbows had draw weights over 150-pounds. Today's models range between 165 and 200-pounds - a hefty lift for anyone. As it becomes more difficult to load crossbows, user-friendly cocking devices have become a necessity for many, and TenPoint® continues to be the leader in responding to that need.

Five years ago, TenPoint introduced the innovative and highly successful ACUdraw™ automated cocking unit. This year we are introducing the ACUdraw 50™ (patent pending), a cost-effective and convenient alternative device for those capable of pulling up to 50% of the typical crossbow's draw weight. The ACUdraw 50™ is a fully integrated, auto-retractable version of the conventional but cumbersome rope cocking aid.

So, now you have a choice – a device you can operate with one finger or one which reduces your crossbow's draw weight by half. Check out both of them.

The ACUdraw 50™ – A Better “Mouse Trap”



Are you familiar with the cumbersome rope-cocker that reduces a crossbow's draw weight by half? TenPoint takes that concept to a new level with the **New**, affordable ACUdraw 50™ (patent pending). TenPoint has integrated this leveraged rope-cocking concept into the butt stock and added a heavy-duty retraction spring that silently and effortlessly draws the ropes securely back inside the unit's housing after each use.

- Cocks the crossbow consistently and accurately time after time
- No more dangling ropes or handles
- No more need to hang a rope cocker around your neck or to stash it in a fanny pack
- When not in use, powerful mini-magnets hold the handles securely and silently in place
- Available as an accessory for all 2003 model TenPoint crossbows or installed on all bows except the TITAN SE™.
- Can be retrofitted to all TenPoint stocks manufactured prior to 2003

ACUdraw™



The patented ACUdraw™ is the most advanced solution available on the market today for cocking a crossbow safely, quietly, and accurately. Fully integrated into the stock, with no dangling parts, it requires only the strength of the average person's index finger to operate. And, it only weighs slightly over one pound, unlike the competition's heavy and cumbersome add-on cocking devices. It allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

The original premier cocking mechanism

- Reduces draw weight to about 5 lbs. when operated manually
- Available as an accessory or installed in any 2003 TenPoint model
- Cocks the crossbow consistently and accurately time after time
- Cranks manually or powers-up with almost any cordless screwdriver or drill (4.2 volts or more)
- Unlike other crossbow cocking mechanisms, it is lightweight and has no bulky clamp-on assemblies or hang-on accessories
- Belt holster for ACUdraw™ handle included

ACUdraw™ and ACUdraw 50™ Retrofit Program

In addition to being available for dealer and customer retrofitting to all pre-2003 manufactured TenPoint crossbows, these two premier cocking devices can be retrofitted to Excalibur and Bear-Jennings Buckmaster models.

The ACUdraw™ also can be retrofitted to the Horton Yukon and Horton models using their Hunter stock design. The ACUdraw 50™ will be available for retrofitting to the Horton models in the future.



HCA-000-B-A50
ACUdraw 50™ Kit



HCA-000-B-II
ACUdraw™ Kit



Accessories

Slings

The Deluxe Slings are unparalleled in quality and construction. They feature a longer design with non-slip; double thick reinforced shoulder pads and heavy-duty adjustable nylon straps (swivels included).

HCA-002-HG

New Realtree Hardwoods® Green HD™ Deluxe Sling w/swivels

The Deluxe Sling is also available in the following patterns:

HCA-002

Black

HCA-002-NBU

MOSSY OAK NEW BREAK-UP® (see camo swatch)



HCA-002-HG

Quivers

2/3 Arrow Expandable Broadhead Instant Detach Quiver (Exclusive to TenPoint)

HCA-014-HW

Instant Detach 2/3-Arrow Realtree Hardwoods® HD™ Front Mount Quiver for Expandable Broadheads

The 2/3 Arrow Expandable Broadhead Instant Detach Quiver is also available in the following patterns:

HCA-014


Black

HCA-014-HG

New Realtree Hardwoods® Green HD™ (see camo swatch)

HCA-014-NBU

MOSSY OAK® NEW BREAK-UP® (see camo swatch)



HCA-014-HW

2/3 Arrow Fixed Broadhead Instant Detach Quiver

HCA-015-HW

Instant Detach 2/3-Arrow Realtree Hardwoods® HD™ Front Mount Quiver for Fixed-Blade Broadheads

The 2/3 Arrow Fixed Broadhead Instant Detach Quiver is also available in the following patterns:

HCA-015

Black

HCA-015-HG

New Realtree Hardwoods® Green HD™ (see camo swatch)

HCA-015-NBU

MOSSY OAK NEW BREAK-UP® (see camo swatch)



HCA-015-HW

4/5 Arrow Instant Detach Quiver

HCA-019

Instant Detach 4/5-Arrow Realtree Hardwoods® HD™ Front Mount Quiver

The 4/5 Arrow Fixed Broadhead Instant Detach Quiver is also available in the following patterns:

HCA-016

Black

HCA-016-HG

New Realtree Hardwoods® Green HD™ (see camo swatch)

HCA-016-NBU

MOSSY OAK NEW BREAK-UP® (see camo swatch)



HCA-019

All of TenPoint's quivers feature our instant detach design so you can quietly and quickly attach and detach them by tightening or loosening two lock-down knobs. Available in 2/3 arrow and 4/5 arrow designs with an expandable broadhead design in the 2/3 arrow version.

Crossbow Cases

The best looking and most durable crossbow cases made today. With extra-thick padding, heavy-duty zippers, and two pockets for extra arrows and miscellaneous accessories, these soft cases will protect your investment for years to come. Check your state's regulations. Some require all crossbows to be transported in a case.



HCA-201-HG

New Realtree Hardwoods® Green HD™ Deluxe 2-Pocket Case

The Deluxe 2-Pocket Case is also available in:

MOSSY OAK® NEW BREAK-UP® (see camo swatch)

HCA-201-HG

HCA-201-NBU

Scopes

The best value in illuminated red dot scopes on the market today. With eleven brightness settings and all-aluminum construction, these zero-power scopes come with tube extension lens shades and 3/8" or 7/8" mounting rings. They deliver pinpoint accuracy in all light conditions. Available in the single-dot or the all **New** three-dot version for 20, 30, & 40-yard shots.



HCA-083 or HCA-083M

HCA-083

HCA-084

HCA-083M

HCA-084M

30mm Single-Dot Red Dot Scope w/ 3/8" mounting rings

30mm Single-Dot Red Dot Scope w/ 7/8" mounting rings

New 30 mm Multi-Dot Red Dot Scope w/ 3/8" mounting rings

New 30 mm Multi-Dot Red Dot Scope w/ 7/8" mounting rings

Perfectly proportioned for a crossbow at only 7" long, this **New** light, compact scope features fully-coated optics, three-line duplex cross hairs (20, 30, & 40-yd. lines), and all-aluminum construction. An exceptional value, it can be ordered with either 3/8" or 7/8" mounting rings.

HCA-087

HCA-088

New 3-Power x 1" MultiLine MINI Crossbow Scope w/3/8" mounting rings

New 3-Power x 1" MultiLine MINI Crossbow Scope w/7/8" mounting rings



HCA-087 or HCA-088

Scope Rings

HCA-080

HCA-081

HCA-082

HCA-092

1" Scope Rings w/ 3/8" Base

1" Scope Rings w/ 7/8" Base (not pictured)

30mm Scope Rings w/ 3/8" Base (not pictured)


30mm Scope Rings w/ 7/8" Base (not pictured)

Regardless of the scope you wish to mount or the size dovetail you choose to have on your crossbow, we have the rings to handle the job.



HCA-080

Camo Swatch Reference for Accessories



MOSSY OAK® NEW BREAK-UP®



Realtree Hardwoods® Green HD™

Sight Mounts

Our X-2 Series crossbow models come standard with our adjustable 7/8" dovetail. When adding a scope to the TITAN models, you must purchase our optional Fixed 7/8" Dovetail Mount. Both of our 7/8" dovetails are Weaver style mounts.

HCA-077-H

7/8" Adjustable Dovetail Sight Mount - Hardcoat

HCA-078

7/8" Fixed Dovetail Sight Mount - Black

HCA-077-H



HCA-078

Dovetail Fixed Position Accessory for RangeMaster®

For X-2 Series crossbow owners who wish to convert their Adjustable RangeMaster® Sight Mount System into a fixed or permanent system. This accessory, along with a few parts from the RangeMaster® system, replaces the RangeMaster® thumb lever and locks the sight mount solidly in a fixed position.

HCA-074

Dovetail Fixed Position Accessory for RangeMaster®



HCA-074

Peep and Pin Conversion Kit

For X-2 Series model owners who wish to convert to a peep and pin sighting system, simply replace the standard 7/8" dovetail with the kit's 3/8" version. Then, attach the peep and front pin assembly.

HCA-071

Peep and Pin Conversion Kit



HCA-071

Sights

Standard on TITANS without scopes, this sturdy machined aluminum sight bracket features two pin slots and can be mounted on either side of the riser. Comes with one pin. Additional pins available.

HCA-041

Front Sight Bracket w/Pin

HCA-060

Rear Peep Sight (requires 3/8" mount)



HCA-060

HCA-041

Standard on the TITANS without scopes the Rear Peep Sight mounts in a fixed position. When purchased for use with the adjustable 3/8" dovetail – as part of a Peep & Pin Conversion Kit for the X-2 Series models, it mounts anywhere along the length of the rail.

Lubricants

These two lubricants are critical to maintaining all crossbows in good working order and to extending the life of your strings and cables. The Flight Rail Lube, unlike other manufacturers' gel-based lubricants, will not freeze-up in cold weather or collect dirt and grit, which could make your trigger sluggish and impede its performance.

HCA-110

String & Cable Wax

HCA-111

Flight Rail & Trigger Lube



HCA-110

HCA-111

Crossbow Press

Easy to use, the Portable Crossbow Press is the perfect, cost-effective way for dealers or owners who choose to do their own crossbow string & cable maintenance, tuning and repair.

HCA-106

Portable Crossbow Press



HCA-106

ACUdraw™ and NEW ACUdraw 50™

These two incredible cocking devices are now available as accessories for the first time. Your dealer can install them or if you have the proper tools, you can as well. Kits include templates for drilling the receiver holes in pre-2003 TenPoint models (drill, bits, and hole cutter not included). Receiver holes are pre-molded in 2003 models. Installation instructions also provided.

HCA-000-B-II

HCA-000-B-A50

ACUdraw™ Cocking Mechanism

ACUdraw 50™ Cocking Mechanism



HCA-000-B-A50
ACUdraw 50™ Kit

HCA-000-B-II
ACUdraw™ Kit

Shooting Aids

HCA-113

Standard Cable Saver

HCA-114

Extreme Cable Saver

HEA-299

New Archery Products' Spitfire® 125-grain, 3-Blade Mechanical Broadhead 3-pack

HEA-300

New Archery Products' Thunderhead® 125-grain Fixed Broadhead 6-Pack

HCA-113



HCA-114



HEA-299



HEA-300

Sighting Accessories (not pictured)

HCA-086

RangeMaster® Sight Adjustment Mechanism

HCA-050

Standard Sight Pin

ACUdraw Replacement Accessories

HCA-430

Replacement Hand Crank

HCA-440

Replacement Crank Holster

HCA-400

Replacement Draw Cords (prior to 1998)

HCA-401

Replacement Draw Cords

HCA-411

Replacement Retraction Spring

HCA-421

New - Replacement Draw Claw w/cord (pictured)

HCA-425

New Claw Bottom

HCA-426

New Claw Holder (pictured)

HCA-450

ACUdraw 50™ Replacement Draw Cords

HCA-451

ACUdraw 50™ Replacement Power Spring



HCA-421

HCA-426

Accessory Packages

Save money, simplify your purchase, and take to the woods fully equipped. These accessory packages are tailored to fit your needs. **Free practice points (HEA-301) included with all packages.**

Realtree Hardwoods® HD™ Pak (HCA-HDPK)



HCA-201-HG	Deluxe 2-Pocket Case
HCA-016-HG	Instant Detach 4/5-Arrow Front Mount Quiver
HEA-300	Thunderhead® 125 Broadheads 6-pack
HEA-002.6	XX75 Camo Crossbow Arrows – 6-pack
HCA-002-HG	Deluxe Sling w/swivels
HCA-111	Flight Rail & Trigger Lube
HCA-110	String & Cable Wax
HEA-301	6-Pack 125 Grain Practice Points

Realtree Hardwoods® HD™ EXP Pak (HCA-HDPK-EXP)

Same as above with Spitfire® 125-grain Broadhead 3-Pack (HEA-299), in place of Thunderhead™ 125 Broadhead 6-pack. 2/3 Arrow Expandable Broadhead Quiver HCA-014-HG in place of HCA-016-HG



MOSSY OAK® NEW BREAK-UP® Pak (HCA-NBPK)



MOSSY OAK® NEW BREAK-UP®

HCA-201-NBU	Deluxe 2-Pocket Case
HCA-016-NBU	Instant Detach 4/5-Arrow Front Mount Quiver
HEA-300	Thunderhead® 125 Broadheads 6-pack
HEA-002.6	XX75 Camo Crossbow Arrows – 6-pack
HCA-002-NBU	Deluxe Sling w/swivels
HCA-111	Flight Rail & Trigger Lube
HCA-110	String & Cable Wax
HEA-301	6-Pack 125 Grain Practice Points

MOSSY OAK® NEW BREAK-UP® EXP Pak (HCA-NBPK-EXP)

Same as above with Spitfire® 125-grain Broadhead 3-Pack (HEA-299), in place of Thunderhead™ 125 Broadhead 6-pack. 2/3 Arrow Expandable Broadhead Quiver HCA-014-NBU in place of HCA-016-NBU



ECONO Pak (HCA-WPK-2)



HCA-016	4/5 Arrow Instant Detach Front Mount Black Quiver
HCA-002	Deluxe Black Sling w/swivels
HEA-002.6	XX75 TenPoint's® Camo Crossbow Arrows – 6-pack
HCA-111	Flight Rail & Trigger Lube
HCA-110	String & Cable Wax
HEA-301	6-Pack 125 Grain Practice Points

Crossbow Arrows

As an Easton Aluminum Complete Crossbow Arrow Resource, TenPoint® combines the art and tradition of fletching arrows with the unparalleled quality of Easton shafts to produce the highest quality aluminum crossbow arrows available today.

For those looking for the perfect carbon crossbow arrow, TenPoint® offers the incomparable Beman 20," 22/64^{ths} THUNDERBOLT. Crafted for use with modern, heavy draw-weight crossbows, providing precision flight and superior penetration.



A complete line of nock systems for most crossbows.

TenPoint® has the shaft, insert, and nock combination for most crossbows on the market or in the field today. Check with your local dealer for the optimum combination for your crossbow.

Five TenPoint® Models Available:

- XX75 TenPoint Camo, 2219 & 2117. This three-color camo shaft is the proven industry standard for absolutely reliable results. The 2219 is available in all nock systems. The 2217, for Excalibur bows, uses a black polymer blunt cap.
- XX75 Magnum Series™ 20-inch, 2315. An olive drab shaft with silver polymer blunt end & CPC insert. With a bit less weight and a bit more diameter, a choice for those target shooters or hunters looking for more velocity and a slightly larger diameter.
- 5086 E-Hunter™, 2219 with either SuperBrite™ or Barnett & Horton CPC Moon Nocks. This all black economy shaft provides incredible performance at the right price.
- ICS THUNDERBOLT, 20-inch, 22/64^{ths} diameter, high strength carbon fiber arrow with optimum weight, developed by Beman specifically for use with modern high-performance crossbows. Comes with aluminum inserts and blunt end caps or carbon moon nocks.

All Bow. No Bull with TenPoint® Crossbows

The performance chart below contains data from tests we conducted using the crossbows and arrows shown. All the crossbows were production models. We did not increase draw weights or modify any of the bows. All of the arrows were 20" Easton® XX75 shafts equipped with carbon CPC inserts, TenPoint's® SuperBrite™ neon tracer blunt nocks and traditional turkey-feather fletching.

- A** PSE Nocks (old & new) for 2219 shafts aluminum
- B** Polymer blunt nocks (black & silver) for 2315 & 2117 aluminum shafts & aluminum blunt nocks for 22/64^{ths} carbon shafts
- C** SuperBrite™ nock for 2219 shafts
- D** Barnett & Horton CPC Moon Nocks for 2219 aluminum shafts & 22/64^{ths} carbon shafts
- E** Bear/Jennings nocks for 2219 aluminum shafts


Patented SuperBrite™ nock tool available for refletching arrows that use SuperBrite™ nocks.

20" Arrow Type / Weight	Elite X-2™	Stealth X-2™	Turbo X-2™	Titan II™	Titan SE™
2315 XX75 / 381 Grains	322 fps 87.7 fp	322 fps 87.7 fp	290 fps 71.2 fp	295 fps 73.6 fp	256 fps 55.5 fp
2219 XX75 / 416 Grains	312 fps 90.0 fp	312 fps 90.0 fp	283 fps 74.0 fp	285 fps 75.1 fp	250 fps 55.5 fp
Feet Per Second (fps) Foot Pounds (fp)					

We urge you to shoot 2219 shafts (or shafts of comparable weight) when using any crossbow. Using lighter shafts may damage your crossbow over time and will void your TenPoint warranty. The lighter shafts shown above were tested only to provide you with a basis for comparing TenPoint crossbow speed with crossbows manufactured by others tested with similar lightweight arrows.

String & Cable Reference Guide

Crossbows	STRINGS				CABLES					
	HCA -115	HCA -115C	HCA -117	HCA -119	HCA -120	HCA -122	HCA -124	HCA -124C	HCA -125	HCA -126
HuntsMan 1994 -1997			■						■	
HuntsMan 1998			■							■
HuntMaster (w/o yokes) 1994 -1995	■	■			■					
HuntMaster (w/ yokes) 1995 -1997	■	■				■				
HuntMaster TL-4 1998	■	■					■	■		
458 Magnum 1996 -1997				■			■	■		
458 Magnum TL-4 1998 -1999	■	■					■	■		
WoodsMan 1998			■							■
WoodsMan Plus & WoodsMan SE			■							■
Titan & Titan SE			■							■
Turbo Extreme & Magnum Extreme	■	■					■	■		
Elite, Magnum, Stealth & Turbo X-2	■	■					■	■		



2003 TenPoint Family Album.

Last September TenPoint President, George R. Gardner, and his wife, Betty, traveled to South Africa to hunt at the Out of Africa Hunting Camp in the Northern Transval. Using their TenPoint ACUdraw-equipped off-the-shelf crossbows, they each harvested four animals.

Betty, on her first trip to Africa, impressed the guides with her efficiency and precision shooting, taking a warthog, impala, gemsbuck, and a kudu. George, a veteran of nine African hunts dating back to the early 1980's, added to his already extensive trophy collection by also taking a warthog along with a duiker, eland, and wildebeest.



Russ Beavers
(below left)
Guernsey
County, OH

The photos below are compliments of our Production Manager, Russ Beavers, and a select group of our highly regarded Staff Shooters. Don't be surprised if you bump into one or more of them at the various consumer shows we plan to attend this year.



Jack Milligan
Muskingum County, OH

Bob Hall
Coshocton County, OH

Julie Hall
Licking County, OH

Phil East w/moose
Canada

Justin Sayre
Harrison County, OH

Buzz Hall
Licking County, OH



...the mark of perfection™

TenPoint Crossbow Technologies®

1325 Waterloo Road Suffield, OH 44260-9608

Phone: 330.628.9245

Fax: 330.628.0999

www.tenpointcrossbows.com

Note: The proprietary products shown in this catalog are protected under the following TenPoint Crossbow Technologies' patents and any patents pending: U.S. Patent No's. 5,553,596; 5,598,829; 5,649,520; 5,987,724; 6,095,128; 6,286,496 B1.

Note: TenPoint Crossbow Technologies® reserves the right to alter crossbow specifications during any model year.

© Copyright 2003 TenPoint Crossbow Technologies®.

