



TENPOINT

CROSSBOW TECHNOLOGIES

2012 PRODUCT CATALOG

THERE IS NO SUBSTITUTE.

TO OUR CUSTOMERS.

We are pleased to introduce three new crossbows for 2012. The Carbon Elite XLT combines the wrapped carbon barrel technology we introduced last year with our radically narrow XLT bow assembly. The other two are lighter, faster, and narrower reincarnations of our popular Turbo and workhorse Titan models. All three are potent additions to our lineup. Read about them in the "What's New" pages following this letter and in our crossbow lineup pages.

Also this year, we are launching our "Arrow Ballistics Program" (pages 24 & 25), to expose common misconceptions about crossbow arrow selection and to help you choose the right arrow for the shooting conditions you face and the equipment you use. Briefly summarized in this catalog, we will expand on the program during the year through our website and social media sites.

Part of our effort includes introducing our TenPoint four-arrow collection of lightweight, standard-weight, and heavyweight arrows designed to meet any shooting need you encounter (page 25).

We expect this program to teach crossbow shooters about the flight, grouping, and impact characteristics associated with aluminum and carbon arrow shafts, "front-of-center" (FOC) weight distribution, and total arrow weight. Armed also with an understanding of the effect arrow weight has on crossbow durability, recoil, noise level, arrow speed, trajectory, accuracy, and impact energy, you can then select arrows that give you the best chance of success at the shooting range or in the field.

As the year progresses, we will share an extensive array of tests with you using different crossbows and arrow combinations that will help make you the best crossbow hunter in the woods.

Please take the time to check-out our 2012 crossbow lineup. From top to bottom, it is the best collection of premium performance models we have ever assembled.

Sincerely,

Richard L. Bednar - CEO / Chairman
TenPoint Crossbow Technologies
Wicked Ridge Crossbows

CARBON ELITE XLT™

The fastest and lightest in our expanding collection of XLT models. The Carbon Elite XLT is a fusion of TenPoint's cutting-edge, feather-weight, wrapped carbon fiber barrel with a 185-pound version of our radically compact XLT bow assembly. The XLT assembly is powered by NEW MRX™ Cams and shoots 352 FPS with TenPoint's NEW Pro Lite™ carbon arrow.



TURBO XLT II™

Lighter, faster, and more powerful than its highly popular predecessor, the Turbo XLT II pairs our NEW lighter and longer Fusion Lite stock with a more rugged XLT bow assembly. Super-tough double laminated 11-inch IsoTaper Limbs™ and NEW MRX™ cams work in perfect unison with the nearly 1-inch longer power stroke to deliver TenPoint's NEW Pro Lite carbon arrow at 345 FPS.

TITAN XTREME™

Our NEW longer, lighter Fusion Lite stock and a newly-crafted narrower bow assembly fitted with 180-pound field-tested HL limbs and NEW XR™ wheels elevates TenPoint's long-standing workhorse model to thoroughbred status. This more powerful and maneuverable Titan launches TenPoint's NEW Pro Lite carbon arrow at a quick 333 FPS.

NEW FOR 2012



THERE IS NO SUBSTITUTE.

ARROW BALLISTICS PROGRAM

Determined to take the mystery out of the arrow selection process, TenPoint's Engineering Department performed hours of rigorous testing in developing a new Arrow Ballistics Program that offers a collection of arrows to meet every need and the information required to make the best selection. Turn to pages 24-25 to view the complete program.



BEDNAR PERFECT PULLER™

Named for and originally developed by the late Hall of Fame Archer Bill Bednar, the NEW Bednar Perfect Puller is designed to pull arrows from high density targets.

The pliers are packaged with three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.



AMBIDEXTROUS SIDE-MOUNT QUIVER BRACKET

Packaged with all TenPoint crossbows with an XLT™ or CLS™ bow assembly, the NEW Ambidextrous Side-Mount Quiver Bracket allows the quiver to be mounted parallel to the stock, providing greater maneuverability for crossbows with narrow bow assemblies. Made of 1075 carbon steel with a powder coated finish, the bracket is angled at 93-degrees to provide clearance for proper hand placement while shooting. Available as a stand-alone accessory, this ambidextrous, universal bracket will work with most modern quivers.

FUSION LITE™ STOCK

TenPoint's NEW Fusion Lite stock weighs five ounces less than the original fusion stock. The weight reduction is achieved by a new aesthetic cutout above the trigger guard, a cored-out fore-grip to stabilize the stock dimensions by evenly distributing the composite material during molding, and ventilation holes in the butt stock to help the camo pattern adhere better to the stock.



MRX™ CAM

The NEW MRX cam, used on the NEW Carbon Elite XLT and NEW Turbo XLT II, is a larger, modified version of our field proven MR™ cam. It enables maximum rotation on these new XLT models which have longer barrels and increased power strokes. Machined from 6061 T6 aluminum with aesthetically pleasing cut-throughs for additional weight reduction, the MRX cams increase power and use the crossbow's power stroke efficiently to achieve maximum arrow velocity.

XR™ WHEEL

The NEW XR wheel is designed specifically to interface perfectly with the longer power stroke of the NEW Titan Xtreme crossbow. Machined from 6061 T6 aluminum, the XR wheel delivers greater speed and power to the newest version of TenPoint's all-time best selling crossbow model.



NEW FOR 2012

CARBON XTRA CLS™

**THE PINNACLE OF CRAFTSMANSHIP.
THE STRENGTH AND WEIGHT OF CARBON FIBER.**



CARBON XTRA CLS™

A precision-crafted, laminated wood stock version of the Carbon Fusion CLS, the Carbon Xtra CLS satisfies the discriminating hunter, shooting enthusiast, or collector who demands the best. Together, its classic, heirloom-quality stock and woven carbon fiber barrel establish a benchmark for crossbow aesthetics and performance.



TenPoint's Compact Limb System (CLS) Technology generates devastating power out of a maneuverable 17.5" axle-to-axle (when cocked) package.



PERFORMANCE

185 LB Draw Wt.

364 FPS / **109** FP KE
with 370-grain Pro Lite Arrow

345 FPS / **113** FP KE
with 425-grain Pro Elite Arrow

312 FPS / **117** FP KE
with 545-grain Full Metal Jacket Arrow



Scan with your mobile device to see the Carbon Xtra CLS in action.

CARBON XTRA CLS PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint RangeMaster Pro Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon fiber arrows with practice points; Six-pack of TenPoint Pro Elite Premium Hunter carbon fiber arrows equipped with NAP® Spitfire® 100-grain broadheads and Tracer™ nocks (Each Premium Hunter arrow is precision-matched for trueness and weight-matched for accuracy.)
CASES	Compact-Limb Soft Case and TenPoint airline-approved, Compact Travel & Storage Case for maximum equipment protection
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
STABILIZATION	SteadyEddy® telescoping lightweight aluminum monopod
ADDITIONAL ITEMS	TenPoint CareKit, including premium Microlon® Precision Oiler, String Wax & Conditioner, Flight Rail & Trigger Lube, and a carry case; Claw® Sling with swivels; GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker; Two Custom Service PAC I routine maintenance certificates worth \$99 each - TenPoint will mail them after the owner completes and returns the warranty card. Valid for 5-years following the purchase date.



CARBON FUSION CLS™



Choice of Barrel Colors:
Authentic Carbon Weave or
Realtree APG® Camouflage.



CARBON FUSION CLS™

A remarkable 20-ounces lighter than our original Phantom CLS, the Carbon Fusion CLS is equipped with the industry's first woven carbon fiber barrel to produce a whisper-quiet, vibration-free shot. A powerful visual statement, this pinnacle of crossbow performance unleashes its fury up to a devastating 364 FPS.



PERFORMANCE

- 185** LB Draw Wt.
- 364** FPS / **109** FP KE
with 370-grain Pro Lite Arrow
- 345** FPS / **113** FP KE
with 425-grain Pro Elite Arrow
- 312** FPS / **117** FP KE
with 545-grain Full Metal Jacket Arrow



CARBON FUSION CLS PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint RangeMaster Pro Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon fiber arrows equipped with practice points
CASE	TenPoint airline-approved, Compact Travel & Storage Case
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
STABILIZATION	SteadyEddy® telescoping lightweight aluminum monopod
ADDITIONAL ITEMS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker



TenPoint's Compact Limb System (CLS) Technology generates devastating power out of a maneuverable 17.5" axle-to-axle (when cocked) package.



Scan with your mobile device to see the Carbon Fusion CLS in action.

PHANTOM CLS-S™



PHANTOM CLS-S™

A blockbuster since its inception in 2007, the Phantom CLS produces a shot so smooth, quiet, and vibration free, it is difficult to believe it delivers its payload up to a blazing 364 FPS. The perfect synergy of premium looks, performance, and power.



PERFORMANCE

- 185** LB Draw Wt.
- 364** FPS / **109** FP KE
with 370-grain Pro Lite Arrow
- 345** FPS / **113** FP KE
with 425-grain Pro Elite Arrow
- 312** FPS / **117** FP KE
with 545-grain Full Metal Jacket Arrow



PHANTOM CLS-S PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint RangeMaster Pro Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Three-pack of TenPoint Pro Elite carbon fiber arrows equipped with practice points
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
ADDITIONAL ITEMS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker



TenPoint's Compact Limb System (CLS) Technology generates devastating power out of a maneuverable 17.5" axle-to-axle (when cocked) package.



Scan with your mobile device to see the Phantom CLS-S in action.



CARBON ELITE XLT™

CARBON ELITE XLT™

The fastest and lightest in our expanding collection of XLT models. A fusion of TenPoint's cutting-edge, featherweight, wrapped carbon fiber barrel with a 185-pound version of our radically compact XLT bow assembly, the NEW Carbon Elite takes fit, form, and function to the level of perfection.

PERFORMANCE

- 185** LB Draw Wt.
- 352** FPS / **102** FP KE
with 370-grain Pro Lite Arrow
- 334** FPS / **106** FP KE
with 425-grain Pro Elite Arrow
- 302** FPS / **110** FP KE
with 545-grain Full Metal Jacket Arrow



CARBON ELITE XLT PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint RangeMaster Pro Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon fiber arrows equipped with practice points
CASE	Compact-Limb Soft Case
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
EXTRAS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker



At only 13.5" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) redefines what it means to be compact and maneuverable.



Scan with your mobile device to see the Carbon Elite XLT in action.



STEALTH XLT™

STEALTH XLT™

The Stealth XLT combines a radically compact Xtreme Limb Technology bow assembly with a machined aluminum barrel to deliver award-winning performance at a value price. With a 185-pound draw weight, this perfectly balanced, precision performance crossbow delivers bone-crushing power with pinpoint accuracy.

PERFORMANCE

- 185** LB Draw Wt.
- 338** FPS / **94** FP KE
with 370-grain Pro Lite Arrow
- 320** FPS / **97** FP KE
with 425-grain Pro Elite Arrow
- 288** FPS / **100** FP KE
with 545-grain Full Metal Jacket Arrow



STEALTH XLT PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint RangeMaster Pro Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint aluminum arrows equipped with practice points
EXTRAS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker



At only 13.5" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) redefines what it means to be compact and maneuverable.



Scan with your mobile device to see the Stealth XLT in action.



TURBO XLT II™

NEW
for 2012



TURBO XLT II™

Pairing our new lighter and longer Fusion Lite stock with a more rugged XLT bow assembly powered by double-laminated IsoTaper limbs, the NEW Turbo XLT II handles like a dream but hits like a heavyweight.

PERFORMANCE

- 180** LB Draw Wt.
- 345** FPS / **98** FP KE
with 370-grain Pro Lite Arrow
- 327** FPS / **101** FP KE
with 425-grain Pro Elite Arrow
- 296** FPS / **106** FP KE
with 545-grain Full Metal Jacket Arrow



TURBO XLT II PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Three-pack of TenPoint aluminum arrows equipped with practice points
ADDITIONAL ITEMS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker



At only 13.5" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) redefines what it means to be compact and maneuverable.



Scan with your mobile device to see the Turbo XLT II in action.



TITAN XTREME™

NEW
for 2012



TITAN XTREME™

The combination of our new longer and lighter Fusion Lite stock and a newly-crafted narrower bow assembly fitted with 180-pound field-tested HL limbs and new XR wheels elevates TenPoint's long-standing workhorse model to thoroughbred status.

PERFORMANCE

- 180** LB Draw Wt.
- 333** FPS / **92** FP KE
with 370-grain Pro Lite Arrow
- 315** FPS / **94** FP KE
with 425-grain Pro Elite Arrow
- 282** FPS / **96** FP KE
with 545-grain Full Metal Jacket Arrow



TITAN XTREME PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Accepts the addition of an optional patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever
ARROWS	Three-pack of TenPoint aluminum arrows equipped with practice points
ADDITIONAL ITEMS	GripGuard safety shield; TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker

LIGHTER. FASTER. NARROWER.

A narrower 18.5" axle-to-axle (when cocked), the new Titan Xtreme's power plant delivers improved power and maneuverability.



Scan with your mobile device to see the Titan Xtreme in action.



MAVERICK HP™



MAVERICK HP™

One of the best values we have ever produced, the Maverick HP is fitted with 175-pound HL limbs and HP cams to deliver its payload up to a blistering 336 FPS. A fully-camouflaged stock and bow assembly is the perfect complement to its tack-driving accuracy and bone rattling penetration.

PERFORMANCE

- 175** LB Draw Wt.
- 336 FPS / 93 FP KE**
with 370-grain Pro Lite Arrow
- 322 FPS / 98 FP KE**
with 425-grain Pro Elite Arrow
- 292 FPS / 103 FP KE**
with 545-grain Full Metal Jacket Arrow



MAVERICK HP PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Accepts the addition of an optional patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever
ARROWS	Three-pack of TenPoint aluminum arrows equipped with practice points
ADDITIONAL ITEMS	TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker

MORE BOW FOR YOUR MONEY

The lone standard-width compound bow assembly in our lineup delivers premium performance and power at an incredible value.



Scan with your mobile device to see the Maverick HP in action.



GT FLEX™



GT FLEX™

The GT Flex combines TenPoint's GT Recurve Limb, the most efficient in the industry, with an innovative multi-position power stroke assembly to create three amazing recurve crossbows in one, which can be set at 180, 125, or 90-pounds.

PERFORMANCE

- Up to **180** LB Draw Wt.
- 297 FPS / 73 FP KE**
with 370-grain Pro Lite Arrow
- 282 FPS / 75 FP KE**
with 425-grain Pro Elite Arrow
- 255 FPS / 78 FP KE**
with 545-grain Full Metal Jacket Arrow



GT FLEX PACKAGE OVERVIEW

Available only as a complete package.

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Accepts the addition of an optional patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	4-Arrow HX Quiver with quick disconnect lever
ARROWS	Three-pack of TenPoint aluminum arrows equipped with practice points
ADDITIONAL ITEMS	TenPoint Staff Shooter Field Cap; TenPoint vehicle window sticker

DRAW WEIGHT	POWER STROKE	FPS	POSITION
180 LBS	13.25"	up to 297	Long
125 LBS	11.875"	up to 269	Medium
90 LBS	7.75"	up to 183	Short

Each bow position creates a new center of balance with a different power stroke, draw weight, and speed.




Scan with your mobile device to see the GT Flex in action.

DEFINING FEATURES THAT SET TENPOINT APART.

TenPoint precision-engineers every detail of each crossbow to deliver the most dependable, accurate, and high-performance shooting experience available today. While our top-of-the-line models include premium features, benefits, and accessories that make them the best in the industry, our Core Performance Features are the foundation upon which every TenPoint crossbow is built.

- 1. Patented ACUDRAW and ACUDRAW 50 Cocking Devices**
Allow hunters of all ages and physical abilities to enjoy bowhunting.
- 2. Patented DFI (Dry-Fire-Inhibitor)**
Prevents dry-firing the crossbow when not loaded.
- 3. Patented POWERTOUCH 3½-pound trigger with MIM (Metal Injection Molded) action components**
Delivers a smooth, crisp trigger pull, with or without gloves, for increased accuracy with optimum creep for safety.
- 4. Quiet Metal-Injection-Molded AMBIDEXTROUS AUTOMATIC SAFETY**
Reduces noise, prevents accidental firing, and accommodates both right and left handed shooters.
- 5. VIBRA-CUSH Bow-to-Barrel Mounting System**
Reduces noise and vibration (except Maverick HP and GT Flex).
- 6. LIMB ISOLATION SYSTEM**
Over-the-Top limb pocket / Zytel "lift and separate" limb suspension system or Complete-Capture limb pocket isolation system reduces noise and vibration (except GT Flex).
- 7. ACUdraw-ready FUSION LITE and FST (Functionally Superior Thumbhole) Stocks**
Provide match-rifle stability when shooting (except Maverick HP and GT Flex).
- 8. ACRA-ANGLE Barrel**
Eliminates finger pinching and ensures accuracy when manually drawing the crossbow string.



FEATURES BY MODEL.

	Premium 3.5 lb. PowerTouch trigger	Patented GripSafety	Patented DFI™ (Dry-Fire-Inhibitor)	Ambidextrous Automatic Safety	OTT (Over-The-Top) limb pocket / Zytel® "lift & separate" limb suspension system	CLS (Compact Limb System)	XLT (Xtreme Limb System)	Complete-Capture limb pocket isolation system	1.2-inch IsoTaper™ limbs with D-75™ string and cables	1.1.5-inch IsoTaper™ limbs with D-75™ string and cables	180-pound HL quad limbs with D-75™ string and cables	GT Recurve Limb with 452X string	HP or MR cams	XR wheels	MRX Cams	Precision-machined riser	Integrated one-piece aluminum riser and stirrup	Machined mini-riser with removable foot stirrup	Lightweight, floating woven carbon fiber ACRA-ANGLE barrel	Anodized, machine finished ACRA-ANGLE barrel	L1L TriLoc machined aluminum barrel assembly	Richly-crafted, wood-grain laminated thumbhole stock	FST style stock	Fusion Lite Stock	Verton two-piece stock and fore-grip	Ergo-friendly power stroke - less than 1.3"	1.3" or longer power stroke	ACUdraw and ACUdraw 50 compatible	Fixed 7/8" Weaver-style aluminum dovetail scope mount	Limited Lifetime Operational Warranty	
CARBON XTRA CLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CARBON FUSION CLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PHANTOM CLS-S	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CARBON ELITE XLT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
STEALTH XLT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TURBO XLT II	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TITAN XTREME	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MAVERICK HP	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
GT FLEX	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

COCKING DEVICES

THREE GREAT COCKING DEVICES — MAKING BOWHUNTING ACCESSIBLE TO EVERYONE.

The ACUdraw™ converts even the heaviest draw weight to about five pounds of effort, and the ACUdraw 50™ and ACURope™ reduce a crossbow's draw weight by 50%.



PATENTED ACUDRAW The Premier Cocking Aid Available Today

The patented ACUdraw is the most user-friendly and practical solution available on the market today for cocking a crossbow effortlessly and accurately. Fully integrated into the stock, with no dangling parts, it requires only the strength of the average person's index finger to operate. The ACUdraw allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

- Reduces draw weight to about 5-pounds when operated manually
- Lightweight and has no bulky clamp-on assemblies or hang-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed



PATENTED ACUDRAW 50 Takes the Traditional Rope-Cocker to a New Level

For years many crossbow shooters have used the conventional but cumbersome rope-cocker to load their crossbows, reducing the draw weight by half.

TenPoint has taken this leveraged rope-cocking concept to an easy-to-use level by integrating the ACUdraw 50 into the butt stock. After cocking, the ropes retract inside the unit's housing after each use. No storing the rope, untangling it, or putting it away after using it.



- Draws the bow accurately every time
- No more dangling ropes or handles
- No more need to hang a rope around your neck or to stash it in your fanny pack
- When not in use, powerful mini-magnets hold the handles securely and silently in place
- Available as an accessory or pre-installed

ACUROPE (Patent Pending) The Industry's First Compact, Fully Retractable Rope-Cocker

The ACURope is a revolutionary portable, retractable crossbow rope-cocker that cocks a crossbow like traditional rope-cockers on the market today - but that's where the comparison ends. When the shooter is finished cocking the bow, the ACURope's draw cord completely retracts inside one of the two grips. Then, the grips dovetail neatly together to form a compact unit that the hunter can conveniently slip inside a belt-mounted holster or pouch. The unit's slender draw cords, pound-for-pound, 15-times stronger than steel, are made of heat and abrasion resistant SPECTRA® 1000 fiber.

- Clever, convenient, and user-friendly
- Draws the bow accurately every time
- Lightweight and affordable
- No more dangling ropes or handles
- Works on most crossbow brands on the market



4-ARROW INSTANT DETACH HX QUIVERS™

Weighing only 6-ounces, TenPoint's HX Quivers feature a four-arrow ABS cup and a rubber arrow gripper connected by two ultra-light carbon fiber rods and a two-sided polycarbonate X-Connector™. The backside of the X-Connector is fitted with a quick-lock, instant-detach mounting system which screws directly onto the bow. Comes with two model-specific mounting brackets.

- HCA-01807-4 Quiver in Realtree APC®
- HCA-01807-3 Quiver in Mossy Oak® Break-UP®
- HCA-01807-7 Quiver in Mossy Oak® Treestand®
- HCA-01810-6 Quiver in Mossy Oak® Break-UP® Infinity®



PATENTED ACUDRAW™ & ACUDRAW 50™

(also shown on pages 18 & 19)
Your dealer - or you if you have the proper tools - can install either of these two patented cocking devices. Units include a template for drilling the receiver holes in pre-2003 TenPoint models (drill, bits, and hole cutter not included). Receiver holes are pre-molded in current models. Includes installation instructions.

- HCA-000-B-II ACUdraw Cocking Mechanism
- HCA-000-B-A50 ACUdraw 50 Cocking Mechanism



ACUDRAW REPLACEMENT ACCESSORIES (SHOWN COLLECTIVELY)

- HCA-400 ACUdraw Draw Cords (two-piece for pre-1998 claw)
- HCA-401 ACUdraw Draw Cord (one-piece for new style claw)
- HCA-411 ACUdraw Retraction Spring (post 1998)
- HCA-41106 ACUdraw Retraction Spring (post 2006 without roll pin on hub - call TenPoint's Warranty Department at 330-628-9245 if clarification is needed)
- HCA-421 ACUdraw Claw with self-centering draw cord (for use with HCA-426 Holder)
- HCA-426 ACUdraw Claw Holder
- HCA-428 ACUdraw Claw III Kit (includes claw, holder, and draw cord)
- HCA-430 ACUdraw Hand Crank (replacement handle only)
- HCA-435 ACUdraw Hand Crank & Holster Combo
- HCA-450 ACUdraw 50 Replacement Draw Cords
- HCA-451 ACUdraw 50 Replacement Retraction Spring
- HCA-452 ACUdraw 50 T-Handle Stability Pads (for TenPoint models) (see page 22)
- HCA-453 ACUdraw 50 T-Handle Stability Pads (for Maverick HP & GT Flex) (see page 22)

ACCESSORIES

AMBIDEXTROUS SIDE-MOUNT QUIVER BRACKET

The NEW Side-Mount Quiver Bracket allows the quiver to be mounted parallel to either side of the stock, providing greater maneuverability for crossbows with narrow bow assemblies. Works with most modern quivers.

- HCA-017 NEW Ambidextrous Side-Mount Quiver Bracket

NEW
for 2012

CROSSBOW CASES

TenPoint's airline approved Compact Travel & Storage Case provides protection, security, and ease of transport for your crossbow investment. Comes with three interior padded partitions and closes with a heavy-duty zipper. D-rings included for its exterior shoulder strap.

- HCA-20010 TenPoint Compact Travel & Storage Case

TenPoint's soft cases are made with double-stitched, high-grade Cordura®, thick padding, Trico-lining, a heavy-duty YKK zipper with double pulls, and a removable shoulder strap.

- HCA-20110-6 TenPoint Wide-Body Soft Case fits all TenPoint crossbows, including recurves. In Mossy Oak® Break-UP® Infinity®
- HCA-20108-6 TenPoint Compact-Limb Mossy Oak® Break-UP® Infinity® Soft Case (for compact-limb crossbows)
- HCA-20108-5 TenPoint Compact-Limb Realtree APC® Soft Case (for compact-limb crossbows) (not shown)

SLING

The Claw Sling (by Quake Industries), in the all-purpose style camo, is unparalleled in quality and construction. Its non-slip design locks onto your shoulder and adjusts with heavy-duty nylon straps (swivels included).

- HCA-00307-5 The Claw (by Quake Industries)

ACUROPE™

(Patent Pending)
The ACUrope is a revolutionary portable, retractable crossbow rope-cocker that reduces the effort required to cock a crossbow by 50%. The grips dovetail neatly together to form a compact unit.



- HCA-000-B-R ACUrope

CUB™ (CROSSBOW UNLOADING BOLT)

(Patent Pending)
This single-use biodegradable unloading bolt decomposes naturally to minimize environmental impact, and occupies the same space as two ball-point pens.



- HEA-000.6 CUB (6-pack)

GRIPGUARD™

This shield custom fits over post-1999 TenPoint synthetic stock fore-grips and helps prevent a shooter's fingers or thumb from dangerously migrating above the flight deck while shooting the crossbow.



- HCA-100 GripGuard

STEDDYEDDY™

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated in a treestand or ground blind, or while standing with the shooting stick supported against your mid-section. Set its length with a quick turn of the extension pole. Attach it to your crossbow using a 360-degree rapid-pivot tube equipped with a snap-on connection, and clamp it conveniently under your stock when not in use. Includes two model-specific rod retention clips.

- HCA-030 SteddyEddy Crossbow Monopod System (for all TenPoint crossbows built after 1999)

STEDDYEDDY SYSTEM ACCESSORIES

To upgrade a prior model SteddyEddy mounting system, the SteddyEddy Rapid-Pivot Retrofit Kit provides a user-friendly snap-on option. The kit includes the rapid pivot tube, mounting boss, and screws.

- HCA-031 SteddyEddy Rapid-Pivot Retrofit Kit
- HCA-03306 Rod Retention Clip for Maverick HP & GT Flex
- HCA-03310 Rod Retention Clip for TenPoint models



CROSSBOW MAINTENANCE

CareKit™

TenPoint's CareKit includes three maintenance tools (Microlon® Precision Oiler, TenPoint String Wax and Conditioner, and Flight Rail and Trigger Lube) packaged in a multi-cavity translucent plastic mini-case with plenty of extra room for other bow maintenance items.

TenPoint String Wax and Conditioner

Made from all natural compounds, TenPoint String Wax and Conditioner comes in a convenient chap stick style tube. This string wax and conditioner lubricates and rejuvenates bow strings and cables.

HCA-11207	CareKit
HCA-11007	TenPoint String Wax and Conditioner
HCA-11106	Microlon® Precision Oiler
HCA-111	Flight Rail and Trigger Lube



Microlon® Precision Oiler

The high-tech lubricant in the Microlon® Precision Oiler includes antioxidants, corrosion inhibitors, and microscopic fractured resin particles all suspended in a high-quality lightweight oil base. It not only cleans metal surfaces and prevents corrosion and rust, but the resin impregnates the metal to create a dry film lubricant. Perfect for crossbow rails, triggers, and cams, this high-quality lubricant comes in a tube fitted with a precision applicator needle.

Flight Rail and Trigger Lube

TenPoint's Flight Rail and Trigger Lube, unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grit.


T-HANDLE STABILITY PADS™

The ACUdraw 50 T-Handle Stability Pads adhere to the butt stock and serve as a noise-dampening buffer for the T-handles when not in use.



CABLE SAVERS

These cable savers provide a near friction-free carriage for your cables, shot after shot.



FOOT STIRRUP

HCA-452	T-Handle Stability Pads (for TenPoint models)	HCA-114	TenPoint Cable Saver
HCA-453	T-Handle Stability Pads (for Maverick HP and GT Flex)	HCA-113	Maverick HP & GT Flex Cable Saver

BROADHEADS

Recommended by TenPoint, the New Archery Products® Spitfire® expandable broadheads are the most trusted mechanical broadheads in the industry. They fly with pinpoint accuracy and stand up to the toughest hunting conditions.



NOISE DAMPENING PACKAGE

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening Package™ progressively reduces decibel level and shortens noise duration when used on a crossbow. It features a set of Bowjax limb vibration dampeners, a retention spring dampener, and barrel dampeners. Three versions are available.



HEA-297	New Archery Products® Spitfire® 100-grain, 3-Blade Mechanical Broadhead 3-Pack	HCA-13710	Noise Dampening Package - for solid and recurve limbs (not shown)
		HCA-13810	Noise Dampening Package - for IsoTaper and HL limbs
		HCA-13910	Noise Dampening Package - for TL and ST limbs (not shown)

SCOPES

RangeMaster Pro™ Scope

Featuring a variable speed and arrow drop-compensation setting for crossbows that shoot between 275 and 365 FPS, the RangeMaster Pro Scope requires no adjustment for distance. The configuration consists of three duplex crosshairs and four dots calibrated for 20, 30, 40, and 50-yards. The fourth dot is free standing, situated just below the 40-yard crosshair. This 8.25-inch aluminum scope features a 30mm tube for heightened light-gathering and durability. It is equipped with an etched glass reticle and fully multi-coated 1.5 to 5x optics that reduce the loss of light transmission. Choose from a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green).

HCA-098-11 RangeMaster Pro Scope with 7/8-inch mounting rings



Both scopes are configured with five light intensity settings for two illuminated views.




7/8-INCH DOVETAIL SCOPE MOUNTS AND ACCESSORIES

Our machined aluminum Weaver style 7/8-inch Dovetail Scope Mounts come standard on all models.

HCA-078	7/8-inch Fixed Dovetail Scope Mount – Black
HCA-072	7/8-inch Fixed Dovetail Scope Mount – Bronze
HCA-077-H	Adjustable Scope Mount – Bronze (for crossbows equipped with the RangeMaster Cam or Fixed Position Accessory) (not shown)
HCA-07107	Peep and Pin Conversion Kit w/Dovetail (for models with Adjustable Dovetail Scope Mounts) (not shown)

SIGHTS

For those requiring peep and pin sights, our machined aluminum sight bracket features two pin slots and mounts on the riser.



HCA-041	Front Sight Bracket with Pin
HCA-050	Standard Sight Pin
HCA-062	Rear Peep Sight - bolts directly on top of fixed-style trigger box (rear peep will not fit on a 7/8-inch dovetail mount)
HCA-07110	Peep and Pin Conversion Kit (for models with non-adjustable Dovetail Scope Mounts) (not shown)



3x Pro-View 2™ Scope

Calibrated for crossbows that shoot in the 330 FPS range, this 20, 30, 40, and 50-yard combo illuminated dot and crosshair configuration is housed in a lightweight 8.5-inch aluminum tube equipped with fully-coated 3x optics. The fourth dot is free-standing and situated directly below the 40-yard crosshair. Depending on your hunting conditions, you can choose from a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green).

HCA-097-II 3x Pro-View 2 Scope with 7/8-inch mounting rings



BEDNAR PERFECT PULLER™

Named for and originally developed by the late Hall of Fame Archer Bill Bednar, the NEW Bednar Perfect Puller is designed to pull arrows from high density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built in nock tool.

HCA-104 NEW Bednar Perfect Puller (with interchangeable grippers)

TENPOINT T-SHIRTS

Show your TenPoint pride with our classic black T-Shirts. Available in sizes Medium through 2XL.

HCA-660M
HCA-660L
HCA-660XL
HCA-660XXL



OUR COMPREHENSIVE ARROW BALLISTICS PROGRAM.

LIGHTWEIGHT ARROWS (350-400 grains)

Characteristics: Lightweight arrows shoot faster and flatter than heavier arrows. They also absorb less bow energy than a heavier arrow, causing increased vibration, limb stress, and noise. With some crossbows, this excess energy may cause damage. With lighter spines and because they carry less momentum, lightweight arrows are less stable and accurate in flight down range and more easily deflected by wind, rain, and/or debris.

STANDARD-WEIGHT ARROWS (400-435 grains)

Characteristics: A standard-weight arrow delivers an optimum blend of speed and kinetic energy to provide an all-purpose hunting arrow that meets most manufacturers' requirements and is effective for most shooting circumstances. Its weight allows a higher percentage of the crossbow's energy to transfer to the arrow, thereby reducing vibration, stress, noise, and the likelihood of bow damage. Its increased weight also allows the arrow to retain more kinetic energy, improving accuracy and penetration downrange.

HEAVYWEIGHT ARROWS (435 grains or higher)

Characteristics: A heavyweight arrow - up to 750 grains - generates the greatest amount of kinetic energy or hitting power, is more stable in flight, and produces tighter groups down range. It is less likely to deflect due to wind, rain, and/or debris. However, it loses trajectory faster down range, making judging distance more critical when using one.

Recommendation: Provided your crossbow can safely handle a lightweight arrow, it can create an advantage in open areas, where judging distance is more difficult and where a flatter shot may be the difference between success and failure. Because of its disadvantages, however, it may not be a good choice for longer shots, in inclement weather, or in thick habitat.

Recommendation: Because of its "all-purpose" nature, a standard-weight arrow is unlikely to damage a crossbow and is effective in nearly all shooting and hunting circumstances. The rare exception would be a circumstance where a lightweight or a heavyweight arrow is clearly a better choice. Standard-weight arrows are the arrow of choice for most manufacturers.

Recommendation: A heavyweight arrow is ideal for hunting big game with tough hides and hunting in inclement weather or thick habitat. Because it loses elevation faster downrange, using a rangefinder is a good idea. Because of its superior accuracy it is also ideal for target shooting at known distances. A heavyweight arrow is unlikely to cause bow damage and will also produce the quietest and most vibration free shot of all other weight choices.

WHAT IS F.O.C.?

FOC is the percentage of an arrow's length, forward of its center, which marks the location of its balance point. To calculate an FOC percentage, measure the distance from the center of an arrow to its balance point and divide that measurement by the arrow's total finished length. For example, if the balance point of a 20-inch arrow is located 2-inches in front of its center, the arrow's FOC percentage is 2 divided by 20, or 10%.

Arrows with an optimal FOC percentage are the most accurate. Based on our exhaustive testing over the past 18 years, the optimal FOC percentage for a 20-inch arrow is between 13% and 16%.



LIGHTWEIGHT, STANDARD, AND HEAVYWEIGHT ARROW SELECTIONS.

PRO LITE™ CARBON CROSSBOW ARROW

LIGHTWEIGHT - 370 grains (with 100 grain field point or broadhead) - Balanced at **10% FOC**

The **Pro Lite** 20-inch, 22/64ths diameter shaft is a lightweight wrapped carbon fiber arrow fletched with Norway Zeon Fusion Vanes with a slight offset, fitted with a 25 grain aluminum insert, and matching neon green Superbrite™ flat nock. *Note: not recommended for use with most pre-2012 TenPoint Crossbows.*

PRO ELITE™ CARBON CROSSBOW ARROW

STANDARD-WEIGHT - 425 grains (with 100 grain field point or broadhead) - Balanced at **13% FOC**

The **Pro Elite** 20-inch, 22/64ths diameter carbon fiber arrow is fletched with Norway DURAVANES™ with a slight offset, fitted with a 68 grain brass insert, and neon yellow Superbrite flat nock. Precision engineered by Easton®, Pro Elite shafts are inspected for straightness to within .003 and hand sorted for weight tolerance to within two grains per dozen.

XX75 MAGNUM™ ALUMINUM CROSSBOW ARROW

STANDARD-WEIGHT - 435 grains (with 100 grain field point or broadhead) - Balanced at **7% FOC**

The **XX75 Magnum** 20-inch, 22/64ths Easton® aluminum arrow is fletched with Norway DURAVANES™ with a slight offset, fitted with 13 grain CPC carbon inserts, and neon orange Superbrite flat nock. This ageless crossbow shaft remains the industry standard for straightness, durability, and dependability.

FULL METAL JACKET™ CROSSBOW ARROW

HEAVYWEIGHT - 545 grains (with 100 grain field point or broadhead) - Balanced at **15% FOC**

The **Full Metal Jacket** 20-inch 22/64ths diameter Easton® arrow is fletched with all white Norway DURAVANES™ at a slight offset, fitted with a 120 grain brass insert, and white titanium dioxide Superbrite flat nock.

AVAILABILITY - ALL ARROWS

WITH SUPERBRITE NOCKS	Available in 3-packs, 6-packs, and bulk 72-packs
WITH TRACER™ NOCKS	Available in 3-packs
PREMIUM HUNTER VERSION WITH TRACER™ NOCKS	Available in 3-packs*
PREMIUM HUNTER VERSION WITH SUPERBRITE NOCKS	Available in 3-packs*

*Premium Hunter™ arrows are matched for weight and trueness, and individually tuned with NAP Spitfire® broadheads.

CROSSBOW ARROWS

2012 CROSSBOW SPECIFICATIONS.

	CARBON XTRA CLS	CARBON FUSION CLS	PHANTOM CLS-S	CARBON ELITE XLT	STEALTH XLT	TURBO XLT II	TITAN XTREME	MAVERICK HP	GT FLEX
Length (w/ Stirrup)	38.75"	38.5"	38.5"	38.125"	37.25"	38"	38"	39"	37.75"
Width - Axle-to-Axle (uncocked/cocked)	20.5" / 16.875"	20.5" / 16.875"	20.5" / 16.875"	17.5" / 13.5"	17.5" / 13.5"	17.5" / 13.5"	21.56" / 18.5"	25.25" / 21.875"	34.75" (uncocked)
Power Stroke	13"	13"	13"	12.625"	12"	12.5"	12.625"	13"	13.25" (long) 11.875" (med.) 7.75" (short)
Weight (w/o Accessories)	7 lbs. 4 oz.	7 lbs. 3 oz.	7 lbs. 13 oz.	6 lbs. 14 oz.	7 lbs. 6 oz.	7 lbs.	7 lbs. 4 oz.	7 lbs. 5 oz.	6 lbs. 7 oz.
Draw Weight	185 lbs.	185 lbs.	185 lbs.	185 lbs.	185 lbs.	180 lbs.	180 lbs.	175 lbs.	180 lbs. (long) 125 lbs. (med.) 90 lbs. (short)
PERFORMANCE - FEET-PER-SECOND/FOOT-POUNDS KE									
Pro Lite Arrow (370 grains)	364 / 109	364 / 109	364 / 109	352 / 102	338 / 94	345 / 98	333 / 92	336 / 93	297 / 73 (long) 269 / 60 (med.) 183 / 28 (short)
Pro Elite Arrow (425 grains)	345 / 113	345 / 113	345 / 113	334 / 106	320 / 97	327 / 101	315 / 94	322 / 98	282 / 75 (long) 254 / 61 (med.) 174 / 29 (short)
Magnum XX75 Arrow (435 grains)	342 / 113	342 / 113	342 / 113	329 / 105	316 / 97	324 / 102	311 / 94	318 / 98	280 / 76 (long) 252 / 62 (med.) 172 / 29 (short)
Full Metal Jacket Arrow (545 grains)	312 / 117	312 / 117	312 / 117	302 / 110	288 / 100	296 / 106	282 / 96	292 / 103	255 / 78 (long) 229 / 63 (med.) 156 / 29 (short)
Accessories Included with Package <i>(see individual bow pages for detailed list of included items)</i>									
Purchase Options <i>(all crossbows come as a complete package, including scope and accessories)</i>	w/ ACUdraw 50: C11001-8711 w/ ACUdraw: C11001-8712	w/ ACUdraw 50: C11002-4411 w/ ACUdraw: C11002-4412 Camo w/ ACUdraw 50: C11002-4411-C Camo w/ ACUdraw: C11002-4412-C	w/ ACUdraw 50: C10003-4211 w/ ACUdraw: C10003-4212	w/ ACUdraw 50: C12006-6111 w/ ACUdraw: C12006-6112	w/ ACUdraw 50: C11019-4611 w/ ACUdraw: C11019-4612	w/ ACUdraw 50: C12020-4521 w/ ACUdraw: C12020-4522	ACUdraw-Ready: C12047-6520 w/ ACUdraw 50: C12047-6521 w/ ACUdraw: C12047-6522	ACUdraw-Ready: C11055-6520 w/ ACUdraw 50: C11055-6521 w/ ACUdraw: C11055-6522	ACUdraw-Ready: C08066-3420 w/ ACUdraw 50: C08066-3421 w/ ACUdraw: C08066-3422

2012 STRING AND CABLE REFERENCE GUIDE.

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Huntsman 1994-1997	HCA-117	13	Upgrade Required	13 (after upgrade)
Huntsman 1998	HCA-117	13	HCA-126	Steel (no twists)
HuntMaster (w/out yokes) 1994-1995	HCA-115	13	Upgrade Required	13 (after upgrade)
HuntMaster (w/yokes) 1995-1997	HCA-115	13	HCA-124	13
Huntmaster TL-4 1998	HCA-115	13	HCA-124	13
458 Magnum 1996-1997	HCA-119	13	HCA-124	13
458 Magnum TL-4 1998-1999	HCA-115	13	HCA-124	13
Woodsman/Woodsman Plus/Woodsman SE	HCA-117	13	HCA-126	Steel (no twists)
Slider/Titan TL-7/Titan TL-4/Titan/Titan II/Titan SE	HCA-117	13	HCA-126	Steel (no twists)
Turbo Extreme/Magnum Extreme	HCA-115	13	HCA-124	13
Elite X-2/Magnum X-2/Stealth X-2/Turbo X-2	HCA-115	13	HCA-124	13
Hybrid Lite/Elite Lite	HCA-115	13	HCA-124	13
Pro Fusion/Pro Slider/Titan HLX	HCA-115	13	HCA-124	13
Pro Elite/Elite QX-4/QX-4	HCA-115	13	HCA-124	13
Maverick HP/Pro Elite HP/Blazer HP/Lazer HP	HCA-115	13	HCA-124	13
Phantom Xtra/Phantom CLS/Shadow CLS/Defender CLS	HCA-11607	16-18	HCA-12307	6-8
Carbon Xtra CLS/Carbon Fusion CLS	HCA-11607	16-18	HCA-12307	6-8
Stealth XLT/Turbo XLT	HCA-12110	14-16	HCA-12710	5-7
Turbo XLT II/Carbon Elite XLT	HCA-12112	14-16	HCA-12912	9-11
Titan Xtreme	HCA-11712	14-16	HCA-12612	10-12
GT Curve/GT Flex/GT Mag	HCA-12008	16-20***	N/A	N/A

Note: When installing most cables, twist the bottom yoke (located at the end of each cable) four times.
 *Twist the Fusion, Phantom, Shadow, and Defender bottom yokes five times.
 **Twist the Stealth XLT and Turbo XLT bottom yokes four times and the top yoke one time.
 ***Final tiller measurement for GT Flex should be 4 3/8-inches to 4 1/2-inches.
 Twisting the cable yokes will eliminate limb twist when cocking your crossbow.

TENPOINT TESTED. TENPOINT TOUGH.

We at TenPoint have always believed it is essential that all of our crossbows be designed, manufactured, assembled, and tested right here in the USA. This enables us to use the best materials and have full control of the entire manufacturing process from start to finish, guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines extensive hands-on testing with automated cycle testing unparalleled in our industry. Our proprietary automated shooting simulator allows us to put thousands of shots through our bow assembly designs in a matter of days - so when the final product arrives on the shelves, you can be assured it will exceed expectations.

CORPORATE STATEMENT.

Our goal at TenPoint Crossbow Technologies® is to be a world class manufacturer of products that are recognized as an industry standard for safety, precision engineering, durability, performance and power.

Two principles guide the operation of our company. First, quality cannot be compromised. Second, successful enterprise comes from sound business relationships built on mutual trust, respect and ethical behavior.

Our marketing objective is to build solid long-term relationships with our business partners and customers. We intend to achieve that goal by keeping our promises, responding quickly, operating consistently and remaining loyal. We promise to stand by our products, correct our errors, listen to suggestions and continuously look for ways to improve our methods of operation.

Finally, we are committed to the care and conservation of our land, water and air; to the humane and responsible management of our wildlife and to the preservation and expansion of recreational shooting and hunting.





TENPOINT

CROSSBOW TECHNOLOGIES

1325 Waterloo Road • Mogadore, OH 44260-9608

Phone: 330.628.9245 • Fax: 330.628.0999

www.tenpointcrossbows.com

Find us on:



© Copyright 2012 TenPoint Crossbow Technologies®.

Note: The proprietary products shown in this catalog are protected under the following TenPoint Crossbow Technologies® patents and any patents pending: U.S. patent No's. 5,553,596; 5,598,829; 5,649,520; 5,987,724; 6,095,128; 6,286,496; 6,874,491; 6,913,007; 7,281,534; 7,455,059; 7,624,724; 7,661,418; 7,677,233; 7,779,824; 7,832,386; 8,033,275.

Note: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.