



TENPOINT

CROSSBOW TECHNOLOGIES

THERE IS NO
SUBSTITUTE.

CARBON
NITRO RDX™

2016 PRODUCT CATALOG



PERFECTION
IS AN EXPERIENCE.

WE BUILD PERFECT MOMENTS
INTO EVERY CROSSBOW.
SEIZE YOUR MOMENT.



**RAW POWER
MEETS REFINED PERFORMANCE
IN FOUR NEW HIGH-OCTANE,
ADRENALINE-FUELED
CROSSBOWS FOR 2016.**

Thanks to our customers, 2015 was another successful year. After taking a look at this catalog, we are certain you will share in our excitement for 2016. We are laser focused on building the market's premier crossbows and crossbow accessories.

Headlining our 2016 lineup, the NEW Carbon Nitro RDX™ is a premium-level version of the industry's most intriguing new technology – the reverse-draw crossbow. Its balance, profile, and performance are unmatched by the competition.

This year we are also launching a complete redesign of our two all-time best-selling crossbows – the Titan SS™ and Turbo GT™. They are lighter, shorter, faster, and easier to handle than their previous models. They are, without a doubt, better than ever.

For accessories, we have re-designed the Omni-Brite™ Lighted Nock System. The Omni-Brite 2.0™ features a NEW snap-on, locking feature that prevents the Omni-Nock™ from jarring loose on impact, and will be the premier lighted nock system on the market.

Each year we continue to broaden our range of offerings, but one thing will never change – our commitment to leading the industry in technology, quality, and customer service. We have focused heavily over the past year on expanding our facility, while refining our supply chain management, quality control, and overall operations. We promise we will do whatever it takes to live up to the standards we set for ourselves when we opened our doors in 1994.

Good hunting.

RICHARD L. BEDNAR
PRESIDENT, CEO & CHAIRMAN

TenPoint Crossbow Technologies®
Horton Crossbow Innovations™
Wicked Ridge Crossbows®

Page: 6

VENOM XTRA™

Sporting a precision-crafted, laminated wood stock rendered in a durable weather-resistant semi-gloss finish with a non-slip rubber butt plate, the Venom Xtra™ is the perfect fit for the discriminating hunter, shooting enthusiast, or collector wanting the very best. Anchored by a 19.9-inch woven carbon-fiber barrel and powered by a 185-pound XLT™ bow assembly equipped with HE2™ Cams and DynaFLIGHT 97 string and cables with a hard yoke system, the Venom Xtra launches arrows up to 372 FPS.

Page: 8



CARBON
NITRO RDX™

Featuring our ultra-light, wrapped carbon-fiber barrel and NEW C3™ carbon stock, the Carbon Nitro RDX is the first carbon reverse-draw crossbow on the market. Molded from carbon-fiber-infused PolyOne™ OnForce™, the high-tech stock features an adjustable rubber cheek piece and butt plate for a perfect fit. Powered by our NEW ultra-narrow RDX bow assembly equipped with a custom RDX Cam System™ and DynaFLIGHT 97 string and cables, this perfectly balanced hunting machine shoots up to a blazing 385 FPS.

NEW FOR 2016

RDX™
REVERSE DRAW TECHNOLOGY



Page: 12

TURBO GT™

The newest version in our long line of successful Turbo models, the NEW Turbo GT is lighter, shorter, and faster than its highly popular predecessors. The NEW Fusion S™ stock features a two-position adjustable butt plate and strategically placed cutouts that reduce weight and improve handling. Powered by a time-tested 175-pound XLT bow assembly that measures an ultra-compact 13.5-inches axle-to-axle, the easy-to-handle next generation Turbo GT measures 35-inches long, weighs 6.5-pounds, and shoots up to 360 FPS.



Page: 13

TITAN SS™

A top-to-bottom makeover of our all-time best-selling crossbow, the NEW Titan SS pairs our NEW Fusion S stock and barrel configuration with a powerful, field-tested bow assembly to create the lightest, shortest, and fastest Titan model to date. Its 175-pound bow assembly measures a maneuverable 18.5-inches axle-to-axle and is mounted on the lightweight stock featuring a two-position adjustable butt plate and strategically placed cutouts that reduce weight and improve handling. Measuring 35-inches long, weighing 6.7-pounds, and shooting up to 340 FPS, it's primed to carry on the TenPoint Titan legacy for years to come.

Page: 25

OMNI-BRITE 2.0 LIGHTED NOCK SYSTEM

A lighted version of our revolutionary Omni-Nock, the NEW three-piece Omni-Brite 2.0 Lighted Nock System is a substantially improved version of the original Omni-Brite. The system consists of a redesigned Nock Receiver with built-in locking clips, an impact activated LED lite stick, and a new transparent, auto-indexing Omni-Brite Cap that snaps securely into the receiver. The clip and snap-in feature is a great improvement over the original pressure-fit system because it's designed to prevent the Omni-Brite Cap from popping out of the Receiver on impact. Just like the non-illuminated Omni-Nock, the Omni-Brite 2.0 eliminates improper loading accidents common with moon and capture nocks, and prevents flat-nock "shoot-over" or "shoot-under", which can happen with today's narrow bow assemblies. The Omni-Brite 2.0 provides superior flight visibility while improving arrow flight.

Page: 20



EMBROIDERED SOFT CASE WITH STORAGE POCKET

Constructed from double-stitched high-grade Cordura®, our NEW TenPoint embroidered soft case features a large zipper-accessible storage compartment that is perfect for storing and carrying your arrows, quiver, and other accessories. The case includes a removable, adjustable shoulder strap and fits all TenPoint crossbows.

OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM



NEW FOR 2016






VENOM XTRA™

NEW

THE PINNACLE OF FORM AND FUNCTION

The precision-crafted, laminated wood stock Venom Xtra is created for the discriminating hunter, shooting enthusiast, or collector who demands the best. With its classic, heirloom-quality stock, woven carbon fiber barrel and XLT bow assembly, it establishes a benchmark for crossbow aesthetics and performance.

13.3"
AXLE-TO-AXLE
(when cocked)



VENOM XTRA

**ELITE-LEVEL
PERFORMANCE
& AESTHETICS**

370-grain Pro Lite Arrow:

372/114
FPS/KE

425-grain Pro Elite Arrow:

353/118
FPS/KE

Includes
**RUBBER
SAFETY WINGS**

Helps protect fingers from
dangerously migrating
above flight deck.

PACKAGE OVERVIEW

OPTICS	TenPoint RangeMaster Pro™ Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw™ or ACUdraw 50™ cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon arrows with practice points
CASE	Compact Limb Soft Crossbow Case
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit; SDS [String Dampening System]
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



At only 13.3" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) is ultra-compact and maneuverable.




VAPOR™

VAPORIZE THE COMPETITION

The top-of-the-line Vapor offers a novel design platform focused on speed, weight reduction, and maneuverability. Its streamlined PLT™ bow assembly and FSB™ stock, fitted with our carbon fiber barrel, combine to produce the quietest, most accurate, and most efficient top-of-the-line model we have ever made.

12.6"
AXLE-TO-AXLE
(when cocked)



VAPOR

**PURE POWER,
ACCURACY &
HANDLING**

420-grain Pro V22 Arrow:

360/121
FPS/KE

Includes
**RUBBER
SAFETY WINGS**

Helps protect fingers from
dangerously migrating
above flight deck.

165
LB DRAW



The Vapor's unique PLT bow assembly measures an astonishingly narrow 12.6" axle-to-axle when cocked, for powerhouse performance and remarkable maneuverability in tight spaces.

PACKAGE OVERVIEW

OPTICS	TenPoint RangeMaster Pro Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro V22 carbon arrows with practice points
CASE	Compact Limb Soft Crossbow Case
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit; SDS [String Dampening System]
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



2016 CROSSBOWS



CARBON NITRO RDX™

NEW

A SHOT OF ADRENALINE FOR YOUR ARROW

A perfectly balanced precision hunting machine, the premium level Carbon Nitro RDX features our ultra-light carbon fiber barrel and an innovative adjustable C3 carbon stock. Its RDX bow assembly measures a remarkable 10-inches axle-to-axle when cocked and delivers a vicious hit up to 385 FPS.



10"
AXLE-TO-AXLE
(when cocked)

CARBON NITRO RDX

RAW POWER MEETS REFINED PERFORMANCE

370-grain Pro Lite Arrow:

385/122
FPS/KE

425-grain Pro Elite Arrow:

364/125
FPS/KE

Includes
RUBBER SAFETY WINGS

Helps protect fingers from dangerously migrating above flight deck.

165
LB DRAW

PACKAGE OVERVIEW

OPTICS	TenPoint RangeMaster Pro Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or Dedd Sled 50 rope-cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver with Ambidextrous Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon arrows with practice points
NOISE DAMPENING	TenPoint's RDX String Stop System
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



Brutal power with remarkable balance and maneuverability mark TenPoint's newest, most radical bow assembly that measures 10" axle-to-axle when cocked.




VENOM™



NOTHING IS DEADLIER THAN VENOM

The premium level Venom combines TenPoint's popular FSB stock and a 19.9-inch woven carbon fiber barrel with a supercharged version of our XLT bow assembly to create a lightweight and ultra-compact model that delivers a vicious hit up to 372 FPS.



13.3"
AXLE-TO-AXLE
(when cocked)

VENOM

TACK-DRIVING PRECISION WITH A VICIOUS BITE

370-grain Pro Lite Arrow:

372/114
FPS/KE

425-grain Pro Elite Arrow:

353/118
FPS/KE

Includes
RUBBER SAFETY WINGS

Helps protect fingers from dangerously migrating above flight deck.

185
LB DRAW

PACKAGE OVERVIEW

OPTICS	TenPoint RangeMaster Pro Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Six-pack of TenPoint Pro Elite carbon arrows with practice points
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



At only 13.3" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) is ultra-compact and maneuverable.



2016 CROSSBOWS



STEALTH FX4™



POWER AND PRECISION REDEFINED

In redefining the compact crossbow landscape, the Stealth FX4 is driven by a super-charged bow assembly that shoots up to 370 FPS. Its stock assembly featuring the FSB stock and fluted aluminum barrel serves as the foundation of this rock-solid crossbow.

13.3"
AXLE-TO-AXLE
(when cocked)



STEALTH FX4

**ROCK-SOLID
BUILD & SUPER-
CHARGED SPEED**

370-grain Pro Lite Arrow:

370/113
FPS/KE

425-grain Pro Elite Arrow:

350/116
FPS/KE

Includes
**RUBBER
SAFETY WINGS**

Helps protect fingers from
dangerously migrating
above flight deck.

185
LB DRAW

PACKAGE OVERVIEW

OPTICS	TenPoint 3x Pro-View 2™ Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Three-pack of TenPoint Pro Elite carbon arrows with practice points
NOISE DAMPENING	TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



At only 13.3" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) is ultra-compact and maneuverable.



SHADOW™ ULTRA-LITE™

THE LIGHTEST TENPOINT EVER CREATED

Featuring our weight-shedding, carbon-injected polymer barrel and FSB stock, the Shadow Ultra-Lite weighs in at a mere 6.4-pounds, the lightest TenPoint crossbow ever. Powered by our compact XLT bow assembly and measuring just 34.4-inches long, this easy-to-handle heavy-hitter shoots up to 350 FPS.

13.5"
AXLE-TO-AXLE
(when cocked)



SHADOW ULTRA-LITE and LADY SHADOW

**6.4 POUNDS OF
LIGHTS-OUT
DEVASTATION**

370-grain Pro Lite Arrow:

350/101
FPS/KE

435-grain Magnum XX75
Aluminum Arrow:

328/104
FPS/KE

180
LB DRAW



At only 13.5" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) is ultra-compact and maneuverable.

*Muddy
Girl!*

LADY SHADOW™

Finished in MuddyGirl®
camo, the Lady Shadow is
one crossbow every female
hunter should be proud to carry
into the woods.



Includes
**RUBBER
SAFETY WINGS**

Helps protect fingers from
dangerously migrating
above flight deck.

PACKAGE OVERVIEW

OPTICS	TenPoint 3x Pro-View 2™ Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Your choice of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Three-pack of TenPoint aluminum arrows with practice points
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



2016 CROSSBOWS



TURBO GT™

NEW

NEXT-GENERATION SPEED AND HANDLING

The adjustable Fusion S stock and ultra-compact, powerful 13.5-inch XLT bow assembly form a deadly combination that redefines performance and maneuverability for the easy-to-handle next generation Turbo GT.

13.5"
AXLE-TO-AXLE
(when cocked)



TURBO GT

**THE FASTEST,
MOST-COMPACT
TURBO EVER**

370-grain Pro Lite Arrow:

360/107
FPS/KE

425-grain Pro Elite Arrow:

340/109
FPS/KE

Includes
**GLASS-
REINFORCED
NYLON SAFETY WINGS**

Helps protect fingers from
dangerously migrating above
flight deck.

175
LB DRAW



At only 13.5" axle-to-axle (when cocked), TenPoint's Xtreme Limb Technology (XLT) is ultra-compact and maneuverable.

PACKAGE OVERVIEW

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount
COCKING AID	Accepts the addition of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver; Ambidextrous Side-Mount Quiver Bracket
ARROWS	Three-pack of TenPoint Pro Elite carbon arrows with practice points
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available only as a complete package



TITAN SS™

NEW

LIGHTER, FASTER, AND MORE COMPACT

Better than ever. Our adjustable Fusion S stock, and compact, 18.5-inch bow assembly powered by 175-pound HL limbs create the lightest, shortest, and fastest version of the all-time best-selling Titan crossbow.

18.5"
AXLE-TO-AXLE
(when cocked)



TITAN SS

**THE FASTEST,
LIGHTEST
TITAN EVER**

370-grain Pro Lite Arrow:

340/95
FPS/KE

425-grain Pro Elite Arrow:

320/97
FPS/KE

Includes
**GLASS-
REINFORCED
NYLON SAFETY WINGS**

Helps protect fingers from
dangerously migrating above
flight deck.

175
LB DRAW

PACKAGE OVERVIEW

OPTICS	TenPoint 3x Pro-View 2 Scope mounted on a machined aluminum 7/8-inch Fixed Dovetail Mount. "Skinny" package includes the non-illuminated 3x 32 Multi-Line™ Scope
COCKING AID	Accepts the addition of either the patented ACUdraw or ACUdraw 50 cocking mechanism
QUIVER	Instant Detach 3-Arrow Quiver
ARROWS	Three-pack of TenPoint Pro Elite carbon arrows with practice points (not included in "Skinny" package)
ADDITIONAL ITEMS	Owner's Instructional DVD; TenPoint vehicle window sticker

Available in a complete package or "Skinny" package (3x 32 Multi-Line Scope & quiver only)



2016 CROSSBOWS

DEFINING FEATURES

- 1 Patented ACUdraw and ACUdraw 50 cocking devices**
Allow hunters of all ages and physical abilities to enjoy bowhunting
- 2 Safety Engineered Fore-Grip & Wings**
Designed to help keep the shooter's fore-grip hand safely below the bowstring release path
- 3 DFI™ (Dry-Fire-Inhibitor)**
Prevents dry-firing the crossbow when not loaded
- 4 3½-pound T3™ trigger with MIM (Metal-Injection-Molded) action components**
Delivers a smooth, crisp trigger-pull for increased accuracy with optimum creep for safety
- 5 Quiet MIM auto-engaging safety**
Reduces noise and auto engages while cocking
- 6 Limb Isolation System**
Over-the-Top limb pocket / Zytel® limb suspension system separates and isolates the limbs from direct contact with the riser to reduce sound and vibration
- 7 ACUdraw-ready FSB (Functionally Superior Bullpup), Fusion S, and C3 stocks**
Provide match-rifle stability when shooting
- 8 ACRA-ANGLE™ Barrel**
Eliminates finger pinching and ensures accuracy when manually drawing the crossbow



QUALITY. DURABILITY. PERFORMANCE. THIS IS TENPOINT.

	NEW VENOM XTRA	VAPOR	NEW CARBON NITRO RDX	VENOM	STEALTH FX4	SHADOW ULTRA-LITE & LADY SHADOW	NEW TURBO GT	NEW TITAN SS
Premium 3.5 lb. T3™ trigger	✓	✓	✓	✓	✓	✓	✓	✓
Patented GripSafety	✓	✓	✓	✓	✓	✓	✓	✓
Embedded dual-purpose rubber safety wings	✓	✓	✓	✓	✓	✓	✓	✓
Glass-reinforced nylon safety wings	✓	✓	✓	✓	✓	✓	✓	✓
DFI (Dry-Fire-Inhibitor)	✓	✓	✓	✓	✓	✓	✓	✓
Auto-engaging safety	✓	✓	✓	✓	✓	✓	✓	✓
OTT (Over-the-Top) limb pocket / Zytel® "lift & separate" limb suspension system	✓	✓	✓	✓	✓	✓	✓	✓
XLT (Xtreme Limb Technology)	✓	✓	✓	✓	✓	✓	✓	✓
PLT (Parallel Limb Technology)	✓	✓	✓	✓	✓	✓	✓	✓
RDX (Reverse-Draw Crossbow Technology)	✓	✓	✓	✓	✓	✓	✓	✓
11-inch Iso-Taper limbs	✓	✓	✓	✓	✓	✓	✓	✓
13-inch HL quad limbs	✓	✓	✓	✓	✓	✓	✓	✓
13-inch RDX limbs	✓	✓	✓	✓	✓	✓	✓	✓
RDX Cams	✓	✓	✓	✓	✓	✓	✓	✓
HE or HE 2 cams	✓	✓	✓	✓	✓	✓	✓	✓
HP, MR, or MRX cams	✓	✓	✓	✓	✓	✓	✓	✓
XR wheels	✓	✓	✓	✓	✓	✓	✓	✓
Lightweight, floating woven carbon fiber ACRA-ANGLE barrel	✓	✓	✓	✓	✓	✓	✓	✓
Tactical, aluminum ACRA-ANGLE slotted barrel	✓	✓	✓	✓	✓	✓	✓	✓
Fusion S composite stock and ACRA-ANGLE barrel	✓	✓	✓	✓	✓	✓	✓	✓
Carbon injected Polymer ACRA-ANGLE slotted barrel	✓	✓	✓	✓	✓	✓	✓	✓
ACUdraw and ACUdraw 50 compatible	✓	✓	✓	✓	✓	✓	✓	✓
Limited Lifetime Operational Warranty	✓	✓	✓	✓	✓	✓	✓	✓

CROSSBOW FEATURES

CROSSBOW SPECIFICATIONS



	NEW VENOM XTRA	VAPOR	NEW CARBON NITRO RDX	VENOM	STEALTH FX4	SHADOW ULTRA-LITE	LADY SHADOW	NEW TURBO GT	NEW TITAN SS
Length (w/stirrup)	35"	37.4"	34.25"	34.6"	34.4"	34.4"	34.4"	35"	35"
Width - Axle-to-Axle (uncocked/cocked)	17.6"/13.3"	17.5"/12.6"	15.5"/10"	17.6"/13.3"	17.6"/13.3"	17.5"/13.5"	17.5"/13.5"	17.5"/13.5"	21.5"/18.5"
Power Stroke	13.5"	15.5"	16.5"	13.5"	13.4"	12.6"	12.6"	12.6"	12.5"
Weight (w/o accessories)	6.7 LBS.	6.8 LBS.	7.8 LBS.	6.5 LBS.	6.8 LBS.	6.4 LBS.	6.4 LBS.	6.5 LBS.	6.7 LBS.
Draw Weight	185 LBS.	165 LBS.	165 LBS.	185 LBS.	185 LBS.	180 LBS.	180 LBS.	175 LBS.	175 LBS.

PERFORMANCE (FEET-PER-SECOND/FOOT-POUNDS KE)

Pro Lite Arrow (370-grains)	372 / 114	N/A	385 / 122	372 / 114	370 / 113	350 / 101	350 / 101	360 / 107	340 / 95
Pro V22 Arrow (420-grains)	355 / 118	360 / 121	365 / 125	355 / 118	353 / 116	333 / 103	333 / 103	343 / 109	322 / 96
Pro Elite Arrow (425-grains)	353 / 118	N/A	364 / 125	353 / 118	350 / 116	331 / 103	331 / 103	340 / 109	320 / 97
Magnum XX75 Arrow (435-grains)	350 / 118	N/A	362 / 127	350 / 118	345 / 115	328 / 104	328 / 104	337 / 110	316 / 98
Accessories Included with Package (see individual bow pages for detailed list of included items)									
Package Numbers	w/ACUdraw 50: CB16001-8411 w/ACUdraw: CB16001-8412	w/ACUdraw 50: CB13004-7411 w/ACUdraw: CB13004-7412	w/Dedd Sled 50: CB16005-5410 w/ACUdraw: CB16005-5412	w/ACUdraw 50: CB14007-6811 w/ACUdraw: CB14007-6812	w/ACUdraw 50: CB15019-5821 w/ACUdraw: CB15019-5822	w/ACUdraw 50: CB14018-7521 w/ACUdraw: CB14018-7522	w/ACUdraw 50: CB14018-9521 w/ACUdraw: CB14018-9522	w/Rope-Cocker: CB16020-5920 w/ACUdraw 50: CB16020-5521 w/ACUdraw: CB16020-5522	"Skinny" Package: CB16047-7430 ACUdraw-Ready: CB16047-7520 w/ACUdraw 50: CB16047-7521 w/ACUdraw: CB16047-7522

"Skinny" Package does not contain arrows.

COCKING DEVICES



THE ACUDRAW, ACUDRAW 50 and ACUROPE

THREE INNOVATIVE COCKING DEVICES MAKING BOWHUNTING ACCESSIBLE TO EVERYONE

The original ACUdraw converts even the heaviest draw weight to about five pounds of effort, and the ACUdraw 50 and ACUrope reduce a crossbow's draw weight by 50%.

ACUDRAW (PATENTED) THE PREMIER COCKING AID AVAILABLE TODAY

The most user-friendly and practical solution available on the market today for cocking a crossbow effortlessly and accurately. Fully integrated into the stock, with no dangling parts, it requires only the strength of the average person's index finger to operate. The ACUdraw allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

- Reduces draw weight to about 5-pounds when operated manually
- Lightweight and has no bulky clamp-on assemblies or hang-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed



ACUDRAW 50 (PATENTED) TAKES THE TRADITIONAL ROPE-COCKER TO A NEW LEVEL

For years many crossbow shooters have used the conventional but cumbersome rope-cocker to load their crossbows, reducing the draw weight by half.

TenPoint has taken this leveraged rope-cocking concept to an easy-to-use level. Integrated into the butt stock, the ACUdraw 50 ropes retract neatly inside the unit's housing after cocking. No storing the rope, untangling it, or putting it away after use.

Contoured ACUdraw 50 covers fit the stock better than before, and are less bulky. The lightweight covers also improve the alignment of the mechanism's hooks and handles in the housing for improved security when not in use.



- Draws the bow accurately every time
- No more need to hang a rope around your neck or to stash it in your fanny pack
- When not in use, powerful mini-magnets hold the handles securely and silently in place
(Each ACUdraw 50 handle is marked: **WARNING:** Contains a powerful Neodymium magnet that may interfere with the safe operation of pacemakers or other medical implants.)
- Available as an accessory or pre-installed

ACUROPE (PATENTED) THE INDUSTRY'S FIRST COMPACT, FULLY RETRACTABLE ROPE-COCKER

The ACUrope is a portable, retractable crossbow rope-cocker that cocks a crossbow like traditional rope-cockers on the market today - but that's where the comparison ends. When the shooter is finished cocking the bow, the ACUrope's draw cord completely retracts inside one of the two grips. Then, the grips dovetail neatly together to form a compact unit that the hunter can conveniently slip inside a belt-mounted holster or pouch. The unit's slender draw cords, pound-for-pound, 15-times stronger than steel, are made of heat and abrasion resistant SPECTRA® 1000 fiber.

- Clever, convenient, and user-friendly
- Draws the bow accurately every time
- Lightweight and affordable
- No more dangling ropes or handles
- Works on most crossbow brands on the market



CROSSBOW ACCESSORIES




3-ARROW INSTANT DETACH QUIVER

Weighing only 4.75-ounces, our lightweight, quick-disconnect 3-arrow quiver features an ultra-durable spine. Its cup also features a unique, flexible rubber loop that allows you to hang the quiver while in your treestand. Compatible with either our traditional quiver bracket or our side-mount quiver bracket, its three mounting positions allow you to adjust its orientation to suit your preference. Includes mounting hardware.

HCA-019 Quiver - Black

HCA-017 Ambidextrous Side-Mount Quiver Bracket (not shown)



NEW



CROSSBOW CASES

Our NEW embroidered soft case (left) fits all TenPoint crossbows, and features a removable shoulder strap and large zipper-accessible storage pocket for arrows, quiver, and other accessories. The TenPoint compact soft case (right) features thick padding, Trico-lining, a heavy-duty YKK zipper with double pulls, and a removable shoulder strap. Both cases are constructed from double-stitched high-grade Cordura®.

HCA-20016-T TenPoint Embroidered Soft Case with Storage Pocket - black

HCA-20113 TenPoint Compact Limb Soft Case - black

STEDDYEDDY™ (PATENTED)

A telescoping two-section monopod that ensures motion-free shooting while seated in a treestand or ground blind, or while standing with the shooting stick supported against your mid-section. Set its length with a quick turn of the extension pole. Attach it to your crossbow using a 360-degree rapid-pivot tube equipped with a snap-on connection, and clamp it conveniently under your stock when not in use. Includes mounting hardware and two model-specific rod retention clips.

HCA-030 SteddyEddy Crossbow Monopod System (for all TenPoint crossbows built after 1999)

HCA-031 SteddyEddy Rapid-Pivot Retrofit Kit (not shown)



SCOPES

RANGEMASTER PRO™ SCOPE

This 8.25-inch aluminum scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 275 and 425 FPS, and requires no adjustment for distance. Three duplex crosshairs and five dots calibrated for 20, 30, 40, 50 and 60-yards (fourth and fifth dots are free standing, just below the 40-yard crosshair) are available with a non-illuminated black dot or one of two rheostat-controlled, illuminated colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.

3X PRO-VIEW 2™ SCOPE

This lightweight, 8.5-inch aluminum-tube scope features 20, 30, 40, and 50-yard dots (fourth dot is free standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat-controlled, illuminated colored dots (red or green).

HCA-09811 RangeMaster Pro Scope with 7/8-inch mounting rings

HCA-097-II 3x Pro-View 2 Scope with 7/8-inch mounting rings

TENPOINT NEOPRENE SLING

TenPoint's sling features an extra strong 1.25-inch shoulder strap with an integrated elastic band for Crossbow Unloading Bolt storage, and a thumb loop for added shoulder security. Non-slip design with custom swivels and heavy-duty adjustable strap. Includes one CUB™ (CUB not compatible with Carbon Nitro RDX).

HCA-004 TenPoint Neoprene Sling



GRIPGUARD™ (PATENTED)

A shield that custom fits over post-1999 TenPoint synthetic stock model fore-grips with or without a GripSafety™. The wings at the top help prevent a shooter's fore-grip fingers and/or thumb from dangerously migrating above the flight deck while shooting.


HCA-10014 Molded GripGuard - black



BEDNAR PERFECT PULLER™ (PATENTED)

Named for and originally developed by the late Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.

HCA-104 Bednar Perfect Puller (with interchangeable grippers)



SDS™ (STRING DAMPENING SYSTEM) (PATENTED)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with post-1999 TenPoint thumbhole models, except the GT Curve™. Also compatible with all pre-2015 Wicked Ridge crossbows, all Raider CLS™ and Warrior HL™ models, and Horton™ Legend Ultra Lite™ crossbows.

HCA-149 SDS (String Dampening System)

NOISE DAMPENING PACKAGE

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening Package progressively reduces decibel level and shortens noise duration when used on a crossbow. It features a set of Bowjax limb vibration dampeners, a retention spring dampener, and barrel dampeners. Three versions are available.

HCA-13710 Noise Dampening Package - for solid and recurve limbs (not shown)

HCA-13813 Noise Dampening Package - for Iso-Taper and HL limbs (includes foot stirrup dampeners)

HCA-13910 Noise Dampening Package - for TL and ST limbs (not shown)





PATENTED ACUDRAW™ & ACUDRAW 50™

(ALSO SHOWN ON PAGES 18 & 19)

Your dealer – or you if you have the proper tools – can install either of these two patented cocking devices. Units include a template for drilling the receiver holes in pre-2003 TenPoint models (drill, bits, and hole cutter not included). Receiver holes are pre-molded in current models. Includes installation instructions.

- HCA-000-B-II** ACUdraw Cocking Mechanism
- HCA-000-B-A50** ACUdraw 50 Cocking Mechanism



ACUROPE™ (PATENTED)

A revolutionary portable, retractable crossbow rope-cocker that reduces the effort required to cock a crossbow by 50%. The grips dovetail neatly together to form a compact unit.


- HCA-000-B-R** ACUROPE

NEW

DEDD SLED 50™ ROPE-COCKER

TenPoint's new, lightweight Dedd Sled 50 reduces a crossbow's draw weight by 50%. Compatible with all TenPoint, Horton, and Wicked Ridge crossbows.

- HCA-00050-SL** Dedd Sled 50 Rope-Cocker



CUB™ (CROSSBOW UNLOADING BOLT)

(PATENTED)

This single-use biodegradable unloading bolt decomposes naturally to minimize environmental impact, and occupies the same space as two ball-point pens. Not compatible with Carbon Nitro RDX.



- HEA-000.6** CUB (6-pack)

ACUDRAW REPLACEMENT ACCESSORIES (SHOWN COLLECTIVELY)

- HCA-401** ACUdraw Draw Cords (one-piece for new style claw)
- HCA-411** ACUdraw Retraction Spring (post 1998)
- HCA-41106** ACUdraw Retraction Spring (post 2006 without roll pin on hub – call TenPoint's Warranty Department at 330-628-9245 if clarification is needed)
- HCA-421** ACUdraw Claw with self-centering draw cord
- HCA-423** ACUdraw Replacement Covers – Black (pair)
- HCA-426** ACUdraw Claw Holder
- HCA-428** ACUdraw Claw III Kit (includes claw, holder, and draw cord)
- HCA-429** ACUdraw Claw Clip (FSB stocks only)
- HCA-430** ACUdraw Hand Crank (replacement handle only)
- HCA-435** ACUdraw Hand Crank & Holster Combo
- HCA-450** ACUdraw 50 Replacement Draw Cords (pair)
- HCA-451** ACUdraw 50 Replacement Retraction Spring
- HCA-454** ACUdraw 50 Handles with Draw Cords (pair)
- HCA-455** ACUdraw 50 Replacement Covers – Black (pair) (except for GT Flex and models formerly known as 6 Point Series)



CROSSBOW MAINTENANCE

CAREKIT™

Includes three maintenance tools (Microlon® Precision Oiler, TenPoint String Wax and Conditioner, and Flight Rail and Trigger Lube) packaged in a multi-cavity plastic mini-case with plenty of extra room for other bow maintenance items.

STRING WAX AND CONDITIONER

Made from all natural compounds. Comes in a convenient chap stick style tube. Lubricates and rejuvenates bow strings and cables.

FLIGHT RAIL AND TRIGGER LUBE

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grit.

- HCA-11207** CareKit (not shown)
- HCA-11007** TenPoint String Wax and Conditioner
- HCA-111** Flight Rail and Trigger Lube

TENPOINT OFFICIAL GEAR

SHOW YOUR TENPOINT PRIDE FROM THE WOODS *to the* WORKPLACE



TENPOINT HOODED SWEATSHIRT (CHARCOAL)

TenPoint's hooded sweatshirts are made from 80% cotton and 20% polyester, and feature the TenPoint "Property of" logo. Available in sizes Medium through 2XL.

- | | |
|--------------------|----------------------|
| HCA-66915-M | HCA-66915-XL |
| HCA-66915-L | HCA-66915-XXL |

TENPOINT T-SHIRTS

Show your TenPoint pride with these premium quality, super soft logo tees. Available in three designs, sizes Medium through 2XL.

LARGE TENPOINT LOGO (CHARCOAL)

- | | |
|--------------------|----------------------|
| HCA-66015-M | HCA-66015-XL |
| HCA-66015-L | HCA-66015-XXL |

VINTAGE TENPOINT LOGO (RED)

- | | |
|--------------------|----------------------|
| HCA-66115-M | HCA-66115-XL |
| HCA-66115-L | HCA-66115-XXL |

"ESTABLISHED 1994" LOGO (CHARCOAL)

- | | |
|--------------------|----------------------|
| HCA-66215-M | HCA-66215-XL |
| HCA-66215-L | HCA-66215-XXL |



TENPOINT HATS

These stylish embroidered adjustable TenPoint logo hats are the perfect way to wear your TenPoint pride anywhere you go. Choose from three different styles. One size fits all.

CAMO "EST. 1994" HAT

- HCA-62515-MT**

GRAY/WHITE TENPOINT LOGO HAT

- HCA-62515-GW**

BLACK/TAN "EST. 1994" HAT

- HCA-62515-BT**

GEAR AND ACCESSORIES

PATENTED OMNI-NOCK *and* NEW PATENT-PENDING OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM

A REVOLUTION IN CROSSBOW ARROW NOCK TECHNOLOGY

YOUR ONE-STOP SOURCE FOR CROSSBOW ARROWS

Regardless of which arrow you shoot, you no longer need to choose between moon, capture, or flat nocks. TenPoint's patented Omni-Nock™ and their patent-pending lighted version, the Omni-Brite 2.0 Lighted Nock System, make these special-purpose nocks obsolete*. The Omni-Nock and Omni-Brite 2.0 designs each feature six micro-grooves that form three bowstring channels which eliminate the indexing problem associated with moon and capture nocks.



Because the channel "holds" the bowstring in place, the Omni-Nock also prevents flat-nock "shoot-over" or "shoot-under", a growing problem with today's narrow crossbows with acute string angles.

In addition, our four-arrow lineup of lightweight and standard-weight crossbow arrows offer you the perfect arrow for whichever shooting or hunting situation you face.

*Engineered for TenPoint Crossbow Technologies, Horton Crossbow Innovations, and Wicked Ridge Crossbows, the Omni-Nock works well on other manufactures' models with precise and consistent bowstring alignment. Check your manufacturer's arrow specifications. If it specifies or requires a moon or capture nock, please follow its recommendation.

Micro-grooves form bowstring channels which eliminate the indexing problem associated with moon and capture nocks.

AN OMNI-NOCK FOR EVERY CROSSBOW ARROW

Each of TenPoint's four arrows come pre-installed with its own colored Omni-Nock.

Color-coded Omni-Nocks make it easy to find the right nocks for your arrows.

XX75 MAGNUM
NEON ORANGE

PRO ELITE
NEON YELLOW

PRO V22
FLUORESCENT
FIRE ORANGE

PRO LITE
NEON GREEN

NEW

OMNI-BRITE 2.0 LIGHTED NOCK SYSTEM

The three-piece, patent pending Omni-Brite 2.0 Lighted Nock System begins with a Nock-Receiver insert with a six-sided interior cavity designed to accept a combined LED Unit and transparent pegged Omni-Brite 2.0 Nock. The Nock Receiver glues into the nock-end of the arrow and must be indexed or aligned with the vanes. Like the Omni-Nocks, Nock Receivers employ the same color-scheme and are, therefore, arrow-specific.

To complete the Omni-Brite 2.0 installation, insert the LED Unit - lighted end first - into the peg end of the Omni-Brite 2.0 Nock and insert the nock and LED Unit into the Nock Receiver. Then, insert the nock tabs between the receiver's locking clips until you hear/feel it click into place. When you fire your crossbow, the bowstring's force will compress the two pieces, eliminate the gap, and activate the LED.

To deactivate the Omni-Brite 2.0 System, remove the nock and LED Unit, and pull the lighted end of the LED Unit until the light is off. The LED Unit's battery should last for approximately eight hours.

The Omni-Brite 2.0 Lighted Nock System is comprised of a translucent Omni-Nock, an LED Unit and a Nock Receiver, shown below in order from left to right.



LIGHTED MOON NOCK OPTION (NOT FOR USE ON TENPOINT CROSSBOWS)

All TenPoint Omni-Brite 2.0 Lighted Nock Systems, in 3-packs and 6-packs, include optional transparent, pegged moon nocks, compatible with the Omni-Nock 2.0 Receiver. Therefore, if your bow manufacturer requires, you can substitute moon nocks in place of the Omni-Brite 2.0 nocks.

Lighted Nock System with moon nock



OMNI-NOCK AND OMNI-BRITE 2.0 SYSTEM ARROW-BUILDING COMPONENTS

For those who prefer to build their own arrows, all Omni-Nock and Omni-Brite 2.0 Lighted Nock System components are available in both three and six-pack accessory packages. The Omni-Brite 2.0 components include Omni-Nocks, LED Units, Receivers (for arrows with shaft sizes .297, .302, and .306 I.D.), Refletching Tools, and a Receiver Alignment Tool. Also included are optional moon nocks.

The Refletching Tool fits into the Omni-Nock or Omni-Brite 2.0 nock, making it compatible for use on a Bitzenburger Jig.

The Receiver Alignment Tool has one side that mates with an Omni-Brite 2.0 Receiver.



OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM

CROSSBOW ARROWS



PRO LITE™ Carbon Arrow
LIGHTWEIGHT / 370-GRAINS* / BALANCED AT 10% F.O.C.

The Pro Lite 20-inch 22/64ths diameter carbon arrow is fletched slightly offset with Arizona Archery Enterprises, Inc. (AAE) EP-40 Elite Plastifletch 3 7/8" vanes. It is fitted with a 25-grain aluminum insert and TenPoint's neon green Superbrite™ Omni-Nock.

Note: Do not use the Pro Lite arrow with most pre-2012 TenPoint Crossbows

11.9% loss of speed over 50-yds.
25.2% loss of KE over 50-yds.
3-inch group at 50-yds.

As tested with our 185# draw-weight test bow



PRO V22™ Carbon Arrow
STANDARD-WEIGHT / 420-GRAINS* / BALANCED AT 10.5% F.O.C.

The Pro V22™ 22-inch, 22/64ths diameter carbon arrow is fletched slightly offset with Easton® BTV vanes. It is fitted with a 24-grain aluminum insert and TenPoint's fluorescent fire orange Superbrite Omni-Nock. Precision engineered by Easton®, Pro V22 shafts are inspected for straightness to within .003 and hand sorted for weight tolerance to within two grains per dozen.

8.9% loss of speed over 50-yds.
18.7% loss of KE over 50-yds.
2.25-inch group at 50-yds.

As tested with our 185# draw-weight test bow



PRO ELITE™ Carbon Arrow
STANDARD-WEIGHT / 425-GRAINS* / BALANCED AT 13% F.O.C.

The Pro Elite 20-inch 22/64ths diameter carbon arrow is fletched slightly offset with AAE EP-40 Elite Plastifletch 3 7/8" vanes. It is fitted with a 68-grain brass insert and TenPoint's neon yellow Superbrite Omni-Nock. Pro Elite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within two grains per dozen.

8.9% loss of speed over 50-yds.
18.7% loss of KE over 50-yds.
2-inch group at 50-yds.

As tested with our 185# draw-weight test bow



XX75 MAGNUM™ Aluminum Arrow
STANDARD-WEIGHT / 435-GRAINS* / BALANCED AT 7% F.O.C.

The XX75 Magnum 20-inch, 2219 aluminum arrow is fletched slightly offset with AAE EP-40 Elite Plastifletch 3 7/8" vanes. It is fitted with a 13-grain CPC carbon insert and TenPoint's neon orange Superbrite Omni-Nock. Precision engineered by Easton®, Magnum shafts are inspected for straightness to within .003 and hand sorted for weight tolerance to within two grains per dozen.

7.6% loss of speed over 50-yds.
15.9% loss of KE over 50-yds.
2.5-inch group at 50-yds.

As tested with our 185# draw-weight test bow

PURCHASE OPTIONS	PRO LITE	PRO V22	PRO ELITE	XX75 MAGNUM	OMNI-BRITE 2.0 LIGHTED NOCK COMPONENTS
3-pack arrows with practice points	HEA-460.3	HEA-522.3	HEA-620.3	HEA-002.3	-
6-pack arrows with practice points	HEA-460.6	HEA-522.6	HEA-620.6	HEA-002.6	-
72-pack arrows	HEA-460.72	HEA-522.72	HEA-620.72	HEA-002.72	-
3-pack Omni-Brite 2.0 lighted arrows	HEA-428.3	HEA-528.3	HEA-638.3	HEA-038.3	-
6-pack Omni-Brite 2.0 lighted arrows	HEA-428.6	HEA-528.6	HEA-638.6	HEA-038.6	-
3-pack Omni-Brite 2.0 Lighted Nock System	-	-	-	-	HEA-368.3
6-pack Omni-Brite 2.0 Lighted Nock System	-	-	-	-	HEA-368.6
6-pack receivers	HEA-346.6	HEA-345.6	HEA-345.6	HEA-347.6	-

*With 100-grain field point or broadhead

STRING AND CABLE REFERENCE GUIDE

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Huntsman 1994-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Huntsman 1998	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
HuntMaster (w/out yokes) 1994-1995	HCA-115	13	Upgrade Required	13 (after upgrade)
HuntMaster (w/yokes) 1995-1997	HCA-115	13	HCA-124	13
Huntmaster TL-4 1998	HCA-115	13	HCA-124	13
458 Magnum 1996-1997	HCA-119	13	HCA-124	13
458 Magnum TL-4 1998-1999	HCA-115	13	HCA-124	13
Woodsmen, Woodsmen Plus & Woodsmen SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Slider, Titan TL-7, Titan TL-4, Titan, Titan II & Titan SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Turbo Extreme & Magnum Extreme	HCA-115	13	HCA-124	13
Elite X2, Magnum X2, Stealth X2 & Turbo X-2	HCA-115	13	HCA-124	13
Hybrid Lite & Elite Lite	HCA-115	13	HCA-124	13
Pro Fusion, Pro Slider, Titan TL-9 & Titan HLX	HCA-115	13	HCA-124	13
Pro Elite, Elite, Elite QX-4 & QX-4	HCA-115	13	HCA-124	13
Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-115	13	HCA-124	13
Phantom Xtra, Phantom CLS, Shadow CLS & Defender CLS	HCA-11607	16-18	HCA-12307	6-8
Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	16-18	HCA-12307	6-8
Stealth XLT & Turbo XLT	HCA-12110	14-16	HCA-12710	5-7
Turbo XLT II, Carbon Elite XLT & Stealth SS	HCA-12112	14-16	HCA-12912	9-11
Shadow Ultra-Lite, Tactical XLT & Turbo GT	HCA-12112-R	Pre Twisted	HCA-12912-R	Pre Twisted
Titan Xtreme	HCA-11712	14-16	HCA-12612	10-12
GT Curve, GT Flex & GT Mag	HCA-12008	16-20	N/A	N/A
Vapor	HCA-11813	Pre Twisted	HCA-12813	Pre Twisted*
Venom	HCA-12014	Pre Twisted	HCA-12514	Pre Twisted**
Lady Shadow	HCA-12115-P	Pre Twisted	HCA-12915-P	Pre Twisted**
Stealth FX4 & Venom Xtra	HCA-12015-0	Pre Twisted	HCA-12515-0	Pre Twisted**
Titan SS	HCA-11716-S	Pre Twisted	HCA-12616-S	Pre Twisted
Carbon Nitro RDX	HCA-12216-R	Pre Twisted	HCA-13116-R	Pre Twisted

Note: When installing most cables, twist the bottom yoke (located at the end of each cable) four times and the top yoke one time.

*Twist the Vapor top yokes three full twists, and the bottom yokes three full twists – the string and cables are pre-twisted, and do not require additional twists.

**Twist the Venom Xtra, Venom, Stealth FX4 & Lady Shadow bottom yokes four full twists – the string and cables are pre-twisted, and do not require additional twists.



1325 Waterloo Road • Mogadore, OH 44260-9608
Phone: 330.628.9245 • Fax: 330.628.0999

PROUDLY MADE IN THE U.S.A.

We design, build, and test our crossbows here in the USA. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days – so when the final product arrives on the shelves, it will meet your expectations.

CORPORATE STATEMENT

Our goal at TenPoint Crossbow Technologies® is to be a world class manufacturer of products that are recognized as an industry standard for safety, precision engineering, durability, performance and power.

Two principles guide the operation of our company. First, quality cannot be compromised. Second, successful enterprise comes from sound business relationships built on mutual trust, respect and ethical behavior.

Our marketing objective is to build solid long-term relationships with our business partners and customers. We intend to achieve that goal by keeping our promises, responding quickly, operating consistently and remaining loyal. We promise to stand by our products, correct our errors, listen to suggestions and continuously look for ways to improve our methods of operation.

Finally, we are committed to the care and conservation of our land, water and air; to the humane and responsible management of our wildlife and to the preservation and expansion of recreational shooting and hunting.



© Copyright 2016 TenPoint Crossbow Technologies®

These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/.

Note: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.



WWW.TENPOINTCROSSBOWS.COM