

PERFECTION LIVES HERE.



TENPOINT
CROSSBOW TECHNOLOGIES



20 X 17



PRODUCT CATALOG

20 X 17



SEIZE YOUR MOMENT

INSPIRED PERFORMANCE

WHEN YOU'RE SIGHTED IN AND STACKING ARROWS AT 50 YARDS, YOU WAKE UP EARLIER. YOU FEEL STRONGER. PREP LONGER, AND HUNT HARDER – ALL BECAUSE YOU KNOW YOUR PERFECT MOMENT IS WAITING IN THOSE WOODS. **THIS IS INSPIRED PERFORMANCE.** THIS IS TENPOINT.

YOUR DESTINATION Dense Eastern Pine Forest **YOUR CHALLENGE** Tight spaces, low light, and thick cover

YOUR EQUIPMENT Carbon Nitro RDX™ with Pro Elite™ Carbon Arrows

4–7 | New for 2017

8–15 | Crossbows

16–19 | Crossbow Features

20–21 | Crossbow Specifications

24–25 | Cocking Devices

26–27 | Crossbow Accessories

28–30 | Crossbow Arrows & Nocks

31 | String & Cable Guide



NEW FOR 2017

THREE NEW PERFORMANCE-INSPIRING HUNTING MACHINES SHOW WHY TENPOINT REIGNS AS THE DEFINING MANUFACTURER OF ELITE-QUALITY CROSSBOWS.

TO OUR CUSTOMERS

TenPoint has just completed one of the most productive years in its history – a year ultimately focused on our ongoing commitment to technological advancement, impeccable customer service, and the production of premium crossbow products.

First, we engineered and built three exciting new models for 2017 – the premium-level Carbon Phantom RCX, the thrilling Eclipse RCX, and the entry-level Renegade.


Second, we invested heavily in our infrastructure, dramatically expanding our manufacturing and production capability, while adding an Innovation Center and a Customer Experience Center. The Innovation Center is now the engineering heartbeat of our company, with an expanded staff dedicated to product design, manufacturing efficiency, and quality control. The Customer Experience Center includes our expanded Customer Service Call Center, Warranty Service and Repair Center, Inside Sales Department, Accounting Department, and new state-of-the-art Hunter's Outlet retail store and indoor shooting range.

Perhaps more importantly, this investment also involved hiring a group of highly qualified middle management professionals to help stimulate and manage future growth, innovation, and quality.

Finally, I am proud to report that my two sons, Phil and Steve, and my nephew, Mike Shaffer, have worked 24/7 to manage the facilities expansion and a rather remarkable transformation and restructuring of our Marketing, Sales, Manufacturing, and Engineering functions. They have become one of the most talented management teams in our industry. As I transition into more of an advisory stage of my career, I am confident TenPoint's ongoing commitment to improving our products, technology, service, and staff has never been in better hands.

RICHARD L. BEDNAR
PRESIDENT, CEO & CHAIRMAN

TenPoint Crossbow Technologies®
Horton Crossbow Innovations®
Wicked Ridge Crossbows®




PAGE 9

Featuring our new RCX Cam System™, the game-changing Carbon Phantom RCX is the most efficient crossbow we have ever designed. Utilizing a 16-inch power stroke, its lightweight 160-pound bow assembly measures an ultra-compact 13.375-inches axle-to-axle and generates speeds up to a blazing 385 FPS. Pair that power with its new ACX™ (Adjustable Comfort Crossbow) stock and ultra-light carbon fiber barrel, and this agile-handling, hard-hitting crossbow is unmatched by the competition.

UP TO

385 FPS



RCX™
REVERSE CAM TECHNOLOGY

**EFFICIENT.
FOCUSED.
POWER.**

CARBON
PHANTOM
RCX™

ECLIPSE RCX™



PAGE 12

One of the most efficient and innovative crossbows in the industry, the Eclipse RCX is powered by our new RCX Cam System which creates a 14-inch power stroke for a 140-pound bow assembly that measures an ultra-narrow 13.5-inches axle-to-axle and launches arrows at a devastating 370 FPS. Its time-tested carbon-injected polymer barrel and FSB™ (Functionally Superior Bullpup) stock combination creates a lightweight, field-proven platform for this high-efficiency hunting machine.

RENEGADE™



PAGE 15

Perfect for the hunter demanding premium quality, performance, and safety at an entry-level price-point. The Renegade's rock-solid 165-pound bow assembly mounted on our new Fusion UltraLite™ stock provides superior handling and balance. Weighing just 7-pounds and shooting up to 335 FPS, the Renegade is primed to outperform many competitors' top-of-the-line models.

OMNI-CUB™ CROSSBOW UNLOADING BOLT

An improved version of the original Crossbow Unloading Bolt™ (CUB), the new Omni-CUB features our patented Omni-Nock® technology and may be used to unload most crossbows, including reverse draw models and models with extremely narrow bow assemblies. The innovative snap together, two-piece Omni-CUB also features a third vane to provide visual indication of alignment and indexing with the Omni-Nock. Made from biodegradable polymer, it naturally decomposes over time.




PAGE 26

RCX TECHNOLOGY

Our new RCX (Reverse Cam Crossbow) bow assembly, measuring an astounding 8.75-inches from inside-of-cam to inside-of-cam, is built for speed and efficiency. Featured on the Carbon Phantom RCX and Eclipse RCX, the Reverse-Cam is focused on delivering maximum speed with minimal draw weight, giving the hunter an ultra-smooth, ultra-quiet shooting experience. It is destined to become the latest in TenPoint's long line of trend-setting bow assemblies.

PAGES 9 & 12



VENOM XTRA™



VENOM XTRA

THE PINNACLE OF FORM AND FUNCTION

The precision-crafted, laminated wood stock Venom Xtra is created for the discriminating hunter, shooting enthusiast, or collector who demands the best. With its classic, heirloom-quality stock, woven carbon fiber barrel and XLT bow assembly, it establishes a benchmark for crossbow aesthetics and performance.



UP TO **372** FPS

UP TO **118** FP KE

185 LB DRAW WEIGHT

6.7 LB BOW WEIGHT

13.3 IN AXLE-TO-AXLE



OPTICS

TenPoint RangeMaster Pro™ Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

CASE

Embroidered Soft Crossbow Case

COCKING DEVICE

Your choice of either the patented ACUdraw™ or ACUdraw 50™ cocking device

ARROWS

Six-pack of TenPoint Pro Elite carbon arrows with practice points

NOISE DAMPENING

TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit; SDS (String Dampening System)

Available only as a complete package. All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

CARBON PHANTOM RCX™



NEW CARBON PHANTOM RCX

FAST, POWERFUL, AND DEVASTATINGLY EFFICIENT

Delivering top-of-the line speed and handling, the game-changing Carbon Phantom RCX combines an ultra-narrow RCX bow assembly with our ACX stock and carbon fiber barrel configuration to create an easy-to-manuever crossbow that shoots a devastating 385 FPS.



UP TO **385** FPS

UP TO **126** FP KE

160 LB DRAW WEIGHT

6.9 LB BOW WEIGHT

13.375 IN AXLE-TO-AXLE



OPTICS

TenPoint RangeMaster Pro Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

NOISE DAMPENING

String Dampening Rods (pre-installed)

COCKING DEVICE

Your choice of either the patented ACUdraw™ or ACUdraw 50 cocking device

ARROWS

Six-pack of TenPoint Pro Elite carbon arrows with practice points

Available only as a complete package. All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

CARBON NITRO RDX™

STEALTH FX4™

CARBON NITRO RDX

A SHOT OF ADRENALINE FOR YOUR ARROW

A perfectly balanced precision hunting machine, the premium-level Carbon Nitro RDX features our ultra-light carbon fiber barrel and an innovative adjustable C3™ carbon stock. Its RDX bow assembly measures a remarkable 10-inches axle-to-axle when cocked and delivers a vicious hit up to 385 FPS.



UP TO **385** FPS

UP TO **125** FP KE

165 LB DRAW WEIGHT

7.8 LB BOW WEIGHT

10 IN AXLE-TO-AXLE



OPTICS

TenPoint RangeMaster Pro Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

NOISE DAMPENING

RDX String Stop System

COCKING DEVICE

Your choice of either the patented ACUdraw or Dadd Sled 50 rope-cocking device

ARROWS

Six-pack of TenPoint Pro Elite carbon arrows with practice points


10

Available only as a complete package. All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

STEALTH FX4

POWER AND PRECISION REDEFINED

In redefining the compact crossbow landscape, the Stealth FX4 is driven by a supercharged bow assembly that shoots up to 370 FPS. Its stock assembly featuring the FSB stock and fluted aluminum barrel serves as the foundation of this robust crossbow that's built like a tank, but maneuvers like a luxury automobile.



UP TO **370** FPS

UP TO **116** FP KE

185 LB DRAW WEIGHT

6.8 LB BOW WEIGHT

13.3 IN AXLE-TO-AXLE



OPTICS

TenPoint 3x Pro-View 2™ Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

NOISE DAMPENING

TenPoint's exclusive Bowjax Crossbow Noise Dampening Kit

COCKING DEVICE

Your choice of either the patented ACUdraw or ACUdraw 50 cocking device

ARROWS

Three-pack of TenPoint Pro Elite carbon arrows with practice points

11

Available only as a complete package. All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

ECLIPSE RCX™

NEW ECLIPSE RCX

EFFORTLESS POWER, HANDLING, AND ACCURACY

Sporting our incredibly narrow RCX bow assembly, the Eclipse RCX delivers pure power and accuracy at 370 FPS. Its lightweight FSB stock and carbon-injected barrel configuration create a rock-solid platform for this highly-efficient hunting machine.



UP TO **370** FPS

UP TO **116** FP KE

140 LB DRAW WEIGHT

6.9 LB BOW WEIGHT

13.5 IN AXLE-TO-AXLE



OPTICS

TenPoint 3x Pro-View 2 Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

COCKING DEVICE

Your choice of either the patented ACUdraw or ACUdraw 50 cocking device

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

ARROWS

Three-pack of TenPoint Pro Elite carbon arrows with practice points

NOISE DAMPENING

String Dampening Rods (pre-installed)

TURBO GT™

TURBO GT

NEXT-GENERATION SPEED AND HANDLING

The adjustable Fusion S™ stock and ultra-compact, supercharged 13.5-inch XLT bow assembly form a deadly combination that redefines performance and maneuverability for the easy-to-handle next-generation Turbo GT.



UP TO **360** FPS

UP TO **109** FP KE

175 LB DRAW WEIGHT

6.5 LB BOW WEIGHT

13.5 IN AXLE-TO-AXLE



OPTICS

TenPoint 3x Pro-View 2 Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

COCKING DEVICE

Available with or without the patented ACUdraw or ACUdraw 50 cocking device

QUIVER

3-Arrow Instant Detach Quiver; Ambidextrous Side-Mount Quiver Bracket

ARROWS

Three-pack of TenPoint Pro Elite carbon arrows with practice points

TITAN SS

RENEGADE™

TITAN SS

**WORKHORSE RELIABILITY
THOROUGHbred PERFORMANCE**

The best gets better. Our adjustable Fusion S stock, and compact, 18.5-inch bow assembly powered by 175-pound HL™ limbs create the lightest, shortest, and fastest version of the all-time best-selling Titan crossbow.



UP TO
340 FPS

UP TO
97 FP KE

175 LB DRAW WEIGHT

6.7 LB BOW WEIGHT

18.5 IN AXLE-TO-AXLE



OPTICS

TenPoint 3x Pro-View 2 Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver

COCKING DEVICE

Available with or without the patented ACUdraw or ACUdraw 50 cocking device

ARROWS

Three-pack of TenPoint Pro Elite carbon arrows with practice points (not included in "Skinny" package)

Available only as a complete package or "Skinny" package (3x 32 Multi-Line™ Scope & quiver only). All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

NEW RENEGADE

**PREMIUM TENPOINT QUALITY
PERFECT PRICE TAG**

Built for the hunter demanding premium quality, performance, and safety at a value price-point, the lightweight Renegade features our Fusion UltraLite stock and a field-proven bow assembly that delivers a knockdown punch at 335 FPS.



UP TO
335 FPS

UP TO
94 FP KE

165 LB DRAW WEIGHT

7.0 LB BOW WEIGHT

18.5 IN AXLE-TO-AXLE



OPTICS

TenPoint 3x Pro-View 2 Scope mounted on an extended machined aluminum 7/8-inch Fixed Dovetail Mount

QUIVER

3-Arrow Instant Detach Quiver

COCKING DEVICE

Available with or without the patented ACUdraw or ACUdraw 50 cocking device

ARROWS

Three-pack of TenPoint Pro Elite carbon arrows with practice points

Available only as a complete package. All crossbow packages include Owner's Instructional DVD and TenPoint vehicle window sticker.

QUALITY. DURABILITY. PERFORMANCE.
THIS IS TENPOINT.

FEATURES COMPARISON



- Premium 3.5 lb. trigger
- Embedded dual-purpose rubber safety wings
- Glass-reinforced nylon safety wings
- DFI (Dry-Fire-Inhibitor)
- Auto-engaging safety
- OTT (Over-the-Top) limb pocket / Zytel® "lift & separate" limb suspension system
- XLT (Xtreme Limb Technology)
- RDX (Reverse Draw Crossbow Technology)
- RCX (Reverse Cam Crossbow Technology)
- 10.5-inch RCX limbs
- 11-inch IsoTaper limbs
- 13-inch HL limbs
- 13-inch RDX limbs
- RDX cams
- RCX cams
- HE or HE 2 cams
- HP, MR, or MRX cams
- XR wheels
- Lightweight, floating woven carbon fiber ACRA-ANGLE barrel
- Tactical, aluminum ACRA-ANGLE slotted barrel
- Fusion S composite stock and ACRA-ANGLE barrel
- Carbon injected Polymer ACRA-ANGLE slotted barrel
- ACUdraw compatible
- ACUdraw 50 compatible
- Limited Lifetime Operational Warranty

		NEW			NEW			NEW	
	VENOM XTRA	CARBON PHANTOM RCX	CARBON NITRO RDX	STEALTH FX4	ECLIPSE RCX	LADY SHADOW (NOT PICTURED IN CATALOG)	TURBO GT	TITAN SS	RENEGADE
Premium 3.5 lb. trigger	✓	✓	✓	✓	✓	✓	✓	✓	✓
Embedded dual-purpose rubber safety wings	✓	✓	✓	✓	✓	✓	✓	✓	✓
Glass-reinforced nylon safety wings							✓	✓	✓
DFI (Dry-Fire-Inhibitor)	✓	✓	✓	✓	✓	✓	✓	✓	✓
Auto-engaging safety	✓	✓	✓	✓	✓	✓	✓	✓	✓
OTT (Over-the-Top) limb pocket / Zytel® "lift & separate" limb suspension system	✓	✓	✓	✓	✓	✓	✓	✓	✓
XLT (Xtreme Limb Technology)	✓			✓		✓	✓		
RDX (Reverse Draw Crossbow Technology)			✓						
RCX (Reverse Cam Crossbow Technology)		✓			✓				
10.5-inch RCX limbs		✓			✓				
11-inch IsoTaper limbs	✓			✓		✓	✓		
13-inch HL limbs								✓	✓
13-inch RDX limbs			✓						
RDX cams			✓						
RCX cams		✓			✓				
HE or HE 2 cams	✓			✓					
HP, MR, or MRX cams						✓	✓		
XR wheels								✓	✓
Lightweight, floating woven carbon fiber ACRA-ANGLE barrel	✓	✓	✓						
Tactical, aluminum ACRA-ANGLE slotted barrel				✓					
Fusion S composite stock and ACRA-ANGLE barrel							✓	✓	
Carbon injected Polymer ACRA-ANGLE slotted barrel						✓			✓
ACUdraw compatible	✓	✓	✓	✓	✓	✓	✓	✓	✓
ACUdraw 50 compatible	✓	✓		✓	✓	✓	✓	✓	✓
Limited Lifetime Operational Warranty	✓	✓	✓	✓	✓	✓	✓	✓	✓

CROSSBOW SPECS



	VENOM XTRA	CARBON PHANTOM RCX	CARBON NITRO ROX	STEALTH FX4	ECLIPSE RCX	LADY SHADOW (NOT PICTURED IN CATALOG)	TURBO GT	TITAN SS	RENEGADE
Length (w/stirrup)	35"	35.5"	34.25"	34.4"	34.75"	34.4"	35"	35"	37.875"
Width - Axle-to-Axle (uncocked/cocked)	17.6"/13.3"	17"/13.375"	15.5"/10"	17.6"/13.3"	17"/13.5"	17.5"/13.5"	17.5"/13.5"	21.5"/18.5"	21.5"/18.5"
Power Stroke	13.5"	16"	16.5"	13.4"	14	12.6"	12.6"	12.5"	12.25"
Weight (w/o accessories)	6.7 LBS	6.9 LBS	7.8 LBS	6.8 LBS	6.9 LBS	6.4 LBS	6.5 LBS	6.7 LBS	7 LBS
Draw Weight	185 LBS	160 LBS	165 LBS	185 LBS	140 LBS	180 LBS	175 LBS	175 LBS	165 LBS

PERFORMANCE (FEET-PER-SECOND/FOOT-POUNDS KE)

Pro Lite Arrow (370-grains)	372 / 114	385 / 122	385 / 122	370 / 113	370 / 113	350 / 101	360 / 107	340 / 95	335 / 92
Pro V22 Arrow (420-grains)	355 / 118	366 / 125	365 / 125	353 / 116	351 / 115	333 / 103	343 / 109	322 / 96	316 / 93
Pro Elite Arrow (425-grains)	353 / 118	365 / 126	364 / 125	350 / 116	350 / 116	331 / 103	340 / 109	320 / 97	315 / 94
Magnum XX75 Arrow (435-grains)	350 / 118	362 / 127	362 / 127	345 / 115	347 / 116	328 / 104	337 / 110	316 / 98	312 / 94



Accessories Included with Package (see individual bow pages for detailed list of included items)									
Package Numbers	w/ACUdraw 50: CB16001-8411 w/ACUdraw: CB16001-8412	w/ACUdraw 50: CB17003-5111 w/ACUdraw: CB17003-5112	w/Dedd Sled 50: CB16005-5410 w/ACUdraw: CB16005-5412	w/ACUdraw 50: CB15019-5821 w/ACUdraw: CB15019-5822	w/ACUdraw 50: CB17017-4821 w/ACUdraw: CB17017-4822	w/ACUdraw 50: CB14018-9521 w/ACUdraw: CB14018-9522	w/Rope-Cocker: CB16020-5920 w/ACUdraw 50: CB16020-5521 w/ACUdraw: CB16020-5522	"Skinny" Package: CB16047-7430 ACUdraw-Ready: CB16047-7520 w/ACUdraw 50: CB16047-7521 w/ACUdraw: CB16047-7522	ACUdraw-Ready: CB17054-5520 w/ACUdraw 50: CB17054-5521 w/ACUdraw: CB17054-5522

"Skinny" Package does not contain arrows.

INSPIRED DETERMINATION

WHEN ALL THAT STANDS BETWEEN YOU AND THAT 10-POINT BUCK IS A SIX-MILE TREK, THIRTY YARDS, AND YOUR OWN WILL TO SUCCEED. **THIS IS WHERE PERFECTION LIVES.** THIS IS TENPOINT.




YOUR DESTINATION Pennsylvania Hardwoods **YOUR CHALLENGE** Rough terrain and changing winds

YOUR EQUIPMENT Carbon Phantom RCX with Pro Elite Arrows



COCKING DEVICES

THE ACUDRAW, ACUDRAW 50 AND ACUROPE –
THREE INNOVATIVE COCKING DEVICES MAKING BOWHUNTING
ACCESSIBLE TO EVERYONE



ACUDRAW (PATENTED) THE PREMIER COCKING DEVICE AVAILABLE TODAY

The most user-friendly and practical solution available on the market today for cocking a crossbow effortlessly and accurately. Fully integrated into the stock, with no dangling parts, it requires only the strength of the average person's index finger to operate. This gear-assisted cocking device allows hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

- Reduces draw weight to about 5-pounds when operated manually
- Lightweight and has no bulky clamp-on assemblies or hang-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed

HCA-000-B-AD

ACUDRAW 50 (PATENTED) TAKES THE TRADITIONAL ROPE-COCKER TO A NEW LEVEL

TenPoint has taken the conventional but cumbersome rope-cocking concept to an easy-to-use level. Integrated into the butt stock, the ACUdraw 50 ropes retract neatly inside the unit's housing after cocking. No storing the rope, untangling it, or putting it away after use.

Its lightweight, contoured covers ensure perfect alignment of the mechanism's hooks and handles in the housing for improved security when not in use.

- Reduces draw weight by 50%
- Draws the bow accurately every time
- No more need to hang a rope around your neck or to stash it in your fanny pack
- When not in use, powerful mini-magnets hold the handles securely and silently in place. Each ACUdraw 50 handle is marked, "WARNING: Contains a powerful Neodymium magnet that may interfere with the safe operation of pacemakers or other medical implants."
- Available as an accessory or pre-installed



HCA-000-B-A50

ACUROPE (PATENTED) THE INDUSTRY'S FIRST COMPACT, FULLY RETRACTABLE ROPE-COCKER

The ACUrope is a portable, retractable crossbow rope-cocker that cocks a crossbow like traditional rope-cockers on the market today – but that's where the comparison ends.


When finished, the ACUrope's draw cord completely retracts inside one of the two grips. The grips then dovetail neatly together to form a compact unit that conveniently fits inside a belt-mounted holster or pouch.

The unit's slender draw cords – pound-for-pound, 15-times stronger than steel – are made of heat and abrasion resistant SPECTRA® 1000 fiber.

- Clever, convenient, and user-friendly
- Draws the bow accurately every time
- Lightweight and affordable
- No more dangling ropes or handles
- Works with most crossbow brands on the market



HCA-000-B-R



CROSSBOW ACCESSORIES



3-ARROW INSTANT DETACH QUIVER

Weighing only 4.75-ounces, our lightweight, quick-disconnect 3-arrow quiver features an ultra-durable spine. Its cup also features a unique, flexible rubber loop that allows you to hang the quiver while in your treestand. Compatible with either our traditional quiver bracket or one of our side-mount quiver brackets, its three mounting positions allow you to adjust its orientation to suit your preference.

HCA-019 3-Arrow Instant Detach Quiver

HCA-017 Ambidextrous Side-Mount Quiver Bracket (not shown)

TENPOINT NEOPRENE SLING

TenPoint's sling features an extra strong 1.25-inch shoulder strap with an integrated elastic band for Crossbow Unloading Bolt storage, and a thumb loop for added shoulder security. Non-slip design with custom swivels and heavy-duty adjustable strap. Includes one Omni-CUB.



HCA-004

CROSSBOW CASE

Constructed from double-stitched high-grade Cordura®, our embroidered soft case fits all TenPoint crossbows. The large zipper-accessible storage compartment is perfect for your arrows, quiver, and other accessories and is fitted with a removable shoulder strap.



HCA-20016-T

NEW

BUTT PLATE EXTENSION

TenPoint's new Butt Plate Extension extends the length of your Carbon Nitro RDX, Turbo GT, or Titan SS by 11/8" or 13/8".

*Not compatible with any other model.

HCA-007



STEDDYEDDY™ (PATENTED)

A telescoping two-section monopod that ensures motion-free shooting while seated in a treestand or ground blind, or while standing and supported against your mid-section. Set its length with a quick turn of the extension pole. Attach it to your crossbow using a 360-degree rapid-pivot tube equipped with a snap-on connection, and clamp it conveniently under your stock when not in use. Includes two model-specific rod retention clips.

HCA-030 SteddyEddy Crossbow Monopod System (compatible with TenPoint, Horton Crossbow Innovations, and Wicked Ridge crossbows)

HCA-031 SteddyEddy Rapid-Pivot Retrofit Kit (not shown)

GRIPGUARD™ (PATENTED)

A shield that custom fits over post-1999 thru 2013 TenPoint synthetic stock model fore-grips with or without a GripSafety™. The wings at the top of the shield help prevent a shooter's fore-grip fingers and/or thumb from dangerously migrating above the flight deck while shooting the crossbow.



HCA-10014

BEDNAR PERFECT PULLER™ (PATENTED)

Named for and originally developed by the late Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high-density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built in nock tool.



HCA-104

NEW

OMNI-CUB™ (CROSSBOW UNLOADING BOLT)

(PATENT PENDING)

An improved version of the original Crossbow Unloading Bolt™ (CUB) features our patented Omni-Nock technology and may be used to unload most crossbows, including reverse draw models and models with extremely narrow bow assemblies. Made from biodegradable polymer, it naturally decomposes over time to minimize environmental impact.



HEA-00017.6

DEDD SLED 50™ ROPE-COCKER

TenPoint's lightweight Dedd Sled 50 reduces a crossbow's draw weight by 50%. Compatible with all TenPoint, Horton Crossbow Innovations, and Wicked Ridge crossbows.



HCA-00050-SL



RANGEMASTER PRO™ SCOPE

This 8.25-inch aluminum scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 275 and 425 FPS, and requires no adjustment for distance. Three duplex crosshairs and five dots calibrated for 20, 30, 40, 50 and 60-yards (fourth and fifth dots are free standing, just below the 40-yard crosshair) are available with a non-illuminated black dot or one of two rheostat-controlled, illuminated colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.

3X PRO-VIEW 2™ SCOPE


This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20, 30, 40, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).

HCA-09811 RangeMaster Pro Scope with 7/8" mounting rings

HCA-097-II 3x Pro-View 2 Scope with 7/8" mounting rings

NOISE DAMPENING PACKAGE

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening Package progressively reduces decibel level and shortens noise duration when used on a crossbow. It features a set of Bowjax limb vibration dampeners, a retention spring dampener, and barrel dampeners. Two versions are available.



HCA-13813 For IsoTaper and HL limbs (includes foot stirrup dampeners)

HCA-13910 For TL™ and ST™ limbs (includes foot stirrup dampeners) (not shown)

SDS™ (STRING DAMPENING SYSTEM)

(PATENTED)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners to dramatically reduce string noise and oscillation.



*Compatible with post-1999 TenPoint thumbhole models, except the GT Curve™. Also compatible with all pre-2015 Wicked Ridge crossbows, all Raider CLS™ and Warrior HL™ models, and Horton® Legend Ultra Lite™ crossbows.

HCA-149



STRING WAX AND CONDITIONER

Made from all natural compounds. Comes in a convenient chap stick style tube. Lubricates and rejuvenates bow strings and cables.

FLIGHT RAIL AND TRIGGER LUBE

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grit.

HCA-11007 String Wax and Conditioner

HCA-111 Flight Rail and Trigger Lube

NEW

ARROW RETENTION BRUSH

A replacement for the Arrow Retention Spring, this innovative, high quality nylon-filament Arrow Retention Brush improves arrow grip and alignment while reducing noise and vibration.



*Only compatible with certain TenPoint, Horton Crossbow Innovations, and Wicked Ridge crossbow models. Visit www.tenpointcrossbows.com for scope mount compatibility.

HCA-108

ACUDRAW REPLACEMENT ACCESSORIES (NOT SHOWN)

HCA-401 ACUdraw Draw Cords (one-piece for new style claw)

HCA-411 ACUdraw Retraction Spring (post 1998)

HCA-41106 ACUdraw Retraction Spring (post 2006 without roll pin on hub - call TenPoint's Warranty Department at 330-528-9245 option 2 if clarification is needed)

HCA-421 ACUdraw Claw with self-centering draw cord

HCA-423 ACUdraw Replacement Covers - Black (pair)

HCA-426 ACUdraw Claw Holder

HCA-429 ACUdraw Claw Clip (FSB stocks only)

HCA-430 ACUdraw Hand Crank (replacement handle only)

HCA-435 ACUdraw Hand Crank & Holster Combo

HCA-450 ACUdraw 50 Replacement Draw Cords (pair)

HCA-451 ACUdraw 50 Replacement Retraction Spring

HCA-454 ACUdraw 50 Handles with Draw Cords (pair)

HCA-455 ACUdraw 50 Replacement Covers - Black (pair) (except for GT Flex and models formerly known as 6 Point Series)

APPAREL

Please visit www.tenpointcrossbows.com for the entire lineup of official apparel.



PATENTED OMNI-NOCK® AND PATENT-PENDING OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM

A REVOLUTION IN CROSSBOW ARROW NOCK TECHNOLOGY

YOUR ONE-STOP SOURCE FOR CROSSBOW ARROWS


Regardless of which arrow you shoot, you no longer need to choose between moon, capture, or flat nocks. TenPoint's patented Omni-Nock and patent-pending lighted version, the Omni-Brite 2.0 Lighted Nock System, make these special-purpose nocks obsolete.* The Omni-Nock and Omni-Brite 2.0 designs each feature six micro-grooves that form three bowstring channels which eliminate the indexing problem associated with moon and capture nocks.



Because the channel "holds" the bowstring in place, the Omni-Nock also prevents flat-nock "shoot-over" or "shoot-under", a growing problem with today's narrow crossbows with acute string angles.

In addition, our four-arrow lineup of lightweight and standard-weight crossbow arrows offer you the perfect arrow for whichever shooting or hunting situation you face.

*Engineered for TenPoint Crossbow Technologies, Horton Crossbow Innovations, and Wicked Ridge Crossbows, the Omni-Nock works well on other manufactures' models with precise and consistent bowstring alignment. Check your manufacturer's arrow specifications. If it specifies or requires a moon or capture nock, please follow its recommendation.



Micro-grooves form bowstring channels which eliminate the indexing problem associated with moon and capture nocks.

AN OMNI-NOCK FOR EVERY CROSSBOW ARROW

Each of TenPoint's four arrows come pre-installed with its own colored Omni-Nock.

XX75 MAGNUM
NEON ORANGE

PRO ELITE
NEON YELLOW

PRO V22
FLUORESCENT
FIRE ORANGE

PRO LITE
NEON GREEN

Color-coded Omni-Nocks make it easy to find the right nocks for your arrows.

OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM

OMNI-BRITE 2.0™ LIGHTED NOCK SYSTEM

The three-piece, patent-pending Omni-Brite 2.0 Lighted Nock System begins with a Nock-Receiver insert with a six-sided interior cavity designed to accept a combined LED Unit and transparent pegged Omni-Brite 2.0 Nock. The Nock Receiver glues into the nock-end of the arrow and must be indexed or aligned with the vanes. Like the Omni-Nocks, Nock Receivers employ the same color-scheme and are, therefore, arrow-specific.

To complete the Omni-Brite 2.0 installation, insert the LED Unit - lighted end first - into the peg end of the Omni-Brite 2.0 Nock and insert the nock and LED Unit into the Nock Receiver. Then, insert the nock tabs between the receiver's locking clips until you hear/feel it click into place. When you fire your crossbow, the bowstring's force will compress the two pieces, eliminate the gap, and activate the LED.

To deactivate the Omni-Brite 2.0 System, remove the nock and LED Unit, and pull the lighted end of the LED Unit until the light is off. The LED Unit's battery should last for approximately eight hours.

The Omni-Brite 2.0 Lighted Nock System is comprised of a translucent Omni-Nock, an LED Unit and a Nock Receiver, shown below in order from left to right.



LIGHTED MOON NOCK OPTION (NOT FOR USE ON TENPOINT CROSSBOWS)

All TenPoint Omni-Brite 2.0 Lighted Nock Systems, in 3-packs and 6-packs, include optional transparent, pegged moon nocks, compatible with the Omni-Nock 2.0 Receiver. Therefore, if your bow manufacturer requires, you can substitute moon nocks in place of the Omni-Brite 2.0 nocks.

Lighted Nock System with moon nock



OMNI-NOCK AND OMNI-BRITE 2.0 SYSTEM ARROW-BUILDING COMPONENTS

For those who prefer to build their own arrows, all Omni-Nock and Omni-Brite 2.0 Lighted Nock System components are available in both three and six-pack accessory packages. The Omni-Brite 2.0 components include Omni-Nocks, LED Units, Receivers (for arrows with shaft sizes .297, .302, and .306 I.D.), Refletching Tools, and a Receiver Alignment Tool. Also included are optional moon nocks.

The Refletching Tool fits into the Omni-Nock or Omni-Brite 2.0 nock, making it compatible for use on a Bitzenburger Jig. The Receiver Alignment Tool has one side that mates with an Omni-Brite 2.0 Receiver.



STRING & CABLE REFERENCE GUIDE



11.9% loss of speed over 50-yds.

25.2% loss of KE over 50-yds.

3-INCH group at 50-yds.

As tested with our 185# draw-weight test bow

PRO LITE™ CARBON ARROW LIGHTWEIGHT / 370-GRAINS* / BALANCED AT 10% F.O.C.

The Pro Lite 20-inch 22/64ths diameter carbon arrow is fletched slightly offset and is fitted with a 25-grain aluminum insert and TenPoint's neon green SuperBrite™ Omni-Nock.

Note: Do not use the Pro Lite arrow with most pre-2012 TenPoint crossbows



8.9% loss of speed over 50-yds.

18.7% loss of KE over 50-yds.

2.25-INCH group at 50-yds.

As tested with our 185# draw-weight test bow

PRO V22™ CARBON ARROW STANDARD-WEIGHT / 420-GRAINS* / BALANCED AT 10.5% F.O.C.

The Pro V22 22-inch, 22/64ths diameter carbon arrow is fletched slightly offset and is fitted with a 24-grain aluminum insert and TenPoint's fluorescent fire orange SuperBrite Omni-Nock. Precision engineered Pro V22 shafts are inspected for straightness to within .003 and hand sorted for weight tolerance to within two grains per dozen.

Note: Required for use on the Vapor™ crossbow



8.9% loss of speed over 50-yds.

18.7% loss of KE over 50-yds.

2-INCH group at 50-yds.

As tested with our 185# draw-weight test bow

PRO ELITE™ CARBON ARROW STANDARD-WEIGHT / 425-GRAINS* / BALANCED AT 13% F.O.C.

The Pro Elite 20-inch 22/64ths diameter carbon arrow is fletched slightly offset and is fitted with a 68-grain brass insert and TenPoint's neon yellow SuperBrite Omni-Nock. Pro Elite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within two grains per dozen.



7.6% loss of speed over 50-yds.

15.9% loss of KE over 50-yds.

2.5-INCH group at 50-yds.

As tested with our 185# draw-weight test bow

XX75 MAGNUM™ ALUMINUM ARROW STANDARD-WEIGHT / 435-GRAINS* / BALANCED AT 7% F.O.C.

The XX75 Magnum 20-inch, 2219 aluminum arrow is fletched slightly offset with AAE EP-40 Elite Plastifletch 3 7/8" vanes. It is fitted with a 13-grain CPC carbon insert and TenPoint's neon orange SuperBrite Omni-Nock. Precision engineered by Easton®, Magnum shafts are inspected for straightness to within .003 and hand sorted for weight tolerance to within two grains per dozen.

PURCHASE OPTIONS	PRO LITE	PRO V22	PRO ELITE	XX75 MAGNUM	OMNI-BRITE 2.0 LIGHTED NOCK COMPONENTS
3-pack arrows with practice points	HEA-460.3	HEA-522.3	HEA-620.3	HEA-002.3	-
6-pack arrows with practice points	HEA-460.6	HEA-522.6	HEA-620.6	HEA-002.6	-
72-pack arrows	HEA-460.72	HEA-522.72	HEA-620.72	HEA-002.72	-
3-pack Omni-Brite 2.0 lighted arrows	HEA-428.3	HEA-528.3	HEA-638.3	HEA-038.3	-
6-pack Omni-Brite 2.0 lighted arrows	HEA-428.6	HEA-528.6	HEA-638.6	HEA-038.6	-
3-pack Omni-Brite 2.0 Lighted Nock System	-	-	-	-	HEA-368.3
6-pack Omni-Brite 2.0 Lighted Nock System	-	-	-	-	HEA-368.6
6-pack receivers	HEA-346.6	HEA-345.6	HEA-345.6	HEA-347.6	-

*With 100-grain field point or broadhead

CROSSBOW MODEL	STRINGS	STRING TWISTS	CABLES	CABLE TWISTS
Huntsman 1994-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Huntsman 1998	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
HuntMaster (w/out yokes) 1994-1995	HCA-115	13	Upgrade Required	13 (after upgrade)
HuntMaster (w/yokes) 1995-1997	HCA-115	13	HCA-124	13
Huntmaster TL-4 1998	HCA-115	13	HCA-124	13
458 Magnum 1996-1997	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
458 Magnum TL-4 1998-1999	HCA-115	13	HCA-124	13
Woodsmen, Woodsmen Plus & Woodsmen SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Slider, Titan TL-7, Titan TL-4, Titan, Titan II & Titan SE	Upgrade Required	13 (after upgrade)	Upgrade Required	13 (after upgrade)
Turbo Extreme & Magnum Extreme	HCA-115	13	HCA-124	13
Elite X2, Magnum X2, Stealth X2 & Turbo X-2	HCA-115	13	HCA-124	13
Hybrid Lite & Elite Lite	HCA-115	13	HCA-124	13
Pro Fusion, Pro Slider, Titan TL-9 & Titan HLX	HCA-115	13	HCA-124	13
Pro Elite, Elite, Elite QX-4 & QX-4	HCA-115	13	HCA-124	13
Maverick HP, Pro Elite HP, Blazer HP & Lazer HP	HCA-115	13	HCA-124	13
Phantom Xtra, Phantom CLS, Shadow CLS & Defender CLS	HCA-11607	16-18	HCA-12307	6-8
Carbon Xtra CLS & Carbon Fusion CLS	HCA-11607	16-18	HCA-12307	6-8
Stealth XLT & Turbo XLT	HCA-12110	14-16	HCA-12710	5-7
Turbo XLT II, Carbon Elite XLT & Stealth SS	HCA-12112	14-16	HCA-12912	9-11
Shadow Ultra-Lite, Tactical XLT & Turbo GT	HCA-12112-R	Pre Twisted	HCA-12912-R	Pre Twisted
Titan Xtreme	HCA-11712	14-16	HCA-12612	10-12
GT Curve, GT Flex & GT Mag	HCA-12008	16-20	N/A	N/A
Vapor	HCA-11813	Pre Twisted	HCA-12813	Pre Twisted*
Venom	HCA-12014	Pre Twisted	HCA-12514	Pre Twisted**
Lady Shadow	HCA-12115-P	Pre Twisted	HCA-12915-P	Pre Twisted**
Stealth FX4 & Venom Xtra	HCA-12015-O	Pre Twisted	HCA-12515-O	Pre Twisted**
Titan SS & Renegade	HCA-11716-S	Pre Twisted	HCA-12616-S	Pre Twisted
Carbon Nitro RDX	HCA-12216-R	Pre Twisted	HCA-13116-R	Pre Twisted
Carbon Phantom RCX & Eclipse RCX	HCA-70117	Pre Twisted	HCA-70017	Pre Twisted

Note: When installing most cables, twist the bottom yoke (located at the end of each cable) four times and the top yoke one time.

*Twist the Vapor top yokes three full twists, and the bottom yokes three full twists – the string and cables are pre-twisted, and do not require additional twists.

**Twist the Venom Xtra, Venom, Stealth FX4 & Lady Shadow bottom yokes four full twists – the string and cables are pre-twisted, and do not require additional twists.



PROUDLY MADE IN THE U.S.A.

We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days – so when the final product arrives on the shelves, it will meet your expectations.



1325 Waterloo Road • Mogadore, OH 44260-9608
Phone: 330.628.9245 • Fax: 330.628.0999



LIMITED
LIFETIME
WARRANTY

© Copyright 2017 TenPoint Crossbow Technologies®
These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/. Note: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.



WWW.TENPOINTCROSSBOWS.COM