

OTHERS DE-COCK. WE DO IT SAFELY. The tenpoint advantage.

NEW TRIGGER LOCK-LATCH — Locks trigger box in same position every time the bow is cocked Improves down-range accuracy

by 48%

NEW ACUSLIDE

- Silent Cocking
 - Safe De-Cocking

NEW S1 TRIGGER

- Advanced Roller Sear Design
- 2-Stage Design
- Zero-Creep

TENPOINT

- Crisp, 3.5-pound pull
- Provides a level of accuracy never experienced before with a crossbow

THE INDUSTRY'S FIRST SILENT COCKING, SAFE DE-COCKING SYSTEM

Forget holding buttons, using straps, and losing control while de-cocking. Meet TenPoint's new ACUslide – The only safe and controlled crossbow de-cocking system on the market. Simply backwind the handle – stopping at any point without fear of damage, injury, or losing control.



NEW XTEND

the stock

CRANK HANDLE


• Adjusts from 5" to 7.5"

Reduces effort required

Conveniently stores in

to cock the crossbow to only 5-pounds

ACUslide[™]



NEW ROLLER SYSTEM

2 stainless steel rollers allow the trigger box to "glide" inside the barrel - creating an ultra-smooth feel during the silent cocking and controlled de-cocking process.

NEW MICRO-TRAC BARREL

- Reduces string-to-rail contact by an incredible 50%
- Increases down-range accuracy •
- Provides the longest string life in the industry

VECTOR QUAD™ CABLE SYSTEM

TENPOINT

NGENUSAAD

- Utilizes 4 cables, instead of the traditional 2
- Eliminates cam lean and generates straight nock travel, leading to same hole downrange accuracy
- Unlike other crossbows on the market, allows for micro-tuning to ensure the highest level of accuracy

IT TAKES A LATCH TO LOCK DOWN ACCURACY TRIGGER LOCK-LATCH

Stainless steel latch locks the trigger box at full-draw – relieving the tension from the ACUslide unit and guaranteeing that your trigger box is in the same location on each shot, leading to 48% increased down-range accuracy.

TENPOINTCROSSBOWS.COM

"These are the most accurate crossbows I have ever shot. You won't be disappointed."



RICK BEDNAR - CEO

THIS CHANGES EVERYTHING

4



SEE PAGES 10 & 11



 6 - EVO-X CenterPunch™ Lighted Arrows (.001" straightness)



 6 - EVO-X CenterPunch Arrows (.001" straightness) L STAG Hard Case

GenterPunch

CenterPunch Broadheads

6-Arrow Tech Quiver

Bubble Level

EVO-X Marksman Scope

Dovetail



THE FASTEST AND NARROWEST FORWARD DRAW CROSSBOW EVER.

NEW MICRO-TRAC BARREL

Reduces string-to-rail contact by an incredible 50% - leading to increased accuracy and the longest string life in the industry.

NEW TEC-X STOCK

Dramatically minimizes stock size, reducing the weight of the crossbow by 1/2-pound.

RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

NEW ACUSLIDE COCKING & **DE-COCKING SYSTEM** Provides silent cocking and safe de-cocking.



NEW S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets a new standard in high performance crossbow accuracy.

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 10 & 11

AVAILABLE FINISHES



ULTRA-NARROW

NEW FOR 2020



OUR SHORTEST FORWARD DRAW CROSSBOW EVER.



NEW MICRO-TRAC BARREL

Reduces string-to-rail contact by an incredible 50% - leading to increased accuracy and the longest string life in the industry.

NEW TEC-X STOCK

Dramatically minimizes stock size, reducing the weight of the crossbow by 1/2-pound.

RANGEMASTER® PRO SCOPE Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for practice due proper accuracy. precision down-range accuracy.

NEW ACUSLIDE COCKING & **DE-COCKING SYSTEM**

Provides silent cocking and safe de-cocking.

NEW S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets a new standard in high performance crossbow accuracy.

AVAILABLE FINISHES







AVAILABLE AS COMPLETE PACKAGE SEE PAGES 10 & 11



🕾 🔇 TENPOINTCROSSBOWS.COM

















| | | | ALC: NO | | | 100 | |
|---|--------------------------------|------------|---------------------------------|------------|-------------------------------|----------|----------|
| | VAPOR RS470 SAFE DE-COCKING | NITRO XRT | VENGENT S440 SAFE DE-COCKING | XR-410 | VIPER S400 SAFE DE-COCKING | TURBO M1 | TITAN M1 |
| LENGTH (without foot stirrup) | 31" | 29.5" | 35" | 29.5" | 32" | 32.5" | 32.5" |
| WIDTH - AXLE-TO-AXLE (uncocked / cocked) | 12" / 6.5" | 12" / 6.5" | 11" / 5.8" | 12" / 6.5" | 11" / 7.2" | 14" / 9" | 14" / 9" |
| POWER STROKE | 17" | 17" | 14" | 17" | 11" | 14" | 14" |
| DRAW WEIGHT | 225 | 225 | 250 | 200 | 250 | 190 | 180 |
| WEIGHT (without accessories) | 8 Ibs. (with ACUslide) | 7.4 lbs. | 7.7 lbs. (with ACUslide) | 7.4 lbs. | 7.5 lbs. (with ACUslide) | 6.4 lbs. | 6.4 lbs. |

PERFORMANCE (FEET-PER-SECOND / FOOT-POUNDS KE)

Tech Quiver

6 EVO-X Arrows

3 CenterPunch

STAG Hard Case Sling Bubble Level

Broadheads

6 Lighted EVO-X Arrows

ACUslide &

EVO-X

Marksman

Scope:

Veil Alpine™:

CB20004-6399

Graphite:

CB20004-1399

| PRO LITE ARROW (370-grains) | 470 / 182 | 470 / 182 | 440 / 159 | 410 / 138 | 400 / 132 | 380 / 119 | 370 / 113 |
|---|---|---|---|---|---|---|---|
| PRO ELITE 400 ARROW (400-grains) | 460 / 188 | 460 / 188 | 430 / 164 | 400 / 142 (Supplied arrow speed / KE) | 390 / 135 | 370 / 122 (Supplied arrow speed / KE) | 360 / 115 (Supplied arrow speed / KE) |
| EVO-X CENTERPUNCH ARROW (445-grains) | 440 / 191 (Supplied arrow speed / KE) | 440 / 191 (Supplied arrow speed / KE) | 410 / 166 (Supplied arrow speed / KE) | 380 / 143 | 370 / 135 (Supplied arrow speed / KE) | 350 / 121 | 340 / 114 |
| | | | | | | | |

Tech Quiver

6 EVO-X Arrows

Blazer Soft Case

ACUslide &

RangeMaster

Scope:

Veil Alpine™:

CB20007-6219

Graphite:

CB20007-1219

Bubble Level





Quiver

Sling

6 EVO-X Arrows

STAG Hard Case

ACUdraw PRO

& EVO-X

Marksman

Scope: CB19005-2193

Bubble Level



Quiver

3 Pro Elite 400 Arrows

ACUdraw PRO

& RangeMaster

Pro Scope:

CB20009-3513





Tech Quiver

3 EVO-X Arrows

ACUslide &

RangeMaster

Pro Scope:

Veil Alpine™: CB20015-6819

Graphite:

CB20015-1819

3 Pro Elite 400 Arrows

ACUdraw PRO &

Pro-View Scope:

CB19020-5523

ACUdraw 50

SLED & Pro-View Scope:

CB19020-5527

Quiver

3 Pro Elite 400 Arrows

Quiver

ACUdraw & Pro-View Scope: CB19047-3522

Rope-Sled & Pro-View Scope: CB19047-3524



PACKAGE NUMBERS



WICKED RIDGE / INTRODUCTION

AMERICAN BUILT BY AMERICAN WORKERS

Put your hard-earned money to work with Wicked Ridge – the only American brand offering technologically driven crossbows at unbeatable prices.

PATENTED REVERSE-DRAW TECHNOLOGY

Creates an industry leading power stroke that generates more speed with less draw weight. Its elongated power stroke also increases the distance the arrow nock is engaged with the string – a critical component in performance, as the longer the nock remains engaged with the string, the more accurate the crossbow will be upon impact.



PATENTED NARROW CROSSBOW TECHNOLOGY

NEW for 2020, Wicked Ridge unveils the M-370 – with a width of only 9.5-inches, it is the narrowest Wicked Ridge ever.

BUILT-IN COCKING DEVICES

Wicked Ridge bows have multiple cocking device options including: ACUdraw PRO, ACUdraw, ACUdraw 50, and ACU-52.





NEW FOR 2020

UP TO:

EPS

9.5 INCHES

5.8 POUNDS



INTRODUCING THE WORLD'S LIGHTEST CROSSBOW - 5.8-POUNDS.

The American-built M-370 is the industry's top value crossbow for 2020.

> ACUDRAW COCKING DEVICE Built-in cocking device draws your crossbow accurately with only 5-pounds of effort. (optional)

GORDON GLASS LIMBS Double laminated, Gordon Glass limbs

provide unmatched durability compared to competitor's imported models.

T4 TRIGGER

Auto-engaging safety trigger features a Dry-Fire-Inhibitor™ (DFI) and an ultra-crisp 3.5-pound pull.

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 16





ULTRA-NARROW

"13 HUNT THE RIDGE



WICKEDRIDGECROSSBOWS.COM



VICKED RIDGE / SPECIFICATIONS



| | RDX400 | M-370 | INVADER 400 | RAMPAGE 360 | RANGER X2 |
|---|----------|------------|-------------|-------------|-----------|
| LENGTH (without foot stirrup) | 32.25" | 35" | 35.5" | 35.5" | 33" |
| WIDTH - AXLE-TO-AXLE (uncocked / cocked) | 15" / 9" | 14" / 9.5" | 19" / 15" | 19" / 15" | 19" / 16" |
| POWER STROKE | 15.5" | 13.8" | 13.5" | 13.5" | 10.9" |
| DRAW WEIGHT | 175 | 180 | 185 | 175 | 150 |
| WEIGHT (without accessories) | 7.6 lbs. | 5.8 lbs. | 6.0 lbs. | 6.0 lbs. | 5.9 lbs. |

PERFORMANCE (FEET-PER-SECOND / FOOT-POUNDS KE)

| RANGER ARRDW (350-grains) | N/A | N/A | N/A | N/A | 330 / 85 (Supplied arrow speed / KE) |
|--|--|--|--|---|---|
| PRO LITE ARROW (370-grains) | 400 / 132 | 370 / 113 | 400 / 132 | 360 / 112 | N/A |
| XX75 ALUMINUM ARROW (435-grains) | 380 / 132 (Supplied arrow speed / KE) | 350 / 118 (Supplied arrow speed / KE) | 380 / 140 (Supplied arrow speed / KE) | 340 / 112 | N/A |
| ACCESSORIES (Included with package) | | | | | |
| | Quiver 3 XX75 Arrows | Quiver 3 XX75 Arrows | Quiver 3 XX75 Arrows | Quiver | Quiver 3 Ranger Arrows |
| PACKAGE NUMBERS | ACUdraw PRO & Pro-View Scope: WR19060-5523 ACUdraw PRO & Multi-Line Scope: WR19060-5532 Rope-Sled & Multi-Line Scope: WR19060-5534 | ACUdraw & Multi-Line Scope: WR20003-9532 Rope-Sled & Multi-Line Scope: WR20003-9534 | ACUdraw & Pro-View Scope: WR20005-9522 ACUdraw 50 & Pro-View Scope: WR20005-9521 | ACUdraw & Multi-Line Scope: WR20015-9432 ACUdraw 50 & Multi-Line Scope: WR20015-9431 | ACUdraw & Multi-Line Scope: WR19025-5532 ACU-52 & Multi-Line Scope: WR19025-5536 |

2020 PRODUCT CATALOG

COCKING DEVICES TO MEET YOUR BOWHUNTING NEEDS

GEAR ASSISTED COCKING DEVICES – ACUDRAW PRO & ACUDRAW

Fully integrated into the stock, with no dangling parts, they require only the strength of the average person's index finger to operate. The ACUdraw PRO and ACUdraw allow hunters of all ages and physical abilities to enjoy the great experience of bowhunting.

| HCA-001-PRO | ACUdraw PRO | |
|--------------|-------------|--|
| HCA-000-B-AD | ACUdraw | |



ACUDRAW PRO

- Reduces draw weight to roughly 9-pounds
- Silent operation
- Auto-engage lever activates the gear system immediately as cranking begins
- Draws the bow accurately every time
- ACUtorq handle sold separately
- Available as an accessory or pre-installed on certain models (not for use on pre-2018 Wicked Ridge crossbows)

ACUDRAW

- Reduces draw weight to about 5-pounds
 when operated manually
- Lightweight and has no bulky clamp-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed

INTEGRATED ROPE-COCKING DEVICES – ACUDRAW 50 SLED & ACUDRAW 50

Fully integrated into the stock, the ACUdraw 50 SLED and ACUdraw 50 have taken the leveraged, 50% reduction rope-cocking concept to an easy-to-use level. Their cord/ropes retract neatly inside the unit's housing after cocking. Lightweight, contoured covers provide improved security of the unit and its cord/ropes when not in use. No storing a cocking rope, untangling it, or putting it away after each use.

- Draw the bow accurately every time
- Reduces draw weight by 50%
- No longer a need to hang a rope around your neck or to stash it in your fanny pack
- When not in use, powerful mini-magnets hold the detachable handles securely and silently in place
- Available as an accessory or pre-installed



ACUDRAW 50 SLED (PATENTED)

The ACUdraw 50 SLED contains a sled with detachable, magnetic handles that is compatible with most TenPoint crossbows with Functionally Superior Bullpup (FSB) stocks.

ACUdraw 50 SLED HCA-000-A50-S (Not for use on Nitro X, Nitro XRT, and XR-410)

ACUDRAW 50 (PATENTED)

Compatible with most TenPoint and Wicked Ridge crossbows (not compatible with ultra-narrow or reverse-draw crossbows).

HCA-000-A50

ACUdraw 50 (Not for use on ultra-narrow or reverse-draw crossbows)

RETRACTABLE ROPE-COCKING DEVICES – ACUSLED

The ACUsled is a revolutionary, portable, retractable crossbow rope cocking device. It reduces the risk of inaccurate cocking that can occur with traditional rope-cockers, and thus, improve a shooter's accuracy.

- Reduces the draw weight by 50%
- Draw cord completely retracts inside one of the two grips
- Clever, convenient, and user-friendly
- Draws the bow accurately every time
- Draw cord is pound-for-pound 15-times stronger than steel
- · Lightweight and affordable



HCA-DDD-AS ACUsled (Not for use on Nitro X, Nitro XRT, and XR-410)

REVOLUTIONARY ALPHA-NOCK AND ALPHA-BRITE LIGHTED NOCK SYSTEM

Deep bowstring groove

Elongated ears

Large smooth radius

Raised ball indexing features

ALPHA-NOCK

Odd color vane

Alpha-Brite Nock

Arrow Shaft

LED Unit

Nock Receiver

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT AND SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear.

The Alpha-Nock's deep groove and large radius base "holds" the bowstring in place on extremely narrow crossbows to prevent "shoot-over" or "shoot-under".

Increased String-to-Nock Engagement

LIGHTED NOCK SYSTEM

ALPHA-BRITE

ALPHA-BRITE LIGHTED NOCK SYSTEM

The three-piece, Alpha-Brite Lighted Nock System begins with a Nock-Receiver insert with a six-sided interior cavity designed to accept a combined LED unit and translucent pegged Alpha-Brite Nock. The Nock Receiver is glued into the nock-end of the arrow and indexed with the vanes.


To complete the Alpha-Brite installation, insert the LED unit - lighted end first - into the peg end of the Alpha-Brite nock and insert the nock and LED unit into the Nock Receiver. Then, insert the nock tabs between the receiver's locking clips until you hear/feel it "click" into place. When you fire your crossbow, the bowstring's force will compress the two pieces, eliminate the gap, and activate the LED unit.

To deactivate the Alpha-Brite system, remove the nock and LED unit, and pull the lighted end of the LED unit until the light turns off. The LED unit's battery should last for approximately eight hours.

NOTE: BE SURE THE ALPHA-NOCK'S RAISED BALL INDEX FEATURE IS PROPERLY ALIGNED WITH THE COCK VANE (ODD COLORED) ON YOUR ARROW.

*All TenPoint crossbows and Wicked Ridge crossbows require the use of an Alpha-Nock Arrow. Failure to do so will void the manufacturer's warranty.

| HEA-358.3 | 3-pack Alpha-Brite Lighted Nock System - Green (not shown) |
|------------|--|
| HEA-312.3 | 3-pack (green LED lite sticks - not shown) |
| HEA-352.6G | 6-pack (green Alpha-Brite replacement nocks - not shown) |
| HEA-358R.3 | 3-pack Alpha-Brite Lighted Nock System - Red (not shown) |



2020 PRODUCT CATALOG

TENPOINT / ARROWS

PROELITE400

RANGER CARBON CROSSBOW AR

EVO-X CENTERPUNCH CARBON ARROW

NEV

445-GRAINS / BALANCED AT 17% FOC / .001" STRAIGHTNESS

The most accurate crossbow arrow ever, the CenterPunch 20-inch arrow is fletched slightly offset and is fitted with an 84-grain insert and TenPoint's Aluminum or white Alpha-Nock and receiver for quick lighted nock installation. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3.5" Bohning X VanesTM. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-grain per arrow.

| HEA-742.6 | 6-pack (w/aluminum Alpha-Nock) |
|-------------------|-------------------------------------|
| HEA-740.6 | 6-pack (w/Alpha-Nock) |
| HEA-748.3 | 3-pack (Alpha-Nock lighted arrows) |
| *All 3- and 6-pac | ks come with 100-grain field points |

ł

PRO ELITE 400 CARBON ARROW

 \bigcirc

6.0

400-GRAINS / BALANCED AT 14% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 61-grain aluminum insert, 3.5" Bohning X Vanes™ and TenPoint's white Alpha-Nock and receiver for quick lighted nock installation. Pro Elite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.

| HEA-660.3 | 3-pack (w/Alpha-Nock) |
|-------------------|--------------------------------------|
| HEA-660.6 | 6-pack (w/Alpha-Nock) |
| HEA-660.72 | 72-pack (w/Alpha-Nock) |
| HEA-668.3 | 3-pack (Alpha-Brite lighted arrows) |
| HEA-668.6 | 3-pack (Alpha-Brite lighted arrows) |
| HEA-668.72 | 72-pack (Alpha-Brite lighted arrows) |
| *All 3- and 6-pac | ks come with 100-grain field points |
| | |

XX75 WICKED RIDGE ALUMINUM ARROW

435-GRAINS / BALANCED AT 9% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain aluminum insert 2.0" Easton Bully Boattail Vane and TenPoint's white Alpha-Nock.

| HEA-060.3 | 3-pack (w/Alpha-Nock) | | | |
|--|------------------------|--|--|--|
| HEA-060.6 | 6-pack (w/Alpha-Nock) | | | |
| HEA-060.72 | 72-pack (w/Alpha-Nock) | | | |
| HEA-D68.3 3-pack (Alpha-Brite lighted arrows) | | | | |
| *All 3- and 6-packs come with 100-arain field points | | | | |

PRO LITE CARBON ARROW

0

60

370-GRAINS / BALANCED AT 10.5% FOC / .003" STRAIGHTNESS

The Pro Lite 20-inch carbon arrow is fletched slightly offset and is fitted with a 25-grain aluminum insert, 3.5" Bohning X Vanes™ and TenPoint's white Alpha-Nock. Pro Lite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.

 HEA-460A.6
 6-pack (w/Alpha-Nock)

 HEA-468A.3
 3-pack (Alpha-Brite lighted arrows)

 *All 3- and 6-packs come with 100-grain field points

WICKED RIDGE RANGER CARBON ARROW

370-GRAINS / BALANCED AT 15% FOC / .003" STRAIGHTNESS

The Ranger 18-inch carbon arrow is fletched slightly offset and is fitted with a 15-grain aluminum insert, 3.5" Bohning X Vanes™ and white Alpha-Nock.

NOTE: the Ranger arrow is for use with Wicked Ridge Ranger models only.

HEA-26D.6 6-pack (w/Alpha-Nock) *All 3- and 6-packs come with 100-grain field points

CROSSBOW DISCHARGE ARROW

725-GRAINS

The Crossbow Discharge Arrow includes a 20-inch carbon arrow with an installed Alpha-Nock, discharge collar, and field tip. The 725-grain finished arrow with an Alpha-Nock, is designed for use on most crossbows that shoot a 20-inch arrow. It can also be used on most crossbows requiring flat, moon, or capture nocks.

HEA-00018 Crossbow Discharge Arrow

TENPOINTCROSSBOWS.COM

CROSSBOW CASES

HARD CASES

Designed for maximum protection and durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook and loop straps to secure the crossbow during travel, and storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



SOFT CASES

These ultra-durable soft cases ensure protection needed for travel and/ or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), and zippered compartment(s) for accessories.



HCA-20318

NEW

TenPoint STAG Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up

DIMENSIONS: Case Length: 36.75° (not including foot stirrup pass-thru) / Case Width: 18° / Case Depth: 10.75° / Interior Length: 36.25° / Interior Width: 17.5° / Interior Depth: 10.25°

| _ | NEW |
|---|-----|

HCA-20119

DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75" Wicked Ridge Soft Crossbow Case / Black / Fits 2018 and newer Wicked Ridge

Blazer Soft Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up

NEW WRA-220

crossbows (except Ranger and Lady Ranger models)
DIMENSIONS: Case Length: 38° / Case Width: 22.5° / Case Depth: 10.75°

20

CROSSBOW ACCESSORIES

CENTERPUNCH BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features collarless design that delivers field point accuracy and a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, and scalpel sharp blades stay closed during flight – creating massive wound channels and leaving huge blood trails.

READY TO HUNT ACCESSORY PACKAGES

with Foam Applicator, and tube of String Wax and Conditioner.

HEA-800 CenterPunch Broadhead (3-pack)





NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.

| HCA-004 | TenPoint |
|---------|--------------|
| WRA004 | Wicked Ridge |
| | |
| | |
| | |



Featuring all of the "must-have" accessories needed for the hunt. The kits contain a 3-pack lighted nock kit, 3 100-grain CenterPunch Broadheads, sling, Premium Lubricant

 HCA-1111T
 TenPoint Ready to Hunt Accessory Package (shown)

 HCA-1111W
 Wicked Ridge Ready to Hunt Accessory Package (not shown)



STEDDYEDDY® (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection and clamps under your stock when not in use.

HCA-D30 SteddyEddy Crossbow Monopod System (compatible with TenPoint and Wicked Ridge crossbows)

MAINTENANCE

TENPOINT STRING WAX AND CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates and rejuvenates bow strings & cables.

TenPoint String Wax and Conditioner HCA-11007

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grime. Recommended for strings, cables, cocking device

cords, and barrel. Both feature Scorpion Venom™

LUBRICANTS

Premium Lubricant.



t Wt. 1 Fluid D

HCA-111 Flight Rail and Trigger Lube (tube) HCA-112 Premium Lubricant with Foam Applicator (bottle)

SILENCERS

NOISE DAMPENING PACKAGES

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening packages progressively reduce decibel level and shorten noise duration when used on compound crossbows and/or vertical bows. Two versions are available:

| HCA-13617 | Noise Dampening Package (Includes limb, retention spring foot stirrup, and barrel dampeners) | |
|-----------|---|---|
| HCA-13718 | Universal Limb and Foot Stirrup Silencing Package (Includes limb & foot stirrup dampeners only, for most compound crossbows and/or vertical bows) | 3 |

|) | X |
|-----------|---|
| HE | ¥ |

STRING DAMPENING SYSTEMS (SDS)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™. Also compatible with most pre-2015 Wicked Ridge crossbows, all Raider CLS and Warrior HL models, and Horton Legend Ultra Lite™ crossbows. Not compatible with RDX or NXT crossbows, RCX crossbows with built-in dampeners, Wicked Ridge Invader X4, Invader G3, Warrior Ultra-Lite, Warrior G3, Ranger or Lady Ranger models.

| HCA-148 | SDS (String Dampening System) A second set of SDS rods are included to alleviate the need for shortening rods. Compatible with Turbo M1, Titan M1, and M-370 crossbows. |
|---------|---|
| HCA-146 | Wicked Ridge SDS (String Dampening System) Compatible only with the Invader 400, Invader X4 Rampage 360, Warrior Ultra-Lite, and Ranger X2. |





SCOPES

EVO-X[®] MARKSMAN[™] SCOPE

The brightest and most accurate crossbow scope on the market, the Marksman Scope features a patented, variable speed locking ring, as well as fully multi-coated 1.5-6x optics. Its configuration consists of five illuminated duplex crosshairs calibrated for 10-yard increments between 20and 60-vards, and two chevrons at 70and 80-yards for competition and



recreational shooting. The scope is outfitted with quick-detach scope rings, a bubble level, and high-quality flip-up scope caps. An infinite-position rheostat controls the light intensity of the red and green illuminated crosshairs.

EVO-X Marksman Scope with 7/8" quick-detach mounting rings and HCA-095 flip-up scope caps

RANGEMASTER® PRO SCOPE

This 8.25-inch aluminum scope features a variable speed and arrow dropcompensation setting for crossbows, and requires no adjustment for distance. Three duplex crosshairs and four dots calibrated for 20-, 30-, 40- and 50-yards, and a triangle for 60-yards (fourth dot and triangle are free-standing,

just below the 40-yard crosshair) are available with a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.

HCA-09811 RangeMaster Pro Scope with 7/8" mounting rings and flip-up scope caps

PRO-VIEW™ SCOPE

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green)

HCA-097-II Pro-View Scope with 7/8" mounting rings

MULTI-LINE SCOPE

Only 8.5-inches long, this compact scope features fully coated 3x optics and three duplex crosshairs calibrated for 20, 30, and 40-yards, and a fourth partial line for 50-yard shots. Scope mounting rings included.

HCA-090 Multi-Line Scope with 7/8" mounting rings



TENPOINTCROSSBOWS.COM



6-ARROW TECH QUIVER

The NEW compact Tech quiver contains a rigid ultradurable spine and is designed for easy ambidextrous mounting. It's grippers hold up to four arrows with broadheads and/or field points on the front of the quiver, and two additional arrows with field points can be stored on the back of the quiver for a total of up to six arrows. Mounting hardware is included.



HCA-01920 6-Arrow Tech Quiver

XTEND ADJUSTABLE CRANK HANDLE

The NEW XTEND Crank Handle starts at a compact 5-inches long and extends to its user-friendly length of 7.5-inches. When extended to its full length, the crank handle decreases the cocking effort by approximately 45% over the standard crank handle on all TenPoint gear-assisted cocking devices. Also includes parts to convert the XTEND Adjustable Crank Handle from a square drive to a hex drive for use on ACUdraw PRO or ACUdraw units.

HCA-446 Xtend Adjustable Crank Handle

GRIPGUARD™ (PATENTED)

The GripGuard is a shield that custom fits over post-1999 through 2013 TenPoint synthetic stock model fore-grips with or without a GripSafety. The wings at the top of the shield help prevent a shooter's fore-grip fingers and/or thumb from dangerously migrating above the flight deck while shooting the crossbow.

*Available at no charge, contact Customer Service at330-628-9245 option 2.

HCA-10014 Molded GripGuard / Black

DOVETAIL BUBBLE LEVEL

The bubble level can be attached to any weaver-style dovetail to provided added accuracy, especially at longer distances.

HCA-073 Dovetail Bubble Level



BEDNAR PERFECT PULLER® (PATENTED)

Named for and originally developed by the Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high-density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.

HCA-104 Bednar Perfect Puller (with interchangeable grippers)

ACUDRAW/ACUDRAW 50/ACU-52 REPLACEMENT ACCESSORIES

Visit www.tenpointcrossbows.com to find cocking device replacement parts.

APPAREL

TENPOINT AND WICKED RIDGE APPAREL

Please visit www.tenpointcrossbows.com for the entire line-up of official apparel.







2020 PRODUCT CATALOG

2020 STRING AND CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact Customer Service at 330-628-9245 option 2 for more information: Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7

VTENPOINT


| MODELS | STRINGS | CABLES |
|--|-------------|-------------|
| Turbo Extreme & Magnum Extreme | HCA-115 | HCA-124 |
| Elite X2, Magnum X2, Stealth X2, & Turbo X2 | HCA-115 | HCA-124 |
| Hybrid Lite & Elite Lite | HCA-115 | HCA-124 |
| Pro Fusion, Pro Slider, Titan TL-9, & Titan HLX | HCA-115 | HCA-124 |
| Pro Elite, Elite QX-4, & QX-4 | HCA-115 | HCA-124 |
| Maverick HP, Pro Elite HP, Blazer HP, & Lazer HP | HCA-115 | HCA-124 |
| Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS, & Carbon Fusion CLS | HCA-11607 | HCA-12307 |
| Stealth XLT & Turbo XLT | HCA-12110 | HCA-12710 |
| Turbo XLT II, Carbon Elite XLT, & Stealth SS | HCA-12112 | HCA-12912 |
| Shadow Ultra-Lite, Tactical XLT, Turbo GT & Renegade XLT | HCA-12112-R | HCA-12912-R |
| Titan Xtreme | HCA-11712 | HCA-12612 |
| GT Curve, GT Flex, & GT Mag | HCA12008 | N/A |
| Vapor | HCA-11813 | HCA-12813 |
| Venom | HCA-12014 | HCA-12514 |
| Lady Shadow | HCA-12115-P | HCA-12915-P |
| Stealth FX4 & Venom Xtra | HCA-12015-O | HCA-12515-O |
| Titan SS & Renegade | HCA-11716-S | HCA-12616-S |
| Carbon Nitro RDX | HCA-12216-R | HCA-13116-R |
| Carbon Phantom RCX & Eclipse RCX | HCA-70117 | HCA-70017 |
| Vengent S440, Viper S400, Stealth NXT, & Shadow NXT | HCA-70317 | HCA-70217 |
| Vapor RS470, Nitro XRT, Nitro X, & XR-410 | HCA-70717 | HCA-70617 |
| Turbo M1 & Titan M1 | HCA-11619-S | HCA-11619-C |
| | | |

HORTON

| MODELS | STRINGS | CABLES |
|-------------------|-----------|-----------|
| Storm RDX | HCA-12215 | HCA-13115 |
| Vortec RDX | HCA-72717 | HCA-72617 |
| Legend Ultra Lite | HCA-11915 | HCA-13015 |

WICKED RIDGE

| MODELS | STRINGS | CABLES |
|---|--------------|--------------|
| Invader HP, Invader, Warrior HL, & Warrior | WRA182 | WRA162 |
| Raider CLS | WRA183 | WRA163 |
| Ranger | HCA-13215-O | HCA-13315-O |
| Lady Ranger | HCA-13215-P | HCA-13315-P |
| Invader G3 & Warrior G3 | HCA-13216-OB | HCA-13316-OB |
| Invader 400, Rampage 360, Invader X4, Warrior Ultra-Lite, & Ranger X2 | HCA-75117 | HCA-75017 |
| RDX 400 | HCA-13419-S | HCA-13419-C |
| M370 | HCA-11619-S | HCA-11619-C |





We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days — so when the final product arrives on the shelves, it will meet your expectations.



These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/ NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608 Phone: 330.628.9245 • Fax: 330.628.0999