

DENDOINT

HALOC ADATO





2021 PRODUCT CATALOG

PERFECTION LIVES HERE™

TENPOINT / TECHNOLOGY

THE TENPOINT ADVANTAGE

XTEND CRANK HANDLE TRIGGER LOCK-LATCH

Adjustable length handle

to cock the crossbow to only 5-pounds

Reduces effort required

by 48%

· Locks trigger box in same position

every time the bow is cocked

· Improves down-range accuracy



THE INDUSTRY'S FIRST SILENT COCKING, SAFE DE-COCKING SYSTEM

Forget holding buttons, using straps, and losing control while de-cocking. Meet TenPoint's ACUslide - the only safe and controlled crossbow de-cocking system on the market. Simply backwind the handle - stopping at any point without fear of damage, injury, or losing control.


NEW EVO-X MARKSMAN ELITE SCOPE

MICRO-TRAC BARREL

- Reduces string-to-rail contact by an
- incredible 50%
- Increases down-range accuracy
- Provides string life in excess of 1,000 shots

IT TAKES A LATCH TO LOCK DOWN ACCURACY TRIGGER LOCK-LATCH





Variable speed scope designed for crossbows up to 500 FPS includes a customized reticle and external target turrets for accurate shooting out to 100-yards.



VECTOR QUAD CABLE SYSTEM

- Utilizes 4 cables, instead of the traditional 2
- Eliminates cam lean and generates straight nock travel, leading to same hole downrange accuracy
- Unlike other crossbows on the market, allows for micro-tuning to ensure the highest level of accuracy

Stainless steel latch locks the trigger box at full-draw - relieving the tension from the ACUslide unit and guaranteeing that your trigger box is in the same location on each shot, leading to 48% increased down-range accuracy.



TENPOINT / CROSSBOWS

THE MOST ACCURATE LONG-RANGE CROSSBOWS EVER.

GARMIN. XERO X1

RANGEFINDING SCOPE





INTEGRATED **RANGE TOUCHPAD** Generate exact range and aiming point with one touch













AVAILABLE AS COMPLETE PACKAGE SEE PAGE 13







NEW FOR 2021 HAVOC **RS440** THE FASTEST COMPACT CROSSBOW. EVER. 44(7.5 26.5 INCHES LONG NEW EVO-X[®] MARKSMAN[™] ELITE SCOPE Variable Speed Design up to 500 FPS – Maximizes accuracy External Micro-Adjustable Target Turrets – Easy adjustment to windage and elevation for out to 100-yards. un-matched long-range accuracy. ADJUSTABLE BUTT PLATE Provides 1-inch length-of-pull adjustment. ACUSLIDE COCKING & S1 TRIGGER **DE-COCKING SYSTEM** 2-stage, zero-creep design Provides silent cocking and features a roller sear system that sets safe de-cocking. a new standard in high-performance crossbow accuracy. FACTORY PRE-SIGHTED

MICRO-TRAC BARREL

Reduces string-to-rail contact by an incredible 50% – leading to increased accuracy and provides string life in excess of 1,000 shots.

NEW EVO-X CENTERPUNCH 16 ARROW

The 16-inch arrow keeps your crossbow compact in the blind or stand.









MICRO-TRAC BARREL

Reduces string-to-rail contact by an incredible 50% - leading to increased accuracy and provides string life in excess of 1,000 shots.

NEW EVO-X CENTERPUNCH 16 ARROW

The 16-inch arrow keeps your crossbow compact in the blind or stand.



ADJUSTABLE BUTT PLATE Provides 1-inch length-of-pull adjustment.

RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.



S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets a new standard in high-performance crossbow accuracy.



AVAILABLE

FINISHES



TURBOM

Available with the ACUdraw PRO silent cocking device, the Turbo M1 features a radically narrow, 9-inch wide bow assembly powered by VX-5™ inverted cams that elongate the power stroke, producing speeds up to 380 feet-persecond. The lightest, fastest, and narrowest Turbo model to date, the M1 sends arrows down-range with pin-point accuracy.

AVAILABLE FINISH ____ MOSSY DAI BREAK-U COUNTRY SINGLE-BOLT


TITANMI

Measuring an ultra-compact 9-inches wide and shooting up to devastating speeds of 370 feet-per-second, the ultra-light Titan M1 offers an incredible performance-to-value ratio never seen before in the crossbow industry.

AVAILABLE FINISH -0-








AVAILABLE AS COMPLETE PACKAGE SEE PAGE 13

TENPOINT / SPECIFICATIONS



	VAPOR RS470 XERD	HAVDC RS44D XERD	VAPOR RS470 SAFE DE-COCKING	HAVOC RS440 SAFE DE-COCKING	VENGENT S440 SAFE DE-CDCKING	SIEGE RS410 SAFE DE-COCKING	VIPER S400 SAFE DE-CODIKING	TURBO M1	TITAN MI
LENGTH (without foot stirrup)	SAFE DE-COCKING	SAFE DE-COCKING	31"	26.5"	35"	26.5"	32"	32.5"	32.5"
WIDTH - AXLE-TO-AXLE (uncocked / cocked)	12" / 6.5"	12.3" / 7.5"	12" / 6.5"	12.3" / 7.5"	11" / 5.8"	12.3" / 7.5"	11" / 7.2"	14" / 9"	14" / 9"
POWER STROKE	17"	13.5"	17"	13.5"	14"	13.5"	11"	14"	14"
DRAW WEIGHT	225	270	225	270	250	220	250	190	180
WEIGHT (without accessories)	7.8 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	7.8 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	7.7 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	6.4 lbs.	6.4 lbs.

PERFORMANCE (FET-PER-SECOND / FOOT-POUNDS KE)

PRO LITE ARROW (370-grains)	470 / 182	N/A	470 / 182	N/A	440 / 159	N/A	400 / 132	380 / 119	370 / 113
PRO ELITE 400 ARROW (400-grains)	460 / 188	N/A	460 / 188	N/A	430 / 164	N/A	390 / 135	370 / 122 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)
EVD-X CENTERPUNCH 16 ARROW (400-grains)	N/A	440 / 172 (Supplied arrow speed / KE)	N/A	440 / 172 (Supplied arrow speed / KE)	N/A	410 / 149 (Supplied arrow speed / KE)	N/A	N/A	N/A
EVO-X CENTERPUNCH ARROW (445-grains)	440 / 191 (Supplied arrow speed / KE)	N/A	440 / 191 (Supplied arrow speed / KE)	N/A	410 / 166 (Supplied arrow speed / KE)	N/A	370 / 135 (Supplied arrow speed / KE)	350 / 121	340 / 114
ACCESSORIES (Included with package)	Tech Quiver 6 EVO-X Arrows 6 EVO-X Lighted Arrows 3 CenterPunch Broadheads Narrow Soft Case Sling	Tech Quiver 6 EVO-X 16 Arrows	Tech Quiver 6 EVO-X Arrows 6 Lighted EVO-X Arrows 3 CenterPunch Broadheads STAG Hard Case Silng Bubble Level	Tech Quiver 6 EVO-X 16 Arrows Bubble Level	Tech Quiver 6 EVO-X Arrows Narrow Soft Case Bubble Level	Tech Quiver 6 EVO-X 16 Arrows	Tech Quiver 3 EVO-X Arrows	Quiver 3 Pro Elite 400 Arrows	Quiver 3 Pro Elite 400 Arrows
PACKAGE NUMBERS	ACUslide & Garmin XERO® X1i Scope: CB20004-6379	ACUslide & Garmin XERO® X1i Scope: CB21008-6279	ACUslide & EVO-X Marksman Elite Scope: Veil Alpine™: CB20004-6399 Graphite: CB20004-1399	ACUslide & EVO-X Marksman Elite Scope: Veil Alpine™: CB21008-6289 Graphite: CB21008-1299	ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB20007-6219 Graphite: CB20007-1219	ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB21012-6819 Graphite: CB21012-1819	ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB20015-6819 Graphite: CB20015-1819	ACUdraw PRO & Pro-View Scope: CB19020-5523 ACUdraw 50 SLED & Pro-View Scope: CB19020-5527	ACUdraw & Pro-View Scope: CB19047-3522 Rope-Sled & Pro-View Scope: CB19047-3524









WICKED RIDGE / CROSSBOWS



AMERICAN BUILT BY AMERICAN WORKERS

Put your hard-earned money to work with Wicked Ridge – the only American brand offering technologically driven crossbows at unbeatable prices.



The working man's reverse-draw crossbow, the RDX 400 features a perfectly balanced reverse-draw bow assembly and our Reaper Cam System™ that together deliver consistent down-range accuracy and lighting speeds up to 400 FPS. Focused on speed-to-price ratio, the RDX 400 includes a complete package with a cocking device and an Integrated String Stop System.




M-370^{°°}


The M-370 measures an incredibly narrow 9.5-inches wide and shoots up to a blazing 370 feet-per-second. Available with a built-in ACUdraw cocking device for effortless cocking, the American-Built M-370 is the industry's top value light-weight crossbow.


AVAILABLE FINISH





15 🎽 HUNT THE RIDGE





ED RI	DGE / CROSSBOWS			
				-
PEI JP TI	0 15.0	WEIGHT 6.0	(S-INC	
FPS	M-37D	POUNDS	RAMPAGE 360	ELACKHAWK 360
	35" 14" / 9.5"	35.5" 19" / 15"	35.5"	35.5"
	14 7 9.5		13.5"	13.5"
	13.8	13.5"	13.5	175
	5.8 lbs.	6.0 lbs.	6.0 lbs.	6.0 lbs.
/	370 / 113	400 / 132	360 / 107	360 / 107
	360 / 115 (Supplied arrow speed / KE)	390 / 135	350 / 109	350 / 109
KE)	350 / 118	380 / 140 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)
	Quiver 3 Pro Elite 400 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows
& e: & e:	ACUdraw & Multi-Line Scope: WR20003-9532 Rope-Sled & Multi-Line Scope: WR20003-9534	ACUdraw & Pro-View Scope: WR20005-9522 ACUdraw 50 & Pro-View Scope: WR20005-9521	ACUdraw & Multi-Line Scope: WR20015-9432 ACUdraw 50 & Multi-Line Scope: WR20015-9431	Rope-Cocker & Multi-Line Scope: WR21020-9535

TENPOINT / NEW INNOVATIONS

NEW FOR 2021 GARMIN. XERD X1 RANGEFINDING SCOPE

EXACT AIMING. ANY DISTANCE. THE MOST ADVANCED AIMING SYSTEM ON THE MARKET.



- 3.5x magnification
- Multi-color display

NEW FOR 2021

- Custom arrow profiles for programing multiple arrow configurations
- Integrated mount • One year battery life



PRECISE ILLUMINATED AIM POINTS automatically adjust for both distance and brightness allowing you to see your target, unobstructed by reticle patterns.

FORGET THE DAYS OF "GAP SHOOTING" with multiple aimpoints - simply range, lock. and use the single aiming point provided by the XERO® X1i.

LASER LOCATE[™] WAYPOINT PROJECTION FEATURE

works with compatible Garmin devices to show you exactly where your target was located when the shot or range was taken - allowing you to better track your game after the shot.





Rigid frame provides robust back








HALO Bowpack - Custom Designed for TenPoint's Havoc RS440 and Siege RS410 HCA-20120 DIMENSIONS: Case Length: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"









EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 445-GRAINS / BALANCED AT 17% FOC / .001" STRAIGHTNESS

The most accurate crossbow arrow ever, the CenterPunch 20-inch arrow is fletched slightly offset and is fitted with an 84-grain insert and TenPoint's Aluminum or white Alpha-Nock. Constructed from modulus carbon fiber at 33 MSI (millionpounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3.5" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-grain per arrow.

EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS 16-INCH / 400-GRAINS / BALANCED AT 17.5% FOC / .001" STRAIGHTNESS

Specifically designed for the Havoc RS440 and the Siege RS410, the CenterPunch 16-inch arrow is fletched slightly offset and is fitted with an 84-grain insert and TenPoint's white Alpha-Nock. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 2.1" O2i Fusion-II Vanes. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-grain per arrow.

PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 400-GRAINS / BALANCED AT 14% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 61-grain aluminum insert, 3.5" Bohning X Vanes™ and TenPoint's white Alpha-Nock. Pro Elite shafts are inspected for straightness to within .003 and hand-sorted for weight tolerance to within 2-grains per dozen.

XX75 WICKED RIDGE LIGHTED & NON-LIGHTED ALUMINUM ARROWS 20-INCH / 435-GRAINS / BALANCED AT 9% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain aluminum insert 2.0" Easton Bully Boattail Vane and TenPoint's white Alpha-Nock.


CROSSBOW DISCHARGE ARROW 20-INCH / 725-GRAINS

 \bigcirc

6.0

The Crossbow Discharge Arrow includes a 20-inch carbon arrow with an installed Alpha-Nock, discharge collar, and field tip. The 725-grain finished arrow with an Alpha-Nock, is designed for use on most crossbows that shoot a 20-inch arrow. It can also be used on most crossbows requiring flat, moon, or capture nocks.

2021 PRODUCT CATALOG



HEA-742.6	6-pack (w/aluminum Alpha-Nock)		
HEA-740.6	6-pack (w/Alpha-Nock)		
HEA-740.36	36-pack (w/Alpha-Nock)		
HEA-748.3	3-pack (Alpha-Nock lighted arrows)		
HEA-748.36	36-pack (Alpha-Nock lighted arrows)		
*All 3- and 6-packs come with 100-grain field points			

CENTER PUNCH 16

HEA-750.6	6-pack (w/Alpha-Nock)			
HEA-750.36	36-pack (w/Alpha-Nock)			
HEA-758.3	3-pack (Alpha-Nock lighted arrows)			
HEA-758.36	36-pack (Alpha-Nock lighted arrows)			
*All 3- and 6-packs come with 100-grain field points				

PROEL/TE400

XX

3-pack (w/Alpha-Nock) HEA-660.3 HEA-660.6 6-pack (w/Alpha-Nock) HEA-660.36 36-pack (w/Alpha-Nock) HEA-668.3 3-pack (Alpha-Brite lighted arrows) HEA-668.6 3-pack (Alpha-Brite lighted arrows) HEA-668.36 36-pack (Alpha-Nock lighted arrows) *All 3- and 6-packs come with 100-grain field points

HEA-060.3 3-pack (w/Alpha-Nock) HEA-060 6 6-pack (w/Alpha-Nock) 36-pack (w/Alpha-Nock) HEA-060.36 3-pack (Alpha-Brite lighted arrows) HEA-068.3 HEA-068.36 36-pack (Alpha-Nock lighted arrows) *All 3- and 6-packs come with 100-grain field points

HEA-00018 Crossbow Discharge Arrow

TENPOINTCROSSBOWS.COM



BROADHEADS

NEW -EVO-X MONTEC FIXED BROADHEAD

Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength and pin-point accuracy, and features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.

HEA-801.3 Fixed Broadhead (3-pack)

CROSSBOW CASES

Designed for maximum protection and durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook and loop straps to secure the crossbow during travel, and storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



TenPoint STAG Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up

HCA-20318 DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

CROSSBOW ACCESSORIES

NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.

TenPoint HCA-004 WRA004 Wicked Ridae

EVO-X CENTERPUNCH EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy and a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, and scalpel sharp blades stay closed during flight – creating massive wound channels and leaving huge blood trails.

HEA-800 CenterPunch Broadhead (3-pack)

SOFT CASES

HCA-20119

WRA220

These ultra-durable soft cases ensure protection needed for travel and/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), and zippered compartment(s) for accessories.

Narrow Soft Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up

DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"

Wicked Ridge Soft Crossbow Case / Black / Fits 2018 and newer Wicked Ridge crossbows (except Ranger and Lady Ranger models)

DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"



CROSSBOW ACCESSORIES



STEDDYEDDY® (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection and clamps under your stock when not in use.

SteddyEddy Crossbow Monopod System (compatible with TenPoint and HCA-030 Wicked Ridge crossbows)

GRIPGUARD[™] (PATENTED)

The GripGuard is a shield that custom fits over post-1999 through 2013 TenPoint synthetic stock model fore-grips with or without a GripSafety. The wings at the top of the shield help prevent a shooter's fore-grip fingers and/or thumb from dangerously migrating above the flight deck while shooting the crossbow.

*Available at no charge, contact our Customer Experience Team at 330-628-9245.

HCA-10014 Molded GripGuard / Black

SILENCERS

NOISE DAMPENING PACKAGES

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening packages progressively reduce decibel level and shorten noise duration when used on compound crossbows and/or vertical bows. Two versions are available:

HCA-13617 HCA-13718 [Not Shown]

Noise Dampening Package (Includes limb, retention spring foot stirrup, and barrel dampeners) Universal Limb and Foot Stirrup Silencing Package (Includes limb & foot stirrup dampeners only, for most compound crossbows and/or vertical bows)

MAINTENANCE

TENPOINT STRING WAX AND CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates and rejuvenates bow strings and cables.

HCA-11007 TenPoint String Wax and Conditioner

20

6-ARROW TECH QUIVER

The compact Tech quiver contains a rigid ultra-durable spine and is designed for easy ambidextrous mounting. It's grippers hold up to four arrows with broadheads and/or field points on the front of the quiver, and two additional arrows with field points can be stored on the back of the quiver for a total of up to six arrows. Mounting hardware is included.

HCA-01920 6-Arrow Tech Quiver



XTEND ADJUSTABLE CRANK HANDLES

The XTEND Crank Handles start at a compact 5-inches long and extend to their its user-friendly lengths of 6- or 7.5-inches. When extended to its full length, the crank handle decreases the cocking effort by up to 45% over the standard crank handle on all TenPoint gear-assisted cocking devices. Also includes parts to convert the XTEND Adjustable Crank Handle from a square drive to a hex drive for use on ACUdraw PRO or ACUdraw units.

HCA-446	XTEND Adjustable Crank Handle (Not compatible with the Havoc RS440 or Siege RS410)
HCA-447	XTEND Short Crank Handle (Compatible with the Havoc RS440 and Siege RS410) (not shown)

BEDNAR PERFECT PULLER® (PATENTED)

Named for and originally developed by the Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high-density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.

HCA-104 Bednar Perfect Puller (with interchangeable grippers)



Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™. Not compatible with RDX or NXT crossbows, RCX crossbows with built-in dampeners,

SDS (String Dampening System) A second set of SDS

rods. Compatible with Turbo M1, Titan M1, and

Wicked Ridge SDS (String Dampening System)

Compatible only with the Invader 400, Invader X4,

rods are included to alleviate the need for shortening



Rampage 360, Blackhawk 360, Warrior Ultra-Lite, and

HCA-146

LUBRICANTS

HCA-148

HCA-146

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grime. Recommended for strings, cables, cocking device cords, and barrel. Both feature Scorpion Venom™ Premium Lubricant

M-370 crossbows.

Ranger X2.

HCA-111 Flight Rail and Trigger Lube (tube) Premium Lubricant with Foam Applicator (bottle) HCA-112





RANGEMASTER® PRO SCOPE

HCA-D9B11 RangeMaster Pro Scope with flip-up scope caps

COCKING DEVICES

ACUDRAW PRO

- Reduces draw weight to roughly 9-pounds
- Silent operation
- Auto-engage lever activates the gear system immediately as cranking begins
- Draws the bow accurately every time
- ACUtorq handle sold separately
- Available as an accessory or pre-installed on certain models (not for use on pre-2018 Wicked Ridge crossbows)

HCA-001-PR0 ACUdraw PRO

ACUDRAW 50 SLED (NOT SHOWN)

ACUdraw 50 SLED (Pat HCA-000-A50-S (Not for use on Nitro X, Nitro XRT, and XR-410)

PRO-VIEW™ SCOPE MAXIMUM DISTANCE: 60-YARDS

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).

HCA-097-II Pro-View Scope

MULTI-LINE SCOPE MAXIMUM DISTANCE: 50-YARDS

Only 8.5-inches long, this compact scope features fully coated 3x optics and three duplex crossbairs calibrated for 20, 30 and 40-yards, and a fourth partial line for 50-yard shots. Scope mounting rinas included.



HCA-090 Multi-Line Scope

ACUDRAW

- · Reduces draw weight to about 5-pounds
- when operated manually Lightweight and has no bulky
- clamp-on accessories Draws the bow accurately every time
- Available as an accessory or pre-installed



HCA-000-B-AD ACUdraw

ACUSLED

ACUsled (Not for use on HCA-000-AS TenPoint reverse-draw sshows)



The following models require a complete upgrade. Please contact our Customer Experience Team at 330-628-9245 for more information: Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7

MODELS

Turbo Extreme & Magnum Extreme Elite X2, Magnum X2, Stealth X2, & Turbo X2 Hybrid Lite & Elite Lite Pro Fusion, Pro Slider, Titan TL-9, & Titan HLX Pro Elite, Elite, Elite QX-4, & QX-4 Maverick HP, Pro Elite HP, Blazer HP, & Lazer HP Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS, & Carbon Fusion CLS Stealth XLT & Turbo XLT Turbo XLT II, Carbon Elite XLT, & Stealth SS Shadow Ultra-Lite, Tactical XLT, Turbo GT & Renegade XLT Titan Xtreme GT Curve, GT Flex, & GT Mag Vapor Venom Lady Shadow Stealth FX4 & Venom Xtra Titan SS & Renegade Carbon Nitro RDX Carbon Phantom RCX & Eclipse RCX Vengent S440, Viper S400, Stealth NXT, & Shadow NXT Vapor RS470, Nitro XRT, Nitro X, XR-410, Havoc RS440 & Siege RS410 Turbo M1 & Titan M1

MODELS Storm RDX Vortec RDX Legend Ultra Lite Woodsman 360 & Carbon Woodsman 360

WICKED RIDGE

MODELS Invader HP, Invader, Warrior HL, & Warrior Raider CLS Ranger Lady Ranger Invader G3 & Warrior G3 Invader 400, Rampage 360, Invader X4, Warrior Ultra-Lite, Ranger X2, & Blackhawk 360 RDX 400

M370

NXT 400

22

ACUDRAW 50 (NOT SHOWN)

ACUdraw 50 (Pate


reverse-draw crosshows)

HCA-NND-A5N (Not for use on ultra-narrow

STRINGS	CABLES
HCA-115	HCA-124
HCA-11607	HCA-12307
HCA-12110	HCA-12710
HCA-12112	HCA-12912
HCA-12112-R	HCA-12912-R
HCA-11712	HCA-12612
HCA12008	N/A
HCA-11813	HCA-12813
HCA-12014	HCA-12514
HCA-12115-P	HCA-12915-P
HCA-12015-O	HCA-12515-O
HCA-11716-S	HCA-12616-S
HCA-12216-R	HCA-13116-R
HCA-70117	HCA-70017
HCA-70317	HCA-70617
HCA-70717	HCA-70617
HCA-11619-S	HCA-11619-C

STRINGS	CABLES
HCA-12215	HCA-13115
HCA-72717	HCA-72617
HCA-11915	HCA-13015
HCA-75117	HCA-75017

STRINGS	CABLES
WRA182	WRA162
WRA183	WRA163
HCA-13215-O	HCA-13315-O
HCA-13215-P	HCA-13315-P
HCA-13216-OB	HCA-13316-OB
HCA-75117	HCA-75017
HCA-13419-S	HCA-13419-C
HCA-11619-S	HCA-11619-C
HCA-70317	HCA-70617





We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us a reputation for making some of the most durable and dependable products on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days — so when the final product arrives on the shelves, it will meet your expectations.







These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/ NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608 Phone: 330.628.9245 • Fax: 330.628.0999