



TENPOINT

CROSSBOW TECHNOLOGIES



WITH SPEEDS OF 505 FPS, MEET THE
FASTEST CROSSBOW IN THE WORLD.

NITRO 505

DEFINING CROSSBOW PRECISION

2022 PRODUCT CATALOG



THE FASTEST CROSSBOW EVER.

NITRO 505



SPECIAL FEATURES NITRO 505™

- 1 ACUSLIDE (PATENT PENDING) SILENT COCKING & SAFE DE-COCKING SYSTEM**
 - Safest cocking & de-cocking system on the market.
 - Easiest cocking & de-cocking system to operate at only 5-pounds of force.
 - While operating, you can remove your hand from the handle at any point and it will stop in its place, eliminating the potential of injury or damage that may occur with other de-cocking systems on the market.
- 2 S1 TRIGGER**
 - 2-stage design.
 - Zero-creep.
 - Crisp, 3.5-pound pull.
 - Greater trigger control leading to same hole down-range accuracy.
- 3 CUSTOMIZE YOUR SETUP WITH MULTIPLE SCOPE OPTIONS**
 - Garmin® XERO® X1i Rangefinding Scope.
 - Burris® Oracle X™ Rangefinding Scope.
 - EVO-X® Marksman™ Elite Scope.
- 4 NEW DYNEEMA ACUSLIDE COCKING STRAP**
 - 2x stronger than previous ACUslide Cocking Strap.
 - Handles over 2,000-pounds of force.
- 5 NEW 20-INCH MICRO-TRAC BARREL**
 - Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.
- 6 NEW STRING & CABLE SYSTEM**
 - Increased strand count for added strength & durability at unprecedented speed.
- 7 NEW RX8 CAM SYSTEM**
 - Increased performance and accuracy.
 - 404-degrees of rotation creates longest speed-generating power-stroke ever on a crossbow.
 - Wider cable grooves for reduced cable wear.



OUR MOST TESTED CROSSBOW EVER.

To exceed 500 feet-per-second and maintain the durability you've come to expect from TenPoint, all major components were designed to ensure durability and precision accuracy at extreme shot counts that exceed any other high-performance crossbow on the market.

RANGE. AIM. KILL.



**THE MOST ACCURATE LONG-RANGE
CROSSBOWS EVER.**



FEATURING THE

GARMIN® | XERO® X1i

EXACT AIM. ANY DISTANCE.

Available on the fastest crossbow in the world and the fastest compact crossbow on the market, the Garmin® XERO® X1i crossbow scope with built-in laser range finder is the first of its kind. This auto-ranging digital scope with 3.5X magnification automatically measures distance to a target with the press of a single button. Forget the days of gap shooting, precise illuminated aim points automatically adjust for both distance and brightness conditions to allow you to see your target, unobstructed by reticle patterns.



NEW NITRO 505™ XERO™

SPEED 505 FPS

WIDTH 6.5 INCHES

LENGTH 30.5 INCHES

AVAILABLE FINISH



VEIL ALPINE™



SPECIAL FEATURES

- 1 ELEVATED CUSTOM CHEEK PIECE**
Provides perfect eye alignment with XERO® X1i Scope.
- 2 RANGE BUTTON**
Generate exact range and aiming point with the press of a single button.
- 3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM**
Provides silent cocking and safe de-cocking.
- 4 ADJUSTABLE BUTT PLATE**
Provides 1-inch length-of-pull adjustment.



HAVOC RS440™ XERO™

SPEED 440 FPS

WIDTH 7.5 INCHES

LENGTH 26.5 INCHES

AVAILABLE FINISH



VEIL ALPINE™



SPECIAL FEATURES

- 1 ELEVATED CUSTOM CHEEK PIECE**
Provides perfect eye alignment with XERO® X1i Scope.
- 2 INTEGRATED RANGE TOUCHPAD**
Generate exact range and aiming point with one touch.
- 3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM**
Provides silent cocking and safe de-cocking.
- 4 ADJUSTABLE BUTT PLATE**
Provides 1-inch length-of-pull adjustment.
- 5 HIDDEN CABLE**
Custom pocket integrates cable into stock to prevent snagging.



AUTOMATIC AIMING POINT.



**BUILT-IN RANGE FINDER PROVIDES EXACT DISTANCE
TO YOUR TARGET & AIMING POINT.**



FEATURING THE

BURRIS® ORACLE X™

Built on a decade of experience with rangefinding optics, the Oracle X™ features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X™ instantly displays the distance to your target and provides an exact aim point factoring in the angle of your shot. The aim point will also change to stay accurate no matter where you are within the 2-7X power zoom range!



NEW NITRO 505™ ORACLE X™

SPEED 505 FPS


WIDTH 6.5 INCHES

LENGTH 30.5 INCHES

AVAILABLE FINISH



VEIL ALPINE™



SPECIAL FEATURES

- 1 ELEVATED CUSTOM CHEEK PIECE**
Provides perfect eye alignment with Burris® Oracle X™ Scope.
- 2 RANGE BUTTON**
Generates exact range and aiming point.
- 3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM**
Provides silent cocking and safe de-cocking.
- 4 ADJUSTABLE BUTT PLATE**
Provides 1-inch length-of-pull adjustment.



SHIPS FULLY
ASSEMBLED



NEW VIPER S400™ ORACLE X™

SPEED 400 FPS

WIDTH 7.2 INCHES

LENGTH 32.0 INCHES

AVAILABLE FINISH



VEIL ALPINE™



SPECIAL FEATURES

- 1 ELEVATED CUSTOM CHEEK PIECE**
Provides perfect eye alignment with Burris® Oracle X™ Scope.
- 2 RANGE BUTTON**
Generates exact range and aiming point.
- 3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM**
Provides silent cocking and safe de-cocking.
- 4 ADJUSTABLE BUTT PLATE**
Provides 1-inch length-of-pull adjustment.



SHIPS FULLY
ASSEMBLED



NEW NITRO 505™

THE FASTEST, MOST POWERFUL CROSSBOW EVER.

SPEED 505 FPS **WIDTH** 6.5 INCHES **LENGTH** 30.5 INCHES

AVAILABLE FINISHES



VEIL ALPINE™ MOSS GREEN



1 EVO-X® MARKSMAN™ ELITE SCOPE
External Micro-Adjustable Target Turrets – Easy adjustment to windage and elevation for un-matched long-range accuracy.

3 MICRO-TRAC BARREL
Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE
Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM
Provides silent cocking and safe de-cocking.

5 S1 TRIGGER
2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 16

TENPOINT / CROSSBOWS

LIMITED LIFETIME WARRANTY

S1 TRIGGER

FACTORY PRE-SIGHTED

SHIPS FULLY ASSEMBLED



HAVOC RS440™

THE FASTEST COMPACT CROSSBOW.

SPEED 440 FPS **WIDTH** 7.5 INCHES **LENGTH** 26.5 INCHES

AVAILABLE FINISHES



VEIL ALPINE™ GRAPHITE



1 EVO-X® MARKSMAN™ ELITE SCOPE
External Micro-Adjustable Target Turrets – Easy adjustment to windage and elevation for un-matched long-range accuracy.

3 MICRO-TRAC BARREL
Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE
Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM
Provides silent cocking and safe de-cocking.

5 S1 TRIGGER
2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 16

TENPOINT / CROSSBOWS

LIMITED LIFETIME WARRANTY

S1 TRIGGER

FACTORY PRE-SIGHTED

SHIPS FULLY ASSEMBLED

ULTRA-COMPACT
26.5-INCHES LONG



7.5-INCHES WIDE

ULTRA-NARROW

6.5-INCHES WIDE



TENPOINTCROSSBOWS.COM

8

DEFINING CROSSBOW PRECISION

9



VENGENT S440™

OUR FASTEST & NARROWEST FORWARD DRAW.

SPEED 440 FPS **WIDTH** 5.8 INCHES **LENGTH** 35.0 INCHES

AVAILABLE FINISHES



VEIL ALPINE™ GRAPHITE



1 RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

3 MICRO-TRAC BARREL

Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM

Provides silent cocking and safe de-cocking.

5 S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

ULTRA-NARROW



5.8-INCHES WIDE

TENPOINTCROSSBOWS.COM

10



SIEGE RS410™

COMPACT MADE COMFORTABLE.

SPEED 410 FPS **WIDTH** 7.5 INCHES **LENGTH** 26.5 INCHES

AVAILABLE FINISHES



VEIL ALPINE™ GRAPHITE



1 RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

3 MICRO-TRAC BARREL

Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM

Provides silent cocking and safe de-cocking.

5 S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

ULTRA-COMPACT
26.5-INCHES LONG



7.5-INCHES WIDE

DEFINING CROSSBOW PRECISION

11



VIPER S400™

BEST-SELLING ACUSLIDE CROSSBOW.

SPEED 400 FPS **WIDTH** 7.2 INCHES **LENGTH** 32.0 INCHES

AVAILABLE FINISHES



VEIL ALPINE™ GRAPHITE



1 RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

3 MICRO-TRAC BARREL

Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM

Provides silent cocking and safe de-cocking.

5 S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

TENPOINT / CROSSBOWS

LIMITED LIFETIME WARRANTY



FACTORY PRE-SIGHTED



SHIPS FULLY ASSEMBLED

ULTRA-NARROW

7.2-INCHES WIDE



TENPOINTCROSSBOWS.COM

12



NEW TURBO S1™

THE MOST AFFORDABLE HIGH-END CROSSBOW.

SPEED 390 FPS **WIDTH** 7.2 INCHES **LENGTH** 31.0 INCHES

AVAILABLE FINISHES



VEKTRA™ MOSS GREEN



1 RANGEMASTER® PRO SCOPE

Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

3 MICRO-TRAC BARREL

Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing “rail-less” crossbows by hundreds of shots.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.

2 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM

Provides silent cocking and safe de-cocking.

5 S1 TRIGGER

2-stage, zero-creep design features a roller sear system that sets the standard in high-performance crossbow accuracy.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

TENPOINT / CROSSBOWS

LIMITED LIFETIME WARRANTY



FACTORY PRE-SIGHTED



SHIPS FULLY ASSEMBLED

TENPOINT'S
SHORTEST FORWARD DRAW
CROSSBOW

7.2-INCHES WIDE



DEFINING CROSSBOW PRECISION

13



NEW TITAN™ DE-COCK

OUR ALL-TIME BEST-SELLER NOW DE-COCKS.

SPEED 380 FPS **WIDTH** 9.0 INCHES **LENGTH** 32.5 INCHES

AVAILABLE FINISH



VEKTRA™

AVAILABLE WITH:
ACUDRAW DE-COCK OR
ACUDRAW 50 DE-COCK



ACUDRAW DE-COCK SILENT. SIMPLE. SAFE.



Silent Cocking

Silently cock the crossbow with an easy 5-pounds of force.




Simple Operation

If you don't take a shot, simply push the de-cock button on the trigger box.



Safe De-Cocking

You can remove your hand from the handle at any point and it will stop in place (ACUdraw De-Cock model only).



9-INCHES WIDE

1 PRO-VIEW™ SCOPE

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards and fully-coated 3x optics.

2 ACUDRAW DE-COCK (PATENT PENDING) OR ACUDRAW 50 DE-COCK (PATENT PENDING)

Provides silent cocking and safe de-cock.

3 D1 TRIGGER (PATENT PENDING)

2-stage, zero-creep design featuring a DFT™ (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

TENPOINTCROSSBOWS.COM

14



TITAN M1™

TENPOINT'S ALL-TIME BEST-SELLING CROSSBOW

SPEED 370 FPS **WIDTH** 9.0 INCHES **LENGTH** 32.5 INCHES

AVAILABLE FINISH



TRUETIMBER® VIPER



1 PRO-VIEW™ SCOPE

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards and fully-coated 3x optics.

2 ACUDRAW COCKING SYSTEM (OPTIONAL)

Reduces draw weight to about 5-pounds when operated manually.

3 VX-5 CAMS

Elongates the power-stroke and increases rotation, delivering lethal accuracy shot-after-shot.

4 T5 TRIGGER

Featuring a string latch design that reduces friction and delivers a crisp, consistent break.











AVAILABLE AS COMPLETE PACKAGE SEE PAGE 17

DEFINING CROSSBOW PRECISION

15



SPECIFICATIONS

| |  |  |  |  |  |  |  |  |
|--|---|---|---|---|---|---|---|---|
| | NITRO 505 SAFE DE-COCKING | HAVOC RS440 SAFE DE-COCKING | VENGENT S440 SAFE DE-COCKING | SIEGE RS410 SAFE DE-COCKING | VIPER S400 SAFE DE-COCKING | TURBO S1 SAFE DE-COCKING | TITAN DE-COCK SAFE DE-COCKING | TITAN M1 |
| LENGTH <small>(without foot stirrup)</small> | 30.5" | 26.5" | 35" | 26.5" | 32" | 31" | 32.5" | 32.5" |
| WIDTH - AXLE-TO-AXLE <small>(uncocked / cocked)</small> | 12" / 6.5" | 12.3" / 7.5" | 11" / 5.8" | 12.3" / 7.5" | 11" / 7.2" | 11" / 7.2" | 14" / 9" | 14" / 9" |
| POWER STROKE | 17" | 13.5" | 14" | 13.5" | 11" | 11" | 14" | 14" |
| DRAW WEIGHT | 300 | 270 | 250 | 220 | 250 | 220 | 190 | 180 |
| WEIGHT <small>(with accessories)</small> | 7.9 lbs. <small>(with ACUslide)</small> | 7.5 lbs. <small>(with ACUslide)</small> | 7.7 lbs. <small>(with ACUslide)</small> | 7.5 lbs. <small>(with ACUslide)</small> | 7.5 lbs. <small>(with ACUslide)</small> | 7.3 lbs. <small>(with ACUslide)</small> | 6.4 lbs. | 6.4 lbs. |

PERFORMANCE

(FEET-PER-SECOND / FOOT-POUNDS KE)

| | | | | | | | | |
|---|---|---|--|--|--|---|---|--|
| PRO LITE ARROW <small>(370-grains)</small> | N/A | N/A | 440 / 159 | N/A | N/A | N/A | 380 / 119 | 370 / 113 |
| PRO ELITE 400 ARROW <small>(400-grains)</small> | 505 / 227 | N/A | 430 / 164 | N/A | 400 / 142 | 390 / 135 <small>(Supplied arrow speed / KE)</small> | 370 / 122 <small>(Supplied arrow speed / KE)</small> | 360 / 115 <small>(Supplied arrow speed / KE)</small> |
| EVO-X CENTERPUNCH 16 ARROW <small>(400-grains)</small> | N/A | 440 / 172 <small>(Supplied arrow speed / KE)</small> | N/A | 410 / 149 <small>(Supplied arrow speed / KE)</small> | N/A | N/A | N/A | N/A |
| EVO-X CENTERPUNCH ARROW <small>(455-grains)</small> | 485 / 232 <small>(Supplied arrow speed / KE)</small> | N/A | 410 / 166 <small>(Supplied arrow speed / KE)</small> | N/A | 380 / 143 <small>(Supplied arrow speed / KE)</small> | 370 / 135 | 350 / 121 | 340 / 114 |
| ACCESSORIES <small>(Included with package)</small> | XERO & ORACLE X PACKAGES: Tech Quiver 6 EVO-X Arrows EVO-X MARKSMAN PACKAGES: Tech Quiver 6 EVO-X Arrows Bubble Level | XERO PACKAGE: Tech Quiver 6 EVO-X 16 Arrows EVO-X MARKSMAN PACKAGE: Tech Quiver 6 EVO-X 16 Arrows Bubble Level | Tech Quiver 6 EVO-X Arrows Narrow Soft Case Bubble Level | Tech Quiver 6 EVO-X 16 Arrows | Tech Quiver 3 EVO-X Arrows | Quiver 3 Pro Elite 400 Arrows | Quiver 3 Pro Elite 400 Arrows | Quiver 3 Pro Elite 400 Arrows |
| PACKAGE NUMBERS | ACUslide & Garmin® XERO® X1i Scope: CB22005-6179 ACUslide & Burris® Oracle X™ Scope: CB22005-6169 ACUslide & EVO-X Marksmen Elite Scope: Veil Alpine™: CB22005-6189 Moss Green: CB22005-1199 | ACUslide & Garmin XERO® X1i Scope: CB21008-6279 ACUslide & EVO-X Marksmen Elite Scope: Veil Alpine™: CB21008-6289 Graphite: CB21008-1299 | ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB20007-6219 Graphite: CB20007-1219 | ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB21012-6819 Graphite: CB21012-1819 | ACUslide & Burris® Oracle X™ Scope: CB20015-6869 ACUslide & RangeMaster Pro Scope: Veil Alpine™: CB20015-6819 Graphite: CB20015-1819 | ACUslide & RangeMaster Pro Scope: Vektra™: CB22020-7519 Moss Green: CB22020-1519 | ACUdraw De-Cock & Pro-View Scope CB22047-7528 ACUdraw 50 De-Cock & Pro-View Scope CB22047-7527 | ACUdraw & Pro-View Scope: CB19047-3522 Rope-Sled & Pro-View Scope: CB19047-3524 |



SAFE DE-COCKING AT \$799?



YEAH, WE JUST DID THAT.



SILENT COCKING

Silently cock the crossbow with an easy 5-pounds of force.



SIMPLE OPERATION

If you don't take a shot, simply push the de-cock button on the trigger box.



SAFE DE-COCKING

You can remove your hand from the handle at any point and it will stop in place.

AMERICAN BUILT BY AMERICAN WORKERS

For most hunters, we just made your crossbow obsolete. Forget the hassle of discharging your bow at the end of the hunt and damaging arrows – Wicked Ridge's **NEW** 2022 crossbows silently cock and safely de-cock with the revolutionary ACUdraw De-Cock (patent pending).

Speeds over 400 feet-per-second, safe de-cocking, and unheard-of prices starting at \$799... visit a dealer and find out why it's time to retire your old crossbow.



NEW FURY 410™ DE-COCK

\$2,000 WORTH OF FEATURES FOR HALF THE PRICE.

SPEED 410 FPS **WIDTH** 9.0 INCHES **LENGTH** 29.0 INCHES

AVAILABLE FINISH




PEAK XT™



ULTRA-COMPACT
29-INCHES LONG

9-INCHES WIDE

SILENT. SIMPLE. SAFE.



Silent Cocking
Silently cock the crossbow with an easy 5-pounds of force.



Simple Operation
If you don't take a shot, simply push the de-cock button on the trigger box.



Safe De-Cocking
You can remove your hand from the handle at any point and it will stop in place.

1 RANGEMASTER® PRO SCOPE
Featuring multi-coated glass for optimal light gathering, the variable speed scope includes lighted aiming points for precision down-range accuracy.

2 ACUDRAW DE-COCK (PATENT PENDING)
Provides silent cocking and safe de-cocking.

3 D1 TRIGGER (PATENT PENDING)
2-stage, zero-creep design featuring a DFPTM (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

WICKEDRIDGECROSSBOWS.COM

20



NEW RAIDER 400™ DE-COCK

AN INDUSTRY FIRST – SAFE DE-COCKING AT \$799.

SPEED 400 FPS **WEIGHT** 6.5 POUNDS **LENGTH** 31.5 INCHES

AVAILABLE FINISH



PEAK XT™



15-INCHES WIDE

SILENT. SIMPLE. SAFE.



Silent Cocking
Silently cock the crossbow with an easy 5-pounds of force.



Simple Operation
If you don't take a shot, simply push the de-cock button on the trigger box.



Safe De-Cocking
You can remove your hand from the handle at any point and it will stop in place.

1 ACUDRAW DE-COCK (PATENT PENDING)
Provides silent cocking and safe de-cocking.

2 D1 TRIGGER (PATENT PENDING)
2-stage, zero-creep design featuring a DFPTM (Dry-Fire-Prohibitor) that delivers a consistent crisp, 3.5-pound pull.



AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

HIGHEST-QUALITY, VALUE-DRIVEN CROSSBOWS

21



NXT 400™

The narrowest Wicked Ridge crossbow at just 6-inches wide, the American-Built NXT 400 unleashes devastating speeds at 400 FPS and features a built-in ACUdraw cocking device for easy cocking. Built to deliver jaw-dropping power and match-grade down-range accuracy, the NXT 400 provides a combination of speed, width, and accuracy unrivaled in its crossbow class.

SPEED 400 FPS

WIDTH 6.0 INCHES

WEIGHT 7.4 POUNDS



AVAILABLE FINISH



PEAK™

LIMITED
LIFETIME
WARRANTYFACTORY
PRE-SIGHTEDSHIPS FULLY
ASSEMBLEDSHIPS FULLY
ASSEMBLED

RDX 400™

The working man's reverse-draw crossbow, the RDX 400 features a perfectly balanced reverse-draw bow assembly and our Reaper Cam System™ that together deliver consistent down-range accuracy and lightning speeds up to 400 FPS. Focused on speed-to-price ratio, the RDX 400 includes a complete package with a cocking device and an Integrated String Stop System.

SPEED 400 FPS

WIDTH 9.0 INCHES

WEIGHT 7.6 POUNDS



AVAILABLE FINISH

MOSSY OAK
BREAK-UP COUNTRY®LIMITED
LIFETIME
WARRANTYFACTORY
PRE-SIGHTEDSHIPS FULLY
ASSEMBLEDSHIPS FULLY
ASSEMBLED

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

WICKEDRIDGECROSSBOWS.COM

22



M-370™

The M-370 measures an incredibly narrow 9.5-inches wide and shoots up to a blazing 370 feet-per-second. Available with a built-in ACUdraw cocking device for effortless cocking, the American-Built M-370 is the lightest crossbow on the market.

SPEED 370 FPS

WIDTH 9.5 INCHES

WEIGHT 5.8 POUNDS



AVAILABLE FINISH



PEAK™

LIMITED
LIFETIME
WARRANTYFACTORY
PRE-SIGHTEDSINGLE-BOLT
ASSEMBLY


INVADER™ 400

The best-selling Wicked Ridge model, the Invader 400 registers 400 FPS – an incredible 40 feet-per-second faster than its predecessor. Proudly built in America, it features a Pro-View lighted scope and a built-in cocking device for effortless cocking.

SPEED 400 FPS

WIDTH 15.0 INCHES

WEIGHT 6.0 POUNDS



AVAILABLE FINISH



PEAK™

LIMITED
LIFETIME
WARRANTYFACTORY
PRE-SIGHTEDSINGLE-BOLT
ASSEMBLY

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

HIGHEST-QUALITY, VALUE-DRIVEN CROSSBOWS

23




RAMPAGE 360™

The industry's first entry-level crossbow with a built-in cocking device, the Rampage 360 shoots up to 360 feet-per-second and measures 15-inches wide. Delivering unmatched out-of-the box accuracy and unparalleled American-built quality, it is the premiere entry-level crossbow on the market.

SPEED 360 FPS

WIDTH 15.0 INCHES

WEIGHT 6.0 POUNDS



AVAILABLE FINISH



PEAK™

SINGLE-BOLT
ASSEMBLY

BLACKHAWK 360™

Who says that a budget friendly crossbow has to come from China? Meet the Blackhawk 360. Born and bred in the US, this bow is just like you...it hunts hard to get the job done, and is proud to be American!

SPEED 360 FPS

WIDTH 15.0 INCHES

WEIGHT 6.0 POUNDS



AVAILABLE FINISH



BLACK / PEAK™

SINGLE-BOLT
ASSEMBLY

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25

TENPOINTCROSSBOWS.COM

24

SPECIFICATIONS



| | NXT 400 | FURY 410 SAFE DE-COCKING | RDX 400 | RAIDER 400 SAFE DE-COCKING | M-370 | INVADER 400 | RAMPAGE 360 | BLACKHAWK 360 |
|--|------------|-----------------------------|----------|-------------------------------|------------|-------------|----------------|------------------|
| LENGTH (without foot stirrup) | 33" | 29" | 32.25" | 31.5" | 35" | 35.5" | 35.5" | 35.5" |
| WIDTH - AXLE-TO-AXLE (uncocked / cocked) | 11.3" / 6" | 15" / 9" | 15" / 9" | 19" / 15" | 14" / 9.5" | 19" / 15" | 19" / 15" | 19" / 15" |
| POWER STROKE | 15.5" | 15.5" | 15.5" | 13.5" | 13.8" | 13.5" | 13.5" | 13.5" |
| DRAW WEIGHT | 200 | 200 | 175 | 185 | 180 | 185 | 175 | 175 |
| WEIGHT (without accessories) | 7.4 lbs. | 7.5 lbs. | 7.6 lbs. | 6.5 lbs. | 5.8 lbs. | 6.0 lbs. | 6.0 lbs. | 6.0 lbs. |

PERFORMANCE

(FEET-PER-SECOND / FOOT-POUNDS KE)

| | | | | | | | | |
|--|---|---|---|---|---|---|---|---|
| PRO LITE ARROW (370-grains) | N/A | 410 / 138 | 400 / 132 | 400 / 132 | 370 / 113 | 400 / 132 | 360 / 107 | 360 / 107 |
| WR MATCH 400 CARBON (400-grains) | 400 / 142 (Supplied arrow speed / KE) | 400 / 142 (Supplied arrow speed / KE) | 390 / 135 | 390 / 135 (Supplied arrow speed / KE) | 360 / 115 (Supplied arrow speed / KE) | 390 / 135 | 350 / 109 | 350 / 109 |
| WR XX75 ALUMINUM (435-grains) | N/A | N/A | 380 / 140 (Supplied arrow speed / KE) | 380 / 140 | N/A | 380 / 140 (Supplied arrow speed / KE) | 340 / 112 (Supplied arrow speed / KE) | 340 / 112 (Supplied arrow speed / KE) |

ACCESSORIES
(Included with package)

| | | | | | | | |
|---------------------------------|---------------------------------|-------------------------|---------------------------------|---------------------------------|-------------------------|-------------------------|-------------------------|
| Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 XX75 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 XX75 Arrows | Quiver 3 XX75 Arrows | Quiver 3 XX75 Arrows |
|---------------------------------|---------------------------------|-------------------------|---------------------------------|---------------------------------|-------------------------|-------------------------|-------------------------|

PACKAGE NUMBERS

| | | | | | | | |
|---|---|---|--|--|---|---|---|
| ACUdraw & Pro-View Scope: WR21002-9522 | ACUdraw De-Cock & RangeMaster Pro Scope: WR22060-4518 | ACUdraw PRO & Multi-Line Scope: WR19060-5532 | ACUdraw De-Cock & Multi-Line Scope: WR22005-4538 | ACUdraw & Multi-Line Scope: WR20003-9532 Rope-Sled & Multi-Line Scope: WR20003-9534 | ACUdraw & Pro-View Scope: WR20005-9522 ACUdraw 50 & Pro-View Scope: WR20005-9521 | ACUdraw & Multi-Line Scope: WR20015-9432 ACUdraw 50 & Multi-Line Scope: WR20015-9431 | Rope-Cocker & Multi-Line Scope: WR21020-9535 |
|---|---|---|--|--|---|---|---|


REVOLUTIONARY ALPHA-NOCK HP & ALPHA-BLAZE LIGHTED NOCK

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT AND SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock HP resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear.

The Alpha-Nock HP's deep channel design increases the string-to-nock engagement by 28% and "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".

ALPHA-NOCK™ HP



ALPHA-BLAZE™

LIGHTED NOCK

NEW ALPHA-BLAZE LIGHTED NOCK WITH LED UNIT

The Alpha-Blaze Lighted Nock contains a one-piece Nock/LED unit that is indexed with the vanes and press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bowstring's force compresses the two pieces and activates the lighted nock.

Deactivate the easy on/off Alpha-Blaze lighted nock by pulling the nock straight out until the light turns off – no tools required. The LED light of the Alpha-Blaze system lasts for approximately eight hours when activated.

The system features TenPoint's NEW Alpha-Nock HP that is equipped with an HP Aluminum Bushing for increased strength and accuracy.

BE SURE THE ALPHA-NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW (AS SHOWN ABOVE).

* All TenPoint and Wicked Ridge crossbows require the use of an Alpha-Nock Arrow. Failure to do so will void the manufacturer's warranty.

HEA-379.3 3-pack Alpha-Blaze Lighted Nock for HP Bushing – Green



ARROWS

TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 455-GRAINS / BALANCED AT 15% FOC / .001" STRAIGHTNESS

The most accurate crossbow arrow ever, the CenterPunch 20-inch arrow is fletched slightly offset and is fitted with a 68-grain insert and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3.5" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-grain per arrow.

| | |
|------------|---------------------------------------|
| HEA-740.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-740.36 | 36-pack (w/Alpha-Nock HP) |
| HEA-749.3 | 3-pack (w/Alpha-Blaze lighted nocks) |
| HEA-749.36 | 36-pack (w/Alpha-Blaze lighted nocks) |

*All 3- and 6-packs come with 100-grain field points

TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS

16-INCH / 400-GRAINS / BALANCED AT 17.5% FOC / .001" STRAIGHTNESS

Specifically designed for the Havoc RS440 and the Siege RS410, the CenterPunch 16-inch arrow is fletched slightly offset and is fitted with a 68-grain insert and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 2.1" Q2i Fusion-II Vanes. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-grain matched within 1-grain per arrow.

| | |
|------------|---------------------------------------|
| HEA-750.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-750.36 | 36-pack (w/Alpha-Nock HP) |
| HEA-759.3 | 3-pack (w/Alpha-Blaze lighted nocks) |
| HEA-759.36 | 36-pack (w/Alpha-Blaze lighted nocks) |

*All 3- and 6-packs come with 100-grain field points

TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 46-grain aluminum insert, 3.5" Bohning X Vanes™, and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" and hand-sorted for weight tolerance to within 2-grains per dozen.

Note: Alpha-Brite lighted arrows come with original Alpha-Nocks.

| | |
|------------|---------------------------------------|
| HEA-660.3 | 3-pack (w/Alpha-Nock HP) |
| HEA-660.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-660.36 | 36-pack (w/Alpha-Nock HP) |
| HEA-668.3 | 3-pack (w/Alpha-Brite lighted nocks) |
| HEA-668.6 | 3-pack (w/Alpha-Brite lighted nocks) |
| HEA-668.36 | 36-pack (w/Alpha-Brite lighted nocks) |

*All 3- and 6-packs come with 100-grain field points

NEW WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset and is fitted with a 46-grain aluminum insert, 3.5" Bohning X Vanes™, and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" and hand-sorted for weight tolerance to within 2-grains per dozen.

Note: Alpha-Brite lighted arrows come with original Alpha-Nocks.

| | |
|------------|---------------------------------------|
| HEA-760.3 | 3-pack (w/Alpha-Nock HP) |
| HEA-760.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-760.36 | 36-pack (w/Alpha-Nock HP) |
| HEA-768.3 | 3-pack (w/Alpha-Brite lighted nocks) |
| HEA-768.36 | 36-pack (w/Alpha-Brite lighted nocks) |

*All 3- and 6-packs come with 100-grain field points

XX75 WICKED RIDGE LIGHTED & NON-LIGHTED ALUMINUM ARROWS

20-INCH / 450-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain carbon insert, 2.0 Easton Bully Boattail Vane, and TenPoint's Alpha-Nock.

Note: Alpha-Brite lighted arrows come with original Alpha-Nocks.

| | |
|------------|---------------------------------------|
| HEA-060.3 | 3-pack (w/Alpha-Nock HP) |
| HEA-060.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-060.36 | 36-pack (w/Alpha-Nock HP) |
| HEA-068.3 | 3-pack (w/Alpha-Brite lighted nocks) |
| HEA-068.36 | 36-pack (w/Alpha-Brite lighted nocks) |

*All 3- and 6-packs come with 100-grain field points

CROSSBOW DISCHARGE ARROW

20-INCH / 725-GRAINS

The Crossbow Discharge Arrow includes a 20-inch carbon arrow with installed Alpha Nock HP Nock, Alpha Nock HP Nock Bushing, discharge collar, and field tip. The 725-grain finished arrow with an Alpha-Nock HP Nock, is designed for use on most crossbows that shoot a 20-inch arrow. It can also be used on most crossbows requiring flat, moon, or capture nocks.

| | |
|-----------|--------------------------|
| HEA-00018 | Crossbow Discharge Arrow |
|-----------|--------------------------|

BROADHEADS

TENPOINT EVO-X CENTERPUNCH EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy and a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, and scalpel sharp blades stay closed during flight – creating massive wound channels and leaving huge blood trails.



HEA-800.3 CenterPunch Broadhead (3-pack)

TENPOINT EVO-X MONTEC FIXED BROADHEAD


Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength and pin-point accuracy, and features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.



HEA-801.3 Montec Broadhead (3-pack)

NEW WICKED RIDGE IMPACT EXPANDABLE BROADHEAD


Designed for precision, durability, and performance at a great value, the 100-grain, 2-blade, rear-deploying Impact broadhead features a steel construction and a simple, collarless design that delivers field point accuracy and a devastating 2" cut. Its stainless-steel ferrule and ultra-strong bone-crushing tip deliver massive wound channels and huge blood trails, while its floating blade design ensures the blades do not open in-flight.



HEA-803.3 Impact Broadhead (3-pack)

CROSSBOW CASES

HALO BOWPACK THE INDUSTRY'S FIRST CROSSBOW BACKPACK-PERFECT FOR YOUR TREK THRU THE WOODS.



Two elastic side pockets for storing water bottles or a quiver with arrows.

Molle straps on the exterior pockets allow you to attach additional accessories.




Rigid frame provides robust back support and includes a pocketed waist strap and sternum strap for ultimate carrying comfort.

Four external zippered pockets for storage of calls, range finder, extra clothing, cellphone, etc.

HCA-20120 HALO Bowpack - Custom Designed for TenPoint's Havoc RS440 and Siege RS410
DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"

NEW WICKED RIDGE AMBUSH CROSSBOW BOWPACK THE INDUSTRY'S MOST AFFORDABLE BOWPACK DESIGNED FOR WICKED RIDGE CROSSBOWS.



Two elastic side pockets for storing water bottles or a quiver with arrows.

Two external zippered pockets for storage of calls, range finder, extra clothing, cellphone, etc.



WRA221 AMBUSH Bowpack - Custom Designed for 2019 Wicked Ridge Models and Newer
DIMENSIONS: Pack Length: 33" | Pack Width 17" | Pack Depth 11"

SEMI-RIGID CASE

Designed for maximum protection and durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook and loop straps to secure the crossbow during travel, and storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



HCA-20318 TenPoint STAG Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up
DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

SOFT CASES

These ultra-durable soft cases ensure protection needed for travel and/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), and zippered compartment(s) for accessories.



HCA-20119 Narrow Soft Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up
DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"
WRA220 Wicked Ridge Soft Crossbow Case / Black / Fits 2018 and newer Wicked Ridge crossbows (except Ranger and Lady Ranger models)
DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

CROSSBOW ACCESSORIES

NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.



HCA-004 TenPoint
WRA004 Wicked Ridge



STEDDYEDDY® (PATENTED)

The SteadyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection and clamps under your stock when not in use.

HCA-030 SteadyEddy Crossbow Monopod System (compatible with TenPoint and Wicked Ridge crossbows)

REPLACEMENT CRANK HANDLES


HCA-446 XTEND Adjustable Crank Handle (Not compatible with the Havoc RS440 or Siege RS410)
HCA-447 XTEND Short Crank Handle (Compatible with the Havoc RS440 and Siege RS410) (not shown)
HCA-448 ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, and Raider 400 De-Cock)
HCA-430 Crank Handle (Compatible with ACUdraw and ACUdraw PRO)



SILENCERS

NOISE DAMPENING PACKAGES

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening packages progressively reduce decibel level and shorten noise duration when used on compound crossbows and/or vertical bows. Two versions are available:



HCA-13617 Noise Dampening Package (Includes limb, retention spring foot stirrup, and barrel dampeners)
HCA-13718 (Not Shown) Universal Limb and Foot Stirrup Silencing Package (Includes limb & foot stirrup dampeners only, for most compound crossbows and/or vertical bows)

MAINTENANCE

TENPOINT STRING WAX AND CONDITIONER

Made from all-natural compounds. Comes in a convenient cap-stick style tube. Lubricates and rejuvenates bow strings and cables.



HCA-11007 TenPoint String Wax and Conditioner

6-ARROW TECH QUIVER

The compact Tech quiver contains a rigid ultra-durable spine and is designed for easy ambidextrous mounting. It's grippers hold up to four arrows with broadheads and/or field points on the front of the quiver, and two additional arrows with field points can be stored on the back of the quiver for a total of up to six arrows. Mounting hardware is included.



HCA-01920 6-Arrow Tech Quiver

BEDNAR PERFECT PULLER® (PATENTED)

Named for and originally developed by the Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high-density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.



HCA-104 Bednar Perfect Puller (with interchangeable grippers)

STRING DAMPENING SYSTEMS (SDS)

Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™. Not compatible with RDX or NXT crossbows, RCX crossbows with built-in dampeners, ACUslide crossbows, or Fury 410 De-Cock crossbows.



HCA-148

HCA-148 SDS (String Dampening System) A second set of SDS rods are included to alleviate the need for shortening rods. Compatible with Turbo M1, Titan M1, and M-370 crossbows. Wicked Ridge SDS (String Dampening System) Compatible only with the Invader 400, Invader X4, Rampage 360, Blackhawk 360, Warrior Ultra-Lite, Ranger X2, and Raider 400 De-Cock.
HCA-146



HCA-146

LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grime. Recommended for strings, cables, cocking device cords, and barrel. Both feature Scorpion Venom™ Premium Lubricant.



HCA-111 Flight Rail and Trigger Lube (tube)
HCA-112 Premium Lubricant with Foam Applicator (bottle)

SCOPES

EVO-X® MARKSMAN™ ELITE SCOPE

RETICLE: 20-100-YARDS

The brightest and most accurate variable speed crossbow scope on the market, this scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 300 and 500 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, and 60-yards, two illuminated (red or green) dots at 30- and 50-yards, and four non-illuminated chevrons at 70-, 80-, 90-, and 100-yards, presents the shooter with a simplified aiming system. Offered in black or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle and fully multi-coated 2-8x optics that increase field-of-view and brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage and elevation for unmatched long-range accuracy.



| | |
|-------------|---|
| HCA-095.2VA | EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™ |
| HCA-095.2 | EVO-X Marksman Elite Scope with flip-up scope caps – Black |

RANGEMASTER® PRO SCOPE

RETICLE: 20-60-YARDS

This 8.25-inch aluminum scope features a variable speed and arrow drop-compensation setting for crossbows, and requires no adjustment for distance. Three duplex crosshairs and four dots calibrated for 20-, 30-, 40- and 50-yards, and a triangle for 60-yards (fourth dot and triangle are free-standing, just below the 40-yard crosshair) are available with a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.



| | |
|-----------|---|
| HCA-09811 | RangeMaster Pro Scope with flip-up scope caps |
|-----------|---|

PRO-VIEW™ SCOPE

RETICLE: 20-60-YARDS

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).



| | |
|------------|----------------|
| HCA-097-II | Pro-View Scope |
|------------|----------------|

MULTI-LINE SCOPE

RETICLE: 20-50-YARDS

Only 8.5-inches long, this compact scope features fully-coated 3x optics and three duplex crosshairs calibrated for 20, 30, and 40-yards, and a fourth partial line for 50-yard shots. Scope mounting rings included.



| | |
|---------|------------------|
| HCA-090 | Multi-Line Scope |
|---------|------------------|

COCKING DEVICES

ACUDRAW PRO

- Reduces draw weight to 9-pounds
- Silent operation
- Auto-engage lever activates the gear system immediately as cranking begins
- Draws the bow accurately every time
- Available as an accessory or pre-installed on certain models (not for use on pre-2018 Wicked Ridge crossbows)



| | |
|-------------|-------------|
| HCA-001-PRO | ACUdraw PRO |
|-------------|-------------|

ACUDRAW

- Reduces draw weight to 5-pounds when operated manually
- Lightweight and has no bulky clamp-on accessories
- Draws the bow accurately every time
- Available as an accessory or pre-installed



| | |
|--------------|---------|
| HCA-000-B-AD | ACUdraw |
|--------------|---------|

ACUDRAW 50 SLED (NOT SHOWN)

| | |
|---------------|---|
| HCA-000-A50-S | ACUdraw 50 SLED (Patented) (Not for use on Nitro X, Nitro XRT, and XR-410) |
|---------------|---|

ACUDRAW 50 (NOT SHOWN)

| | |
|-------------|--|
| HCA-000-A50 | ACUdraw 50 (Patented) (Not for use on ultra-narrow or reverse-draw crossbows) |
|-------------|--|

ACUSLED (NOT SHOWN)

| | |
|------------|---|
| HCA-000-AS | ACUshed (Not for use on TenPoint reverse-draw crossbows) |
|------------|---|

2022 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact our Customer Experience Team at 330-628-9245 for more information:
Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7

TENPOINT

| MODELS | STRINGS | CABLES |
|---|-------------|-------------|
| Turbo Extreme & Magnum Extreme | HCA-115 | HCA-124 |
| Elite X2, Magnum X2, Stealth X2, & Turbo X2 | HCA-115 | HCA-124 |
| Hybrid Lite & Elite Lite | HCA-115 | HCA-124 |
| Pro Fusion, Pro Slider, Titan TL-9, & Titan HLX | HCA-115 | HCA-124 |
| Pro Elite, Elite, Elite QX-4, & QX-4 | HCA-115 | HCA-124 |
| Maverick HP, Pro Elite HP, Blazer HP, & Lazer HP | HCA-115 | HCA-124 |
| Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS, & Carbon Fusion CLS | HCA-11607 | HCA-12307 |
| Stealth XLT & Turbo XLT | HCA-12110 | HCA-12710 |
| Turbo XLT II, Carbon Elite XLT, & Stealth SS | HCA-12112 | HCA-12912 |
| Shadow Ultra-Lite, Tactical XLT, Turbo GT & Renegade XLT | HCA-12112-R | HCA-12912-R |
| Titan Xtreme | HCA-11712 | HCA-12612 |
| GT Curve, GT Flex, & GT Mag | HCA12008 | N/A |
| Vapor | HCA-11813 | HCA-12813 |
| Venom | HCA-12014 | HCA-12514 |
| Lady Shadow | HCA-12112-R | HCA-12912-R |
| Stealth FX4 & Venom Xtra | HCA-12015-O | HCA-12515-O |
| Titan SS & Renegade | HCA-11716-S | HCA-12616-S |
| Carbon Nitro RDX | HCA-12216-R | HCA-13116-R |
| Carbon Phantom RCX & Eclipse RCX | HCA-70117 | HCA-70017 |
| Vengent S440, Viper S400, Stealth NXT, Turbo S1, & Shadow NXT | HCA-70317 | HCA-70617 |
| Vapor RS470, Nitro XRT, Nitro X, XR-410, Havoc RS440 & Siege RS410 | HCA-70717 | HCA-70617 |
| Turbo M1, Titan M1, & Titan De-Cock | HCA-11619-S | HCA-11619-C |
| Nitro X, Nitro XRT, Vapor RS470, & XR-410 | HCA-70717 | HCA-70617 |
| Nitro 505 | HCA-70318 | HCA-70418 |

HORTON

| MODELS | STRINGS | CABLES |
|------------------------------------|-------------|-------------|
| Storm RDX | HCA-12215 | HCA-13115 |
| Vortec RDX | HCA-72717 | HCA-72617 |
| Legend Ultra Lite | HCA-11716-S | HCA-12616-S |
| Woodsman 360 & Carbon Woodsman 360 | HCA-75117 | HCA-75017 |

WICKED RIDGE

| MODELS | STRINGS | CABLES |
|--|--------------|--------------|
| Invader HP, Invader, Warrior HL, & Warrior | WRA182 | WRA162 |
| Raider CLS | WRA183 | WRA163 |
| Ranger | HCA-13215-O | HCA-13315-O |
| Lady Ranger | HCA-13216-OB | HCA-13316-OB |
| Invader G3 & Warrior G3 | HCA-13216-OB | HCA-13316-OB |
| Invader 400, Rampage 360, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, & Raider 400 De-Cock | HCA-75117 | HCA-75017 |
| RDX 400 | HCA-13419-S | HCA-13419-C |
| M370 | HCA-11619-S | HCA-11619-C |
| NXT 400 | HCA-70317 | HCA-70617 |
| Fury 410 De-Cock | HCA-72717 | HCA-72617 |



BUILT IN AMERICA
MOGADORE, OHIO

We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us the reputation for making the most durable and dependable crossbows on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days — so when the final product arrives on the shelves, it will meet your expectations.



1325 Waterloo Road • Mogadore, OH 44260-9608
Phone: 330.628.9245 • Fax: 330.628.0999



WWW.TENPOINTCROSSBOWS.COM

These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/.

NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

