



WITH SPEEDS OF 505 FPS, MEET THE FASTEST CROSSBOW IN THE WORLD.

NITRO

DEFINING CROSSBOW PRECISION

2022 PRODUCT CATALOG

THE FASTEST CROSSBOW EVER.

WTENPOINT

505

NITR

OUR MOST TESTED CROSSBOW EVER.

TENPOIN

TENPOINTCROSSBOWS.COM

To exceed 500 feet-per-second and maintain the durability you've come to expect from TenPoint, all major components were designed to ensure durability and precision accuracy at extreme shot counts that exceed any other high-performance crossbow on the market.

SPECIAL FEATURES NITRO 505™

1 ACUSLIDE (PATENT PENDING) SILENT COCKING & SAFE DE-COCKING SYSTEM

- Safest cocking & de-cocking system on the market.
- Easiest cocking & de-cocking system to operate at only 5-pounds of force.
- While operating, you can remove your hand from the handle at any point and it will stop in its place, eliminating the potential of injury or damage that may occur with other de-cocking systems on the market.

2 S1 TRIGGER

- 2-stage design.
- Zero-creep.
- Crisp, 3.5-pound pull.
- Greater trigger control leading to same hole down-range accuracy.

3 CUSTOMIZE YOUR SETUP WITH MULTIPLE SCOPE OPTIONS

- Garmin[®] XERO[®] X1i Rangefinding Scope.
- Burris[®] Oracle X[™] Rangefinding Scope.
- EVO-X[®] Marksman[™] Elite Scope.

NEW DYNEEMA ACUSLIDE COCKING STRAP

- 2x stronger than previous ACUslide Cocking Strap.
- Handles over 2,000-pounds of force.

5 NEW 20-INCH MICRO-TRAC BARREL

• Reduces string-to-barrel contact by 50% to provide longest string life in the industry – surpassing "rail-less" crossbows by hundreds of shots.

6 NEW STRING & CABLE SYSTEM

 Increased strand count for added strength & durability at unprecedented speed.

7 NEW RX8 CAM SYSTEM

- Increased performance and accuracy.
- 404-degrees of rotation creates longest speed-generating power-stroke ever on a crossbow
- Wider cable grooves for reduced cable wear.



RANGE. AIN.

THE MOST ACCURATE LONG-RANGE CROSSBOWS EVER.



FEATURING THE

GARMIN, XERO X1i

EXACT AIM. ANY DISTANCE.

Available on the fastest crossbow in the world and the fastest compact crossbow on the market, the Garmin® XERO® X1i crossbow scope with built-in laser range finder is the first of its kind. This auto-ranging digital scope with 3.5X magnification automatically measures distance to a target with the press of a single button. Forget the days of gap shooting, precise illuminated aim points automatically adjust for both distance and brightness conditions to allow you to see your target, unobstructed by reticle patterns. TENPOINT / CROSSBOWS

SPECIAL FEATURES

NEW NITRO 505™ XERO™

505_{FPS}

30.5

AVAILABLE FINISH

HAVOC RS440™ XERO™

440 FPS

7.5 INCHES

AVAILABLE FINISH

VEIL ALPINE

26.5 INCHE

VEIL ALPINE

Ľ

1 ELEVATED CUSTOM CHEEK PIECE

Provides perfect eye alignment with XERO® X1i Scope.

2 RANGE BUTTON

Generate exact range and aiming point with the press of a single button.

3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM Provides silent cocking and safe de-cocking.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.







SPECIAL FEATURES

- 1 ELEVATED CUSTOM CHEEK PIECE Provides perfect eye alignment with XERO® X11 Scope.
- 2 INTEGRATED RANGE TOUCHPAD Generate exact range and aiming point with one touch.





4 ADJUSTABLE BUTT PLATE Provides 1-inch length-of-pull adjustment.



5 HIDDEN CABLE Custom pocket integrates cable into stock to prevent snagging.

DEFINING CROSSBOW PRECISION

AUTOMATIC AIMING POINT.

BUILT-IN RANGE FINDER PROVIDES EXACT DISTANCE TO YOUR TARGET & AIMING POINT.

FEATURING THE

BURRIS[®] ORACLE X[™]

Built on a decade of experience with rangefinding optics, the Oracle X[™] features a built-in laser range finder that is activated via the wireless remote or the range button on the scope. At the push of a button, the Oracle X[™] instantly displays the distance to your target and provides an exact aim point factoring in the angle of your shot. The aim point will also change to stay accurate no matter where you are within the 2-7X power zoom range!

NEW NITRO 505™ ORACLE X™ **505** FPS **6.5** INCHES 30.5 INCHE AVAILABLE FINISH **VEIL ALPINE** NEW VIPER S400[™] ORACLE X[™] **400**_{FPS} **7.2** INCHES **32.0** INCHES AVAILABLE FINISH VEIL AL PINE

TENPOINT / CROSSBOWS

SPECIAL FEATURES

 I
 ELEVATED CUSTOM CHEEK PIECE

 Provides perfect eye alignment with Burris® Oracle X[™] Scope.

2 RANGE BUTTON Generates exact range and aiming point.

3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM Provides silent cocking and safe de-cocking.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.





SHIPS FULLY ASSEMBLED

SPECIAL FEATURES

1 ELEVATED CUSTOM CHEEK PIECE Provides perfect eye alignment with Burris® Oracle X[™] Scope.

2 RANGE BUTTON

Generates exact range and aiming point.

3 ACUSLIDE (PATENT PENDING) COCKING & DE-COCKING SYSTEM Provides silent cocking and safe de-cocking.

4 ADJUSTABLE BUTT PLATE

Provides 1-inch length-of-pull adjustment.





DEFINING CROSSBOW PRECISION

SHIPS FULLY ASSEMBLED











SPECIFICATIONS









	NITRO 505 SAFE DE-COCKING	HAVOC RS440 SAFE DE-COCKING	VENGENT S440 SAFE DE-COCKING	SIEGE RS410 SAFE DE-COCKING	VIPER S400 SAFE DE-COCKING	
LENGTH (without foot stirrup)	30.5"	26.5"	35"	26.5"	32"	
WIDTH - AXLE-TD-AXLE (uncocked / cocked)	12" / 6.5"	12.3" / 7.5"	11" / 5.8"	12.3" / 7.5"	11" / 7.2"	
POWER STROKE	17"	13.5"	14"	13.5"	11"	
DRAW WEIGHT	300	270	250	220	250	
WEIGHT (without accessories)	7.9 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	7.7 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	7.5 lbs. (with ACUslide)	

PERFORMANCE

(FEET-PER-SECOND / FOOT-POUNDS KE)

PRO LITE ARROW (370-grains)	N/A	N/A	440 / 159	N/A	N/A
PRD ELITE 400 ARRDW (400-grains)	505 / 227	N/A	430 / 164	N/A	400 / 142
EVD-X CENTERPUNCH 16 ARROW (400-grains)	N/A	440 / 172 (Supplied arrow speed / KE)	N/A	410 / 149 (Supplied arrow speed / KE)	N/A
EVD-X CENTERPUNCH ARROW (445-grains)	485 / 232 (Supplied arrow speed / KE)	N/A	410 / 166 (Supplied arrow speed / KE)	N/A	380 / 143 (Supplied arrow speed / KE)

	ACUslide & Garmin [®] XERO [®] X11 Scope: CB22005-6179 ACUslide & Burris [®]	ACUslide & Garmin XERO® X11 Scope: CB21008-6279	ACUslide &	ACUside &	ACUslide & Burris® Oracle X™ Scope: CB20015-6869	
ACCESSORIES (Included with package)	XERO & ORACLE X PACKAGES: Tech Quiver 6 EVO-X Arrows EVO-X MARKSMAN PACKAGES: Tech Quiver 6 EVO-X Arrows	XERO PACKAGE: Tech Quiver 6 EVO-X 16 Arrows EVO-X MARKSMAN PACKAGE: Tech Quiver 6 EVO-X 16 Arrows Bubble Level	Tech Quiver 6 EVO-X Arrows Narrow Soft Case Bubble Level	Tech Quiver 6 EVO-X 16 Arrows	Tech Quiver 3 EVO-X Arrows	3 Pro

PACKAGE NUMBERS

ACUslide & EVO-X Marksman Elite Scope:

> Veil Alpine™: CB22005-6189

Moss Green: CB22005-1199

Veil Alpine™: CB20007-6219 Graphite: CB20007-1219

Scope:

Veil Alpine™:

CB21008-6289

Graphite: CB21008-1299

TENPOINTCROSSBOWS.COM

Veil Alpine™: CB21012-6819

Graphite: CB21012-1819

Graphite: CB20015-1819

RangeMaster Pro Scope:

Veil Alpine™: CB20015-6819



11" / 7.2"	14" / 9"	14" / 9"
11"	14"	14"
220	190	180
7.3 lbs. (with ACUslide)	6.4 lbs.	6.4 lbs.

N/A	380 / 119	370 / 113
390 / 135 (Supplied arrow speed / KE)	370 / 122 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)
N/A	N/A	N/A
370 / 135	350 / 121	340 / 114

Quiver 8 Pro Elite 400 Arrows

Quiver 3 Pro Elite 400 Arrows

Quiver 3 Pro Elite 400 Arrows

ACUslide & RangeMaster Pro Scope:

Vektra™: CB22020-7519

Moss Green: CB22020-1519 ACUdraw De-Cock & Pro-View Scope CB22047-7528

ACUdraw 50 De-Cock & Pro-View Scope CB22047-7527

ACUdraw & Pro-View Scope: CB19047-3522

Rope-Sled & Pro-View Scope: CB19047-3524



SAFE DE-COCKING AT \$799?

YEAH, WE JUST DID THAT.



SILENT COCKING

Silently cock the crossbow with an easy 5-pounds of force.



If you don't take a shot, simply push the de-cock button on the trigger box.



You can remove your hand from the handle at any point and it will stop in place.

AMERICAN BUILT BY AMERICAN WORKERS

For most hunters, we just made your crossbow obsolete. Forget the hassle of discharging your bow at the end of the hunt and damaging arrows – Wicked Ridge's NEW 2022 crossbows silently cock and safely de-cock with the revolutionary ACUdraw De-Cock (patent pending).

Speeds over 400 feet-per-second, safe de-cocking, and unheard-of prices starting at \$799... visit a dealer and find out why it's time to retire your old crossbow.





PLETE PACKAGE SEE PAGE 25 🚽



WICKED RIDGE / CROSSBOWS

WICKED RIDGE / CROSSBOWS



The narrowest Wicked Ridge crossbow at just 6-inches wide, the American-Built NXT 400 unleashes devastating speeds at 400 FPS and features a built-in ACUdraw cocking device for easy cocking. Built to deliver jaw-dropping power and match-grade down-range accuracy, the NXT 400 provides a combination of speed, width, and accuracy unrivaled in its crossbow class.





LIFETIME



The working man's reverse-draw crossbow, the RDX 400 features a perfectly balanced reverse-draw bow assembly and our Reaper Cam System $\ensuremath{^{\text{TM}}}$ that together deliver consistent down-range accuracy and lighting speeds up to 400 FPS. Focused on speed-to-price ratio, the RDX 400 includes a complete package with a cocking device and an Integrated String Stop System.



WICKEDRIDGECROSSBOWS.COM



.0 POLINDS



The best-selling Wicked Ridge model, the Invader 400 registers 400 FPS – an incredible 40 feet-per-second faster than its predecessor. Proudly built in America, it features a Pro-View



WICKED RIDGE / CROSSBOWS

MOSSY DAK BREAK-UP COUNTRY®

ARLE FINI



The industry's first entry-level crossbow with a built-in cocking device, the Rampage 360 shoots up to 360 feet-per-second and measures 15-inches wide. Delivering unmatched out-of-the box accuracy and unparalleled American-built quality, it is the premiere entry-level crossbow on the market.

15.0 INCHES **6.0** POUNDS

360_{FPS}

AILABLE FINIS PEAK™

AVAILABLE AS COMPLETE PACKAGE SEE PAGE 25





	10	1.81			<u></u>			
	NXT 400	FURY 410 SAFE DE-COCKING	RDX 400	RAIDER 400 SAFE DE-COCKING	M-370	INVADER 400	RAMPAGE 360	BLACKHAWK 360
LENGTH (without foot stirrup)	33"	29"	32.25"	31.5"	35"	35.5"	35.5"	35.5"
WIDTH – AXLE-TO-AXLE (uncocked / cocked)	11.3" / 6"	15" / 9"	15" / 9"	19" / 15"	14" / 9.5"	19" / 15"	19" / 15"	19" / 15"
POWER STROKE	15.5"	15.5"	15.5"	13.5"	13.8"	13.5"	13.5"	13.5"
DRAW WEIGHT	200	200	175	185	180	185	175	175
WEIGHT (without accessories)	7.4 lbs.	7.5 lbs.	7.6 lbs.	6.5 lbs.	5.8 lbs.	6.0 lbs.	6.0 lbs.	6.0 lbs.

PERFORMANCE

(FEET-PER-SECOND / FOOT-POUNDS KE)

PRO LITE ARROW (370-grains)	N/A	410 / 138	400 / 132	400 / 132	370 / 113	400 / 132	360 / 107	360 / 107
WR MATCH 400 CARBON (400-grains)	400 / 142 (Supplied arrow speed / KE)	400 / 142 (Supplied arrow speed / KE)	390 / 135	390 / 135 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)	390 / 135	350 / 109	350 / 109
WR XX75 ALUMINUM (435-grains)	N/A	N/A	380 / 140 (Supplied arrow speed / KE)	380 / 140	N/A	380 / 140 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)
ACCESSORIES (Included with package)	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 XX75 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows
		ACIIdraw		ACIIdraw	ACUdraw & Multi-Line	ACUdraw & Pro-View	ACUdraw & Multi-Line	

BLACKHAWK 360 Who says that a budget friendly crossbow has to come from China? Meet the Blackhawk 360. Born and bred in the US, this bow is just like you...it hunts hard to get the job done, and is proud to be American! **360**_{FPS} **15.0** INCHES **6.0** POUNDS BLACK / PEAK™



PRD LITE ARROW (370-grains)	N/A	410 / 138	400 / 132	400 / 132	370 / 113	400 / 132	360 / 107	360 / 107
WR MATCH 400 CARBON (400-grains)	400 / 142 (Supplied arrow speed / KE)	400 / 142 (Supplied arrow speed / KE)	390 / 135	390 / 135 (Supplied arrow speed / KE)	360 / 115 (Supplied arrow speed / KE)	390 / 135	350 / 109	350 / 109
WR XX75 ALUMINUM (435-grains)	N/A	N/A	380 / 140 (Supplied arrow speed / KE)	380 / 140	N/A	380 / 140 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)	340 / 112 (Supplied arrow speed / KE)
ACCESSORIES (Included with package)	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 XX75 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 Match 400 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows	Quiver 3 XX75 Arrows
PACKAGE NUMBERS	ACUdraw & Pro-View Scope: WR21002-9522	ACUdraw De-Cock & RangeMaster Pro Scope: WR22060-4518	ACUdraw PRO & Multi-Line Scope: WR19060-5532	ACUdraw De-Cock & Mutti-Line Scope: WR22005-4538	ACUdraw & Multi-Line Scope: WR20003-9532 Rope-Sled & Multi-Line Scope: WR20003-9534	ACUdraw & Pro-View Scope: WR20005-9522 ACUdraw 50 & Pro-View Scope: WR20005-9521	ACUdraw & Multi-Line Scope: WR20015-9432 ACUdraw 50 & Multi-Line Scope: WR20015-9431	Rope-Cocker & Multi-Line Scope: WR21020-9535



Alpha-Blaze Nock /LED Unit

TENPOINTCROSSBOWS.COM

HP Aluminum Bushina

REVOLUTIONARY ALPHA-NOCK HP & ALPHA-BLAZE LIGHTED NOCK

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT AND SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP features a deep bowstring groove, a large smooth radius base, and elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the Alpha-Nock HP resulting in straight nock travel and precision down-range accuracy, while minimizing string serving wear.

The Alpha-Nock HP's deep channel design increases the string-to-nock engagement by 28% and "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".

ALPHA-BLAZE

Nock Engagement HP Aluminum Bushing for

Increased Strength & Accuracy

Increased String-to-

28%

LIGHTED NOCK

ALPHA-BLAZE LIGHTED NOCK WITH LED UNIT

The Alpha-Blaze Lighted Nock contains a one-piece Nock/LED unit that is indexed with the vanes and press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bowstring's force compresses the two pieces and activates the lighted nock.

Deactivate the easy on/off Alpha-Blaze lighted nock by pulling the nock straight out until the light turns off no tools required. The LED light of the Alpha-Blaze system lasts for approximately eight hours when activated.

The system features TenPoint's NEW Alpha-Nock HP that is equipped with an HP Aluminum Bushing for increased strength and accuracy.

BE SURE THE ALPHA-NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW (AS SHOWN ABOVE).

* All TenPoint and Wicked Ridge crossbows require the use of an Alpha-Nock Arrow. Failure to do so will void the manufacturer's warranty.

HEA-379.3 3-pack Alpha-Blaze Lighted Nock for HP Bushing – Green

1



Arrow Shaft

is weight-grain matched within 1-grain per arrow.

CENTER PUNCH 16

20-INCH / 455-GRAINS / BALANCED AT 15% FOC / .001" STRAIGHTNESS

ARROWS

0

TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS 16-INCH / 400-GRAINS / BALANCED AT 17.5% FOC / .001" STRAIGHTNESS

Specifically designed for the Havoc RS440 and the Siege RS410, the CenterPunch 16-inch arrow is fletched slightly offset and is fitted with a 68-grain insert and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 2.1" Q2i Fusion-II Vanes. CenterPunch arrows are inspected for straightness to within .001 and each package is weight-argin matched within 1-argin per arrow.



TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset and is fitted with a 46-grain aluminum insert, 3.5" Bohning X Vanes™, and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" and hand-sorted for weight tolerance to within 2-grains per dozen. Note: Alpha-Brite lighted arrows come with original Alpha-Nocks



NEW WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 400-GRAINS / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset and is fitted with a 46-grain aluminum insert, 3.5" Bohning X Vanes™, and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" and hand-sorted for weight tolerance to within 2-grains per dozen. Note: Alpha-Brite lighted arrows come with original Alpha-Nocks.



XX75 WICKED RIDGE LIGHTED & NON-LIGHTED ALUMINUM ARROWS 20-INCH / 450-GRAINS / BALANCED AT 10% FDC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset and is fitted with a 13-grain carbon insert, 2.0 Easton Bully Boattail Vane, and TenPoint's Alpha-Nock. Note: Alpha-Brite lighted arrows come with original Alpha-Nocks

CROSSBOW DISCHARGE ARROW 20-INCH / 725-GRAINS

The Crossbow Discharge Arrow includes a 20-inch carbon arrow with installed Alpha Nock HP Nock, Alpha Nock HP Nock Bushing, discharge collar, and field tip. The 725-grain finished arrow with an Alpha-Nock HP Nock, is designed for use on most crossbows that shoot a 20-inch arrow. It can also be used on most crossbows requiring flat, moon, or capture nocks.

CENTER PUNC

TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

The most accurate crossbow arrow ever, the CenterPunch 20-inch arrow is fletched slightly offset and is fitted with a 68-grain insert and TenPoint's new Alpha Nock HP Nock and Alpha Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) and wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3.5" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 and each package HEA-740.6 6-pack (w/Alpha-Nock HP) HEA-740.36 36-pack (w/Alpha-Nock HP) HEA-749.3 3-pack (w/Alpha-Blaze lighted nocks) HEA-749.36 36-pack (w/Alpha-Blaze lighted nocks) *All 3- and 6-packs come with 100-arain field points

HEA-750.6 6-pack (w/Alpha-Nock HP) HEA-750.36 36-pack (w/Alpha-Nock HP) HEA-759.3 3-pack (w/Alpha-Blaze lighted nocks) HEA-759.36 36-pack (w/Alpha-Blaze lighted nocks) *All 3- and 6-packs come with 100-arain field points

HEA-660.3 3-pack (w/Alpha-Nock HP) HEA-660.6 6-pack (w/Alpha-Nock HP) HEA-660.36 36-pack (w/Alpha-Nock HP) HEA-668.3 3-pack (w/Alpha-Brite lighted nocks) 3-pack (w/Alpha-Brite lighted nocks) HEA-668.6 HEA-668.36 36-pack (w/Alpha-Brite lighted nocks) *All 3- and 6-packs come with 100-grain field points

HEA-760.3 3-pack (w/Alpha-Nock HP) HEA-760.6 6-pack (w/Alpha-Nock HP) HEA-760.36 36-pack (w/Alpha-Nock HP) HEA-768.3 3-pack (w/Alpha-Brite lighted nocks) HEA-768.36 36-pack (w/Alpha-Brite lighted nocks) *All 3- and 6-packs come with 100-arain field points

HEA-060.3 3-pack (w/Alpha-Nock HP) HEA-060 6 6-pack (w/Alpha-Nock HP) HEA-060.36 36-pack (w/Alpha-Nock HP) 3-pack (w/Alpha-Brite lighted nocks) HEA-068.3 HEA-068.36 36-pack (w/Alpha-Brite lighted nocks) *All 3- and 6-packs come with 100-grain field point

HEA-00018 Crossbow Discharge Arrow

TENPOINT / ACCESSORIES

BROADHEADS

TENPOINT EVO-X CENTERPUNCH EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, regrdeploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy and a devastating 17/8" cut. Its 7075 T6 aluminum ferrule, ultrastrong precision point, and scalpel sharp blades stay closed during flight - creating massive wound channels and leaving huge blood trails.

HEA-BDD.3 CenterPunch Broadhead (3-pack)

CROSSBOW CASES

HALO BOWPACK

HCA-20120

WRA221

SEMI-RIGID CASE

Designed for maximum protection and durability, these

riaid, water-resistant cases feature an extremely durable

straps to secure the crossbow during travel, and storage

shell, as well as a velvet interior for added protection.

The interior of the case includes two hook and loop

for a aujver that also includes straps. If used with TSA

approved locks, the case is TSA compliant.

THE INDUSTRY'S FIRST CROSSBOW BACKPACK-PERFECT FOR YOUR TREK THRU THE WOODS.

HALO Bowpack - Custom Designed for TenPoint's Havoc RS440 and Siege RS410

AMBUSH Bowpack - Custom Designed for 2019 Wicked Ridge Models and Newer

DIMENSIONS: Pack Length; 33" | Pack Width 17" | Pack Depth 11"

DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"

NEW WICKED RIDGE AMBUSH CROSSBOW BOWPACK



Two elastic side pockets for storing wate ottles or a quiver with ar

TENPOINT EVO-X MONTEC

Built exclusively for TenPoint by G5, this one-

piece, 100-grain broadhead is designed for

maximum strength and pin-point accuracy.

and features a three-blade, cut-on-contact

HEA-801.3 Montec Broadhead (3-pack)

design with a devastating 1 1/8" cut.

FIXED BROADHEAD





NEW WICKED RIDGE IMPACT

at a great value, the 100-grain, 2-blade, rear-

deploving Impact broadhead features a

steel construction and a simple, collarless

design that delivers field point accuracy

HEA-803.3 Impact Broadhead (3-pack)

and a devastating 2" cut. Its stainless-

steel ferrule and ultra-strong

bone-crushing tip deliver

open in-flight.

massive wound channels and huge blood trails, while its floating blade design ensures the blades do not

Designed for precision, durability, and performance

EXPANDABLE BROADHEAD

Rigid frame provides robus back support and includes a pocketed waist strap and sternum strap for ultimate carrying comfort

Four external zippered pockets for storage of calls, range finder, extra clothing, cellphone, etc.





ockets for storage of calls, range finder, extra clothing, cellphone, etc

These ultra-durable soft cases ensure protection needed for travel and/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), and zippered compartment(s) for accessories.



Narrow Soft Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up HCA-20119

DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"

Wicked Ridge Soft Crossbow Case / Black / Fits 2018 and newer Wicked Ridge crossbows (except Ranger and Lady Ranger models)

DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

CROSSBOW ACCESSORIES

NEOPRENE SLINGS

Featuring an extra-strong 1.25-inch wide shoulder strap, thumb loop, and a non-slip design. Equipped with custom swivels and heavy-duty adjustable strap.



STEDDYEDDY[®] (PATENTED)

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection and clamps under your stock when not in use.

SteddyEddy Crossbow Monopod System (compatible with TenPoint and HCA-030 Wicked Ridge crossbows)

REPLACEMENT CRANK HANDLES

HCA-446	XTEND Adjustable Crank Handle (Not compatible with the Havoc RS440 or Siege RS410)
HCA-447	XTEND Short Crank Handle (Compatible with the Havoc RS440 and Siege RS410) (not shown)
HCA-448	ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, and Raider 400 De-Cock)
HCA-430	Crank Handle (Compatible with ACUdraw and ACUdraw PRO)

SILENCERS

NOISE DAMPENING PACKAGES

Private labeled exclusively for TenPoint by Bowjax, Inc. the Noise Dampening packages progressively reduce decibel level and shorten noise duration when used on compound crossbows and/or vertical bows. Two versions are available:



Noise Dampening Package (Includes limb, retention spring foot stirrup, and barrel dampeners) Universal Limb and Foot Stirrup Silencing Package (Includes limb & foot stirrup dampeners only, for most compound crossbows and/or vertical bows)

MAINTENANCE

TENPOINT STRING WAX AND CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates and rejuvenates bow strings and cables.



TenPoint STAG Case / Black / Fits all of TenPoint's 2019 and newer crossbow line-up

DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / HCA-20318 Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

WRA220










HCA-13718







SOFT CASES

TENPOINTCROSSBOWS.COM



6-ARROW TECH OUIVER

The compact Tech quiver contains a rigid ultra-durable spine and is designed for easy ambidextrous mounting. It's grippers hold up to four arrows with broadheads and/or field points on the front of the quiver, and two additional arrows with field points can be stored on the back of the quiver for a total of up to six arrows. Mounting hardware is included.

HCA-01920 6-Arrow Tech Quiver



BEDNAR PERFECT PULLER® (PATENTED)

Named for and originally developed by the Hall of Fame Archer Bill Bednar, this tool is designed to pull arrows from high-density targets. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow and compound arrows. In addition, the hunter orange handles are notched to create a built-in nock tool.

HCA-104 Bednar Perfect Puller (with interchangeable grippers)



Featuring micro-adjustable dampening rods with durable, high impact rubber dampeners the SDS mounts in the cable slot to dramatically reduce string noise and oscillation. Compatible with most post-1999 TenPoint Crossbow Technologies thumbhole models except the GT Curve™. Not compatible with RDX or NXT crossbows, RCX crossbows with built-in dampeners, ACUslide crossbows, or Fury 410 De-Cock crossbows.

HCA-148	SDS (String Dampening System) A second set of SDS rods are included to alleviate the need for shortening rods. Compatible with Turbo M1, Titan M1, and M-370 crossbows.
HCA-146	Wicked Ridge SDS (String Dampening System) Compatible only with the Invader 400, Invader X4, Rampage 360, Blackhawk 360, Warrior Ultra-Lite, Ranger X2, and Raider 400 De-Cock.

HCA-146

HCA-148

LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt and grime. Recommended for strings, cables, cocking device cords, and barrel. Both feature Scorpion Venom™ Premium Lubricant

HCA-111 HCA-112

Flight Rail and Trigger Lube (tube) Premium Lubricant with Foam Applicator (bottle)









SCOPES

long-range accuracy.

EVO-X[®] MARKSMAN[™] ELITE SCOPE RETICI E: 20-100-YARD

The brightest and most accurate variable speed crossbow scope on the market, this scope features a variable speed and arrow drop-compensation setting for crossbows that shoot between 300 and 500 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, and 60-yards, two illuminated (red or green) dots at 30- and 50-yards, and four non-illuminated chevrons at 70-, 80-, 90-, and 100-yards, presents the shooter with a simplified aiming system. Offered in black or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle and fully multi-coated 2-8x optics that increase field-of-view and brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage and elevation for unmatched

HCA-095.2VA EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™ HCA-095.2 EVO-X Marksman Elite Scope with flip-up scope caps – Black

RANGEMASTER® PRO SCOPE

RETICLE: 20-60-YARDS

This 8.25-inch aluminum scope features a variable speed and arrow drop-compensation setting for crossbows, and requires no adjustment for distance. Three duplex crosshairs and four dots calibrated for 20-, 30-, 40- and 50-yards, and a triangle for 60-yards (fourth dot and triangle are free-standing, just below the 40-yard crosshair) are available with a non-illuminated black dot or one of two rheostat controlled illuminated, colored dots (red or green). An etched glass reticle and fully multi-coated 1.5 to 5x optics reduce the loss of light transmission, while a 30mm tube heightens light-gathering and durability.

HCA-09811 RangeMaster Pro Scope with flip-up scope caps

COCKING DEVICES

ACUDRAW PRO

- Reduces draw weight to 9-pounds
- Silent operation
- Auto-engage lever activates the gear system immediately as cranking begins
- Draws the bow accurately every time
- Available as an accessory or pre-installed on certain models (not for use on pre-2018 Wicked Ridge crossbows)

HCA-001-PRO ACUdraw PRO

ACUDRAW 50 SLED (NOT SHOWN)

HCA-DDD-A5D-S ACUdraw 50 SLED (Patented) (Not for use on Nitro X, Nitro XRT, and XR-410)

ACUDRAW 50 (NOT SHOWN)

ACUdraw 50 (Patented) HCA-DDD-A5D (Not for use on ultra-narrow or reverse-draw crossbows)

PRO-VIEW™ SCOPE RETICLE: 20-60-YARDS

This lightweight 8.5-inch aluminum tube scope features 3 crosshairs and four dots calibrated for 20-, 30-, 40-, and 50-yards (fourth dot is free-standing, just below the 40-yard crosshair) and fully-coated 3x optics. Available with non-illuminated black dots or one of two rheostat controlled illuminated, colored dots (red or green).

HCA-097-II Pro-View Scope

MULTI-LINE SCOPE RETICLE: 20-50-YARDS

Only 8.5-inches long, this compact scope features fully-coated 3x optics and three duplex crosshairs calibrated for 20, 30, and 40-yards, and a fourth partial line for 50-yard shots. Scope mounting rings included.



TENPOINT / ACCESSORIES

HCA-090 Multi-Line Scope

ACUDRAW



HCA-000-B-AD ACUdraw

• Reduces draw weight to 5-pounds when operated manually

ACUSLED (NOT SHOWN)

HCA-000-AS ACUsled (Not for use on TenPoint reverse-draw crossbow

2022 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact our Customer Experience Team at 330-628-9245 for more information. Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Silder, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7

MODELS

Turbo Extreme & Magnum Extreme Elite X2, Magnum X2, Stealth X2, & Turbo X2 Hybrid Lite & Elite Lite Pro Fusion, Pro Slider, Titan TL-9, & Titan HLX Pro Elite, Elite, Elite QX-4, & QX-4 Maverick HP, Pro Elite HP, Blazer HP, & Lazer HP Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS, & Carbon Fusion CLS Stealth XLT & Turbo XLT Turbo XLT II, Carbon Elite XLT, & Stealth SS Shadow Ultra-Lite, Tactical XLT, Turbo GT & Renegade XLT Titan Xtreme GT Curve, GT Flex, & GT Mag Vapor Venom Lady Shadow Stealth FX4 & Venom Xtra Titan SS & Renegade Carbon Nitro RDX Carbon Phantom RCX & Eclipse RCX Vengent S440, Viper S400, Stealth NXT, Turbo S1, & Shadow NXT Vapor RS470, Nitro XRT, Nitro X, XR-410, Havoc RS440 & Siege RS410 Turbo M1, Titan M1, & Titan De-Cock Nitro X, Nitro XRT, Vapor RS470, & XR-410 Nitro 505

MODELS Storm RDX Vortec RDX Legend Ultra Lite Woodsman 360 & Carbon Woodsman 360

WICKED RIDGE

MODELS

Invader HP, Invader, Warrior HL, & Warrior Raider CLS Ranger Lady Ranger Invader G3 & Warrior G3 Invader 400, Rampage 360, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, & Raider 400 De-Cock **RDX 400** M370 NXT 400

Fury 410 De-Cock





clamp-on accessories

• Lightweight and has no bulky • Draws the bow accurately every time Available as an accessory or pre-installed

STRINGS	CABLES
HCA-115	HCA-124
HCA-11607	HCA-12307
HCA-12110	HCA-12710
HCA-12112	HCA-12912
HCA-12112-R	HCA-12912-R
HCA-11712	HCA-12612
HCA12008	N/A
HCA-11813	HCA-12813
HCA-12014	HCA-12514
HCA-12112-R	HCA-12912-R
HCA-12015-O	HCA-12515-O
HCA-11716-S	HCA-12616-S
HCA-12216-R	HCA-13116-R
HCA-70117	HCA-70017
HCA-70317	HCA-70617
HCA-70717	HCA-70617
HCA-11619-S	HCA-11619-C
HCA-70717	HCA-70617
HCA-70318	HCA-70418

STRINGS	CABLES
HCA-12215	HCA-13115
HCA-72717	HCA-72617
HCA-11716-S	HCA-12616-S
HCA-75117	HCA-75017

STRINGS	CABLES
WRA182	WRA162
WRA183	WRA163
HCA-13215-O	HCA-13315-O
HCA-13216-OB	HCA-13316-OB
HCA-13216-OB	HCA-13316-OB
HCA-75117	HCA-75017
HCA-13419-S	HCA-13419-C
HCA-11619-S	HCA-11619-C
HCA-70317	HCA-70617
HCA-72717	HCA-72617



BUILT IN AMERICA

We design, build, and test our crossbows here in the U.S.A. Doing so enables us to control the process and to use the best parts and materials available, thereby guaranteeing a final product of uncompromising quality.

Our rigorous testing standards have earned us the reputation for making the most durable and dependable crossbows on the market. We validate all of our designs through a prototyping process that combines hands-on testing with automated cycle testing.

Our automated shooting simulator allows us to put thousands of shots on our bow assembly designs in a matter of days — so when the final product arrives on the shelves, it will meet your expectations.





1325 Waterloo Road • Mogadore, OH 44260-9608 Phone: 330.628.9245 • Fax: 330.628.0999



These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/. **NOTE:** TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

